

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
25 May 2001 (25.05.2001)

PCT

(10) International Publication Number
WO 01/35726 A1

(51) International Patent Classification⁷: **A01H 1/00**,
S/00, C12N 5/14, 15/82

Helen Place, Castro Valley, CA 94546 (US). **REUBER, Lynne** [US/US]; 2000 Walnut Avenue, Fremont, CA 94538 (US). **ADAM, Luc** [CA/US]; 25800 Industrial Boulevard, L403, Hayward, CA 94545 (US).

(21) International Application Number: PCT/US00/31418

(22) International Filing Date:
14 November 2000 (14.11.2000)

(74) Agent: **GUERRERO, Karen**; Mendel Biotechnology, Inc., 21375 Cabot Boulevard, Hayward, CA 94545 (US).

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/166,228 17 November 1999 (17.11.1999) US
60/197,899 17 April 2000 (17.04.2000) US
60/227,439 22 August 2000 (22.08.2000) US

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(71) Applicant (*for all designated States except US*):
MENDEL BIOTECHNOLOGY, INC. [US/US]; 21375 Cabot Boulevard, Hayward, CA 94541 (US).

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(71) Applicants and

(72) Inventors: **HEARD, Jacqueline** [US/US]; 810 Guildford Avenue, San Mateo, CA 94402 (US). **RATCLIFFE, Oliver** [GB/US]; 814 East 21st Street, Oakland, CA 94606 (US). **CREELMAN, Robert** [US/US]; 2801 Jennifer Drive, Castro Valley, CA 94546 (US). **JIANG, Cai-Zhong** [CN/US]; 34495 Heathrow Terrace, Fremont, CA 94555 (US). **PINEDA, Omaira** [CO/US]; 19563

Published:

— With international search report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WO 01/35726 A1

(54) Title: PATHOGEN TOLERANCE GENES

(57) Abstract: The present invention relates to transgenic plants and methods of making transgenic plant using punitive transcription factors that modulate the transgenic plant's susceptibility to disease.

PATHOGEN TOLERANCE GENES

RELATED APPLICATION INFORMATION

The present invention claims the benefit from US Provisional Patent Application
5 Serial Nos. 60/166,228 filed November 17, 1999 and 60/197,899 filed April 17, 2000 and
"Plant Trait Modification III" filed August 22, 2000.

FIELD OF THE INVENTION

This invention relates to the field of plant biology. More particularly, the
present invention pertains to compositions and methods for phenotypically modifying a plant.

10 **BACKGROUND OF THE INVENTION**

Transcription factors can modulate gene expression, either increasing or
decreasing (inducing or repressing) the rate of transcription. This modulation results in
differential levels of gene expression at various developmental stages, in different tissues and
cell types, and in response to different exogenous (e.g., environmental) and endogenous
15 stimuli throughout the life cycle of the organism.

Because transcription factors are key controlling elements of biological
pathways, altering the expression levels of one or more transcription factors can change entire
biological pathways in an organism. For example, manipulation of the levels of selected
transcription factors may result in increased expression of economically useful proteins or
20 metabolic chemicals in plants or to improve other agriculturally relevant characteristics.
Conversely, blocked or reduced expression of a transcription factor may reduce biosynthesis
of unwanted compounds or remove an undesirable trait. Therefore, manipulating
transcription factor levels in a plant offers tremendous potential in agricultural biotechnology
for modifying a plant's traits.

25 The present invention provides novel transcription factors useful for
modifying a plant's phenotype in desirable ways, such as modifying a plant's pathogen
tolerance.

SUMMARY OF THE INVENTION

In a first aspect, the invention relates to a recombinant polynucleotide
30 comprising a nucleotide sequence selected from the group consisting of: (a) a nucleotide
sequence encoding a polypeptide comprising a sequence selected from SEQ ID Nos. 2N,
where N=1-29, or a complementary nucleotide sequence thereof; (b) a nucleotide sequence
encoding a polypeptide comprising a conservatively substituted variant of a polypeptide of
(a); (c) a nucleotide sequence comprising a sequence selected from those of SEQ ID Nos. 2N-
35 1, where N=1-29, or a complementary nucleotide sequence thereof; (d) a nucleotide sequence

comprising silent substitutions in a nucleotide sequence of (c); (e) a nucleotide sequence which hybridizes under stringent conditions over substantially the entire length of a nucleotide sequence of one or more of: (a), (b), (c), or (d); (f) a nucleotide sequence comprising at least 15 consecutive nucleotides of a sequence of any of (a)-(e); (g) a
5 nucleotide sequence comprising a subsequence or fragment of any of (a)-(f), which subsequence or fragment encodes a polypeptide having a biological activity that modifies a plant's pathogen tolerance; (h) a nucleotide sequence having at least 31% sequence identity to a nucleotide sequence of any of (a)-(g); (i) a nucleotide sequence having at least 60% identity sequence identity to a nucleotide sequence of any of (a)-(g); (j) a nucleotide sequence which
10 encodes a polypeptide having at least 31% identity sequence identity to a polypeptide of SEQ ID Nos. 2N, where N=1-29; (k) a nucleotide sequence which encodes a polypeptide having at least 60% identity sequence identity to a polypeptide of SEQ ID Nos. 2N, where N=1-29; and (l) a nucleotide sequence which encodes a conserved domain of a polypeptide having at least 65% sequence identity to a conserved domain of a polypeptide of SEQ ID Nos. 2N, where
15 N=1-29. The recombinant polynucleotide may further comprise a constitutive, inducible, or tissue-active promoter operably linked to the nucleotide sequence. The invention also relates to compositions comprising at least two of the above described polynucleotides.

In a second aspect, the invention is an isolated or recombinant polypeptide comprising a subsequence of at least about 15 contiguous amino acids encoded by the
20 recombinant or isolated polynucleotide described above.

In another aspect, the invention is a transgenic plant comprising one or more of the above described recombinant polynucleotides. In yet another aspect, the invention is a plant with altered expression levels of a polynucleotide described above or a plant with altered expression or activity levels of an above described polypeptide. Further, the invention may
25 be a plant lacking a nucleotide sequence encoding a polypeptide comprising a sequence selected from SEQ ID Nos. 2N, where N=1-29.

The plant may be a soybean, wheat, corn, potato, cotton, rice, oilseed rape, sunflower, alfalfa, sugarcane, turf, banana, blackberry, blueberry, strawberry, raspberry, cantaloupe, carrot, cauliflower, coffee, cucumber, eggplant, grapes, honeydew, lettuce,
30 mango, melon, onion, papaya, peas, peppers, pineapple, spinach, squash, sweet corn, tobacco, tomato, watermelon, rosaceous fruits, or vegetable brassicas plant.

In a further aspect, the invention relates to a cloning or expression vector comprising the isolated or recombinant polynucleotide described above or cells comprising the cloning or expression vector.

35 In yet a further aspect, the invention relates to a composition produced by incubating a polynucleotide of the invention with a nuclease, a restriction enzyme, a polymerase; a polymerase and a primer; a cloning vector, or with a cell.

Furthermore, the invention relates to a method for producing a plant having improved pathogen tolerance. The method comprises altering the expression of an isolated or recombinant polynucleotide of the invention or altering the expression or activity of a polypeptide of the invention in a plant to produce a modified plant, and selecting the modified plant for modified pathogen tolerance.

In another aspect, the invention relates to a method of identifying a factor that is modulated by or interacts with a polypeptide encoded by a polynucleotide of the invention. The method comprises expressing a polypeptide encoded by the polynucleotide in a plant; and identifying at least one factor that is modulated by or interacts with the polypeptide. In one embodiment the method for identifying modulating or interacting factors is by detecting binding by the polypeptide to a promoter sequence, or by detecting interactions between an additional protein and the polypeptide in a yeast two hybrid system, or by detecting expression of a factor by hybridization to a microarray, subtractive hybridization or differential display.

In yet another aspect, the invention is a method of identifying a molecule that modulates activity or expression of a polynucleotide or polypeptide of interest. The method comprises placing the molecule in contact with a plant comprising the polynucleotide or polypeptide encoded by the polynucleotide of the invention and monitoring one or more of the expression level of the polynucleotide in the plant, the expression level of the polypeptide in the plant, and modulation of an activity of the polypeptide in the plant.

In yet another aspect, the invention relates to an integrated system, computer or computer readable medium comprising one or more character strings corresponding to a polynucleotide of the invention, or to a polypeptide encoded by the polynucleotide. The integrated system, computer or computer readable medium may comprise a link between one or more sequence strings to a modified plant pathogen tolerance phenotype.

In yet another aspect, the invention is a method for identifying a sequence similar or homologous to one or more polynucleotides of the invention, or one or more polypeptides encoded by the polynucleotides. The method comprises providing a sequence database; and, querying the sequence database with one or more target sequences corresponding to the one or more polynucleotides or to the one or more polypeptides to identify one or more sequence members of the database that display sequence similarity or homology to one or more of the one or more target sequences.

The method may further comprise of linking the one or more of the polynucleotides of the invention, or encoded polypeptides, to a modified plant pathogen tolerance phenotype.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 provides a table of exemplary polynucleotide and polypeptide sequences of the invention. The table includes from left to right for each sequence: the SEQ ID No., the internal code reference number (GID), whether the sequence is a polynucleotide or polypeptide sequence, and identification of any conserved domains for the polypeptide sequences.

Figure 2 provides a table of exemplary sequences that are homologous to other sequences provided in the Sequence Listing and that are derived from *Arabidopsis thaliana*. The table includes from left to right: the SEQ ID No., the internal code reference number (GID), identification of the homologous sequence, whether the sequence is a polynucleotide or polypeptide sequence, and identification of any conserved domains for the polypeptide sequences.

Figure 3 provides a table of exemplary sequences that are homologous to the sequences provided in Figures 1 and 2 and that are derived from plants other than *Arabidopsis thaliana*. The table includes from left to right: the SEQ ID No., the internal code reference number (GID), the unique GenBank sequence ID No. (NID), the probability that the comparison was generated by chance (P-value), and the species from which the homologous gene was identified.

DETAILED DESCRIPTION

The present invention relates to polynucleotides and polypeptides, e.g. for modifying phenotypes of plants.

In particular, the polynucleotides or polypeptides are useful for modifying traits associated with a plant's pathogen tolerance when the expression levels of the polynucleotides or expression levels or activity levels of the polypeptides are altered. Specifically, the polynucleotides and polypeptides are useful for modifying traits associated with a plant's pathogen tolerance, such as alterations in cell wall composition, trichome number or structure, callose induction, phytoalexin induction, alterations in the cell death response, or the like. Transgenic plants employing the polynucleotides or polypeptides of the invention are more tolerant to biotrophic or necrotrophic pathogens such as fungi, bacteria, mollicutes, viruses, nematodes, parasitic higher plants or the like.

The polynucleotides of the invention encode plant transcription factors. The plant transcription factors are derived, e.g., from *Arabidopsis thaliana* and can belong, e.g., to one or more of the following transcription factor families: the AP2 (APETALA2) domain transcription factor family (Riechmann and Meyerowitz (1998) J. Biol. Chem. 379:633-646); the MYB transcription factor family (Martin and Paz-Ares (1997) Trends Genet. 13:67-73); the MADS domain transcription factor family (Riechmann and Meyerowitz (1997) J. Biol.

Chem. 378:1079-1101); the WRKY protein family (Ishiguro and Nakamura (1994) Mol. Gen. Genet. 244:563-571); the ankyrin-repeat protein family (Zhang et al. (1992) Plant Cell 4:1575-1588); the miscellaneous protein (MISC) family (Kim et al. (1997) Plant J. 11:1237-1251); the zinc finger protein (Z) family (Klug and Schwabe (1995) FASEB J. 9: 597-604);
 5 the homeobox (HB) protein family (Duboule (1994) Guidebook to the Homeobox Genes, Oxford University Press); the CAAT-element binding proteins (Forsburg and Guarente (1989) Genes Dev. 3:1166-1178); the squamosa promoter binding proteins (SPB) (Klein et al. (1996) Mol. Gen. Genet. 1996 250:7-16); the NAM protein family; the IAA/AUX proteins (Rouse et al. (1998) Science 279:1371-1373); the HLH/MYC protein family (Littlewood et al. (1994) Prot. Profile 1:639-709); the DNA-binding protein (DBP) family (Tucker et al. (1994) EMBO J. 13:2994-3002); the bZIP family of transcription factors (Foster et al. (1994) FASEB J. 8:192-200); the BPF-1 protein (Box P-binding factor) family (da Costa e Silva et al. (1993) Plant J. 4:125-135); and the golden protein (GLD) family (Hall et al. (1998) Plant Cell 10:925-936).

15 In addition to methods for modifying a plant phenotype by employing one or more polynucleotides and polypeptides of the invention described herein, the polynucleotides and polypeptides of the invention have a variety of additional uses. These uses include their use in the recombinant production (i.e., expression) of proteins; as regulators of plant gene expression, as diagnostic probes for the presence of complementary or partially
 20 complementary nucleic acids (including for detection of natural coding nucleic acids); as substrates for further reactions, e.g., mutation reactions, PCR reactions, or the like, of as substrates for cloning e.g., including digestion or ligation reactions, and for identifying exogenous or endogenous modulators of the transcription factors.

DEFINITIONS

25 A "polynucleotide" is a nucleic acid sequence comprising a plurality of polymerized nucleotide residues, e.g., at least about 15 consecutive polymerized nucleotide residues, optionally at least about 30 consecutive nucleotides, at least about 50 consecutive nucleotides. In many instances, a polynucleotide comprises a nucleotide sequence encoding a polypeptide (or protein) or a domain or fragment thereof. Additionally, the polynucleotide
 30 may comprise a promoter, an intron, an enhancer region, a polyadenylation site, a translation initiation site, 5' or 3' untranslated regions, a reporter gene, a selectable marker, or the like. The polynucleotide can be single stranded or double stranded DNA or RNA. The polynucleotide optionally comprises modified bases or a modified backbone. The polynucleotide can be, e.g., genomic DNA or RNA, a transcript (such as an mRNA), a cDNA,
 35 a PCR product, a cloned DNA, a synthetic DNA or RNA, or the like. The polynucleotide can comprise a sequence in either sense or antisense orientations.

A "recombinant polynucleotide" is a polynucleotide that is not in its native state, e.g., the polynucleotide comprises a nucleotide sequence not found in nature, or the polynucleotide is in a context other than that in which it is naturally found, e.g., separated from nucleotide sequences with which it typically is in proximity in nature, or adjacent (or
5 contiguous with) nucleotide sequences with which it typically is not in proximity. For example, the sequence at issue can be cloned into a vector, or otherwise recombined with one or more additional nucleic acid.

An "isolated polynucleotide" is a polynucleotide whether naturally occurring or recombinant, that is present outside the cell in which it is typically found in nature, whether
10 purified or not. Optionally, an isolated polynucleotide is subject to one or more enrichment or purification procedures, e.g., cell lysis, extraction, centrifugation, precipitation, or the like.

A "recombinant polypeptide" is a polypeptide produced by translation of a recombinant polynucleotide. An "isolated polypeptide," whether a naturally occurring or a recombinant polypeptide, is more enriched in (or out of) a cell than the polypeptide in its
15 natural state in a wild type cell, e.g., more than about 5% enriched, more than about 10% enriched, or more than about 20%, or more than about 50%, or more, enriched, i.e., alternatively denoted: 105%, 110%, 120%, 150% or more, enriched relative to wild type standardized at 100%. Such an enrichment is not the result of a natural response of a wild type plant. Alternatively, or additionally, the isolated polypeptide is separated from other
20 cellular components with which it is typically associated, e.g., by any of the various protein purification methods herein.

The term "transgenic plant" refers to a plant that contains genetic material, not found in a wild type plant of the same species, variety or cultivar. The genetic material may include a transgene, an insertional mutagenesis event (such as by transposon or T-DNA
25 insertional mutagenesis), an activation tagging sequence, a mutated sequence, a homologous recombination event or a sequence modified by chimeraplasty. Typically, the foreign genetic material has been introduced into the plant by human manipulation.

A transgenic plant may contain an expression vector or cassette. The expression cassette typically comprises a polypeptide-encoding sequence operably linked
30 (i.e., under regulatory control of) to appropriate inducible or constitutive regulatory sequences that allow for the expression of polypeptide. The expression cassette can be introduced into a plant by transformation or by breeding after transformation of a parent plant. A plant refers to a whole plant as well as to a plant part, such as seed, fruit, leaf, or root, plant tissue, plant cells or any other plant material, e.g., a plant explant, as well as to progeny thereof, and to *in vitro*
35 systems that mimic biochemical or cellular components or processes in a cell.

The phrase "ectopically expression or altered expression" in reference to a polynucleotide indicates that the pattern of expression in, e.g., a transgenic plant or plant

tissue, is different from the expression pattern in a wild type plant or a reference plant of the same species. For example, the polynucleotide or polypeptide is expressed in a cell or tissue type other than a cell or tissue type in which the sequence is expressed in the wild type plant, or by expression at a time other than at the time the sequence is expressed in the wild type plant, or by a response to different inducible agents, such as hormones or environmental signals, or at different expression levels (either higher or lower) compared with those found in a wild type plant. The term also refers to altered expression patterns that are produced by lowering the levels of expression to below the detection level or completely abolishing expression. The resulting expression pattern can be transient or stable, constitutive or inducible. In reference to a polypeptide, the term "ectopic expression or altered expression" further may relate to altered activity levels resulting from the interactions of the polypeptides with exogenous or endogenous modulators or from interactions with factors or as a result of the chemical modification of the polypeptides.

The term "fragment" or "domain," with respect to a polypeptide, refers to a subsequence of the polypeptide. In some cases, the fragment or domain, is a subsequence of the polypeptide which performs at least one biological function of the intact polypeptide in substantially the same manner, or to a similar extent, as does the intact polypeptide. For example, a polypeptide fragment can comprise a recognizable structural motif or functional domain such as a DNA binding domain that binds to a DNA promoter region, an activation domain or a domain for protein-protein interactions. Fragments can vary in size from as few as 6 amino acids to the full length of the intact polypeptide, but are preferably at least about 30 amino acids in length and more preferably at least about 60 amino acids in length. In reference to a nucleotide sequence, "a fragment" refers to any subsequence of a polynucleotide, typically, of at least consecutive about 15 nucleotides, preferably at least about 30 nucleotides, more preferably at least about 50, of any of the sequences provided herein.

The term "trait" refers to a physiological, morphological, biochemical or physical characteristic of a plant or particular plant material or cell. In some instances, this characteristic is visible to the human eye, such as seed or plant size, or can be measured by available biochemical techniques, such as the protein, starch or oil content of seed or leaves or by the observation of the expression level of genes, e.g., by employing Northern analysis, RT-PCR, microarray gene expression assays or reporter gene expression systems, or by agricultural observations such as stress tolerance, yield or pathogen tolerance.

"Trait modification" refers to a detectable difference in a characteristic in a plant ectopically expressing a polynucleotide or polypeptide of the present invention relative to a plant not doing so, such as a wild type plant. In some cases, the trait modification can be evaluated quantitatively. For example, the trait modification can entail at least about a 2%

increase or decrease in an observed trait (difference), at least a 5% difference, at least about a 10% difference, at least about a 20% difference, at least about a 30%, at least about a 50%, at least about a 70%, or at least about a 100%, or an even greater difference. It is known that there can be a natural variation in the modified trait. Therefore, the trait modification
 5 observed entails a change of the normal distribution of the trait in the plants compared with the distribution observed in wild type plant.

Trait modifications of particular interest include those to seed (such as embryo or endosperm), fruit, root, flower, leaf, stem, shoot, seedling or the like, including:
 10 enhanced tolerance to environmental conditions including freezing, chilling, heat, drought, water saturation, radiation and ozone; improved tolerance to microbial, fungal or viral diseases; improved tolerance to pest infestations, including nematodes, mollicutes, parasitic higher plants or the like; decreased herbicide sensitivity; improved tolerance of heavy metals or enhanced ability to take up heavy metals; improved growth under poor photoconditions (e.g., low light and/or short day length), or changes in expression levels of genes of interest.
 15 Other phenotype that can be modified relate to the production of plant metabolites, such as variations in the production of taxol, tocopherol, tocotrienol, sterols, phytosterols, vitamins, wax monomers, anti-oxidants, amino acids, lignins, cellulose, tannins, prenillipids (such as chlorophylls and carotenoids), glucosinolates, and terpenoids, enhanced or compositionally altered protein or oil production (especially in seeds), or modified sugar (insoluble or soluble)
 20 and/or starch composition. Physical plant characteristics that can be modified include cell development (such as the number of trichomes), fruit and seed size and number, yields of plant parts such as stems, leaves and roots, the stability of the seeds during storage, characteristics of the seed pod (e.g., susceptibility to shattering), root hair length and quantity, internode distances, or the quality of seed coat. Plant growth characteristics that can be
 25 modified include growth rate, germination rate of seeds, vigor of plants and seedlings, leaf and flower senescence, male sterility, apomixis, flowering time, flower abscission, rate of nitrogen uptake, biomass or transpiration characteristics, as well as plant architecture characteristics such as apical dominance, branching patterns, number of organs, organ identity, organ shape or size.

30 POLYPEPTIDES AND POLYNUCLEOTIDES OF THE INVENTION

The present invention provides, among other things, transcription factors (TFs), and transcription factor homologue polypeptides, and isolated or recombinant polynucleotides encoding the polypeptides. These polypeptides and polynucleotides may be employed to modify a plant's pathogen tolerance.

35 Exemplary polynucleotides encoding the polypeptides of the invention were identified in the *Arabidopsis thaliana* GenBank database using publicly available sequence

analysis programs and parameters. Sequences initially identified were then further characterized to identify sequences comprising specified sequence strings corresponding to sequence motifs present in families of known transcription factors. Polynucleotide sequences meeting such criteria were confirmed as transcription factors.

5 Additional polynucleotides of the invention were identified by screening *Arabidopsis thaliana* and/or other plant cDNA libraries with probes corresponding to known transcription factors under low stringency hybridization conditions. Additional sequences, including full length coding sequences were subsequently recovered by the rapid amplification of cDNA ends (RACE) procedure, using a commercially available kit according
10 to the manufacturer's instructions. Where necessary, multiple rounds of RACE are performed to isolate 5' and 3' ends. The full length cDNA was then recovered by a routine end-to-end polymerase chain reaction (PCR) using primers specific to the isolated 5' and 3' ends. Exemplary sequences are provided in the Sequence Listing.

The polynucleotides of the invention were ectopically expressed in
15 overexpressor or knockout plants and changes in the pathogen tolerance of the plants was observed. Therefore, the polynucleotides and polypeptides can be employed to improve the pathogen resistance of plants.

Making polynucleotides

The polynucleotides of the invention include sequences that encode
20 transcription factors and transcription factor homologue polypeptides and sequences complementary thereto, as well as unique fragments of coding sequence, or sequence complementary thereto. Such polynucleotides can be, e.g., DNA or RNA, e.g., mRNA, cRNA, synthetic RNA, genomic DNA, cDNA synthetic DNA, oligonucleotides, etc. The polynucleotides are either double-stranded or single-stranded, and include either, or both
25 sense (i.e., coding) sequences and antisense (i.e., non-coding, complementary) sequences. The polynucleotides include the coding sequence of a transcription factor, or transcription factor homologue polypeptide, in isolation, in combination with additional coding sequences (e.g., a purification tag, a localization signal, as a fusion-protein, as a pre-protein, or the like), in combination with non-coding sequences (e.g., introns or inteins, regulatory elements such
30 as promoters, enhancers, terminators, and the like), and/or in a vector or host environment in which the polynucleotide encoding a transcription factor or transcription factor homologue polypeptide is an endogenous or exogenous gene.

A variety of methods exist for producing the polynucleotides of the invention. Procedures for identifying and isolating DNA clones are well known to those of skill in the
35 art, and are described in, e.g., Berger and Kimmel, Guide to Molecular Cloning Techniques, Methods in Enzymology volume 152 Academic Press, Inc., San Diego, CA ("Berger");

Sambrook et al., Molecular Cloning - A Laboratory Manual (2nd Ed.), Vol. 1-3, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York, 1989 ("Sambrook") and Current Protocols in Molecular Biology, F.M. Ausubel et al., eds., Current Protocols, a joint venture between Greene Publishing Associates, Inc. and John Wiley & Sons, Inc., (supplemented through 2000) ("Ausubel").

Alternatively, polynucleotides of the invention, can be produced by a variety of in vitro amplification methods adapted to the present invention by appropriate selection of specific or degenerate primers. Examples of protocols sufficient to direct persons of skill through in vitro amplification methods, including the polymerase chain reaction (PCR) the ligase chain reaction (LCR), Qbeta-replicase amplification and other RNA polymerase mediated techniques (e.g., NASBA), e.g., for the production of the homologous nucleic acids of the invention are found in Berger, Sambrook, and Ausubel, as well as Mullis et al., (1987) PCR Protocols A Guide to Methods and Applications (Innis et al. eds) Academic Press Inc. San Diego, CA (1990) (Innis). Improved methods for cloning in vitro amplified nucleic acids are described in Wallace et al., U.S. Pat. No. 5,426,039. Improved methods for amplifying large nucleic acids by PCR are summarized in Cheng et al. (1994) Nature 369: 684-685 and the references cited therein, in which PCR amplicons of up to 40kb are generated. One of skill will appreciate that essentially any RNA can be converted into a double stranded DNA suitable for restriction digestion, PCR expansion and sequencing using reverse transcriptase and a polymerase. See, e.g., Ausubel, Sambrook and Berger, *all supra*.

Alternatively, polynucleotides and oligonucleotides of the invention can be assembled from fragments produced by solid-phase synthesis methods. Typically, fragments of up to approximately 100 bases are individually synthesized and then enzymatically or chemically ligated to produce a desired sequence, e.g., a polynucleotide encoding all or part of a transcription factor. For example, chemical synthesis using the phosphoramidite method is described, e.g., by Beaucage et al. (1981) Tetrahedron Letters 22:1859-69; and Matthes et al. (1984) EMBO J. 3:801-5. According to such methods, oligonucleotides are synthesized, purified, annealed to their complementary strand, ligated and then optionally cloned into suitable vectors. And if so desired, the polynucleotides and polypeptides of the invention can be custom ordered from any of a number of commercial suppliers.

HOMOLOGOUS SEQUENCES

Sequences homologous, i.e., that share significant sequence identity or similarity, to those provided in the Sequence Listing, derived from *Arabidopsis thaliana* or from other plants of choice are also an aspect of the invention. Homologous sequences can be derived from any plant including monocots and dicots and in particular agriculturally important plant species, including but not limited to, crops such as soybean, wheat, corn,

potato, cotton, rice, oilseed rape (including canola), sunflower, alfalfa, sugarcane and turf; or fruits and vegetables, such as banana, blackberry, blueberry, strawberry, and raspberry, cantaloupe, carrot, cauliflower, coffee, cucumber, eggplant, grapes, honeydew, lettuce, mango, melon, onion, papaya, peas, peppers, pineapple, spinach, squash, sweet corn, tobacco, tomato, watermelon, rosaceous fruits (such as apple, peach, pear, cherry and plum) and vegetable brassicas (such as broccoli, cabbage, cauliflower, brussel sprouts and kohlrabi). Other crops, fruits and vegetables whose phenotype can be changed include barley, rye, millet, sorghum, currant, avocado, citrus fruits such as oranges, lemons, grapefruit and tangerines, artichoke, cherries, nuts such as the walnut and peanut, endive, leek, roots, such as arrowroot, beet, cassava, turnip, radish, yam, and sweet potato, and beans. The homologous sequences may also be derived from woody species, such as pine, poplar and eucalyptus.

Transcription factors that are homologous to the listed sequences will typically share at least about 31% amino acid sequence identity. More closely related transcription factors can share at least about 50%, about 60%, about 65%, about 70%, about 75% or about 80% or about 90% or about 95% or about 98% or more sequence identity with the listed sequences. Factors that are most closely related to the listed sequences share, e.g., at least about 85%, about 90% or about 95% or more % sequence identity to the listed sequences. At the nucleotide level, the sequences will typically share at least about 40% nucleotide sequence identity, preferably at least about 50%, about 60%, about 70% or about 80% sequence identity, and more preferably about 85%, about 90%, about 95% or about 97% or more sequence identity to one or more of the listed sequences. The degeneracy of the genetic code enables major variations in the nucleotide sequence of a polynucleotide while maintaining the amino acid sequence of the encoded protein. Conserved domains within a transcription factor family may exhibit a higher degree of sequence homology, such as at least 65% sequence identity including conservative substitutions, and preferably at least 80% sequence identity.

Identifying Nucleic Acids by Hybridization

Polynucleotides homologous to the sequences illustrated in the Sequence Listing can be identified, e.g., by hybridization to each other under stringent or under highly stringent conditions. Single stranded polynucleotides hybridize when they associate based on a variety of well characterized physico-chemical forces, such as hydrogen bonding, solvent exclusion, base stacking and the like. The stringency of a hybridization reflects the degree of sequence identity of the nucleic acids involved, such that the higher the stringency, the more similar are the two polynucleotide strands. Stringency is influenced by a variety of factors, including temperature, salt concentration and composition, organic and non-organic additives, solvents, etc. present in both the hybridization and wash solutions and incubations (and number), as described in more detail in the references cited above.

An example of stringent hybridization conditions for hybridization of complementary nucleic acids which have more than 100 complementary residues on a filter in a Southern or northern blot is about 5°C to 20°C lower than the thermal melting point (T_m) for the specific sequence at a defined ionic strength and pH. The T_m is the temperature (under defined ionic strength and pH) at which 50% of the target sequence hybridizes to a perfectly matched probe. Nucleic acid molecules that hybridize under stringent conditions will typically hybridize to a probe based on either the entire cDNA or selected portions, e.g., to a unique subsequence, of the cDNA under wash conditions of 0.2x SSC to 2.0 x SSC, 0.1% SDS at 50-65° C, for example 0.2 x SSC, 0.1% SDS at 65° C. For identification of less closely related homologues washes can be performed at a lower temperature, e.g., 50° C. In general, stringency is increased by raising the wash temperature and/or decreasing the concentration of SSC.

As another example, stringent conditions can be selected such that an oligonucleotide that is perfectly complementary to the coding oligonucleotide hybridizes to the coding oligonucleotide with at least about a 5-10x higher signal to noise ratio than the ratio for hybridization of the perfectly complementary oligonucleotide to a nucleic acid encoding a transcription factor known as of the filing date of the application. Conditions can be selected such that a higher signal to noise ratio is observed in the particular assay which is used, e.g., about 15x, 25x, 35x, 50x or more. Accordingly, the subject nucleic acid hybridizes to the unique coding oligonucleotide with at least a 2x higher signal to noise ratio as compared to hybridization of the coding oligonucleotide to a nucleic acid encoding known polypeptide. Again, higher signal to noise ratios can be selected, e.g., about 5x, 10x, 25x, 35x, 50x or more. The particular signal will depend on the label used in the relevant assay, e.g., a fluorescent label, a colorimetric label, a radio active label, or the like.

Alternatively, transcription factor homologue polypeptides can be obtained by screening an expression library using antibodies specific for one or more transcription factors. With the provision herein of the disclosed transcription factor, and transcription factor homologue nucleic acid sequences, the encoded polypeptide(s) can be expressed and purified in a heterologous expression system (e.g., *E. coli*) and used to raise antibodies (monoclonal or polyclonal) specific for the polypeptide(s) in question. Antibodies can also be raised against synthetic peptides derived from transcription factor, or transcription factor homologue, amino acid sequences. Methods of raising antibodies are well known in the art and are described in Harlow and Lane (1988) Antibodies: A Laboratory Manual, Cold Spring Harbor Laboratory, New York. Such antibodies can then be used to screen an expression library produced from the plant from which it is desired to clone additional transcription

factor homologues, using the methods described above. The selected cDNAs can be confirmed by sequencing and enzymatic activity.

SEQUENCE VARIATIONS

It will readily be appreciated by those of skill in the art, that any of a variety of polynucleotide sequences are capable of encoding the transcription factors and transcription factor homologue polypeptides of the invention. Due to the degeneracy of the genetic code, many different polynucleotides can encode identical and/or substantially similar polypeptides in addition to those sequences illustrated in the Sequence Listing.

For example, Table 1 illustrates, e.g., that the codons AGC, AGT, TCA, TCC, TCG, and TCT all encode the same amino acid: serine. Accordingly, at each position in the sequence where there is a codon encoding serine, any of the above trinucleotide sequences can be used without altering the encoded polypeptide.

Table 1

Amino acids			Codon							
Alanine	Ala	A	GCA	GCC	GCG	GCU				
Cysteine	Cys	C	TGC	TGT						
Aspartic acid	Asp	D	GAC	GAT						
Glutamic acid	Glu	E	GAA	GAG						
Phenylalanine	Phe	F	TTC	TTT						
Glycine	Gly	G	GGA	GGC	GGG	GGT				
Histidine	His	H	CAC	CAT						
Isoleucine	Ile	I	ATA	ATC	ATT					
Lysine	Lys	K	AAA	AAG						
Leucine	Leu	L	TTA	TTG	CTA	CTC	CTG	CTT		
Methionine	Met	M	ATG							
Asparagine	Asn	N	AAC	AAT						
Proline	Pro	P	CCA	CCC	CCG	CCT				
Glutamine	Gln	Q	CAA	CAG						
Arginine	Arg	R	AGA	AGG	CGA	CGC	CGG	CGT		
Serine	Ser	S	AGC	AGT	TCA	TCC	TCG	TCT		
Threonine	Thr	T	ACA	ACC	ACG	ACT				
Valine	Val	V	GTA	GTC	GTG	GTT				
Tryptophan	Trp	W	TGG							
Tyrosine	Tyr	Y	TAC	TAT						

15

Sequence alterations that do not change the amino acid sequence encoded by the polynucleotide are termed "silent" variations. With the exception of the codons ATG and TGG, encoding methionine and tryptophan, respectively, any of the possible codons for the same amino acid can be substituted by a variety of techniques, e.g., site-directed mutagenesis, available in the art. Accordingly, any and all such variations of a sequence selected from the above table are a feature of the invention.

20

In addition to silent variations, other conservative variations that alter one, or a few amino acids in the encoded polypeptide, can be made without altering the function of the polypeptide, these conservative variants are, likewise, a feature of the invention.

For example, substitutions, deletions and insertions introduced into the sequences provided in the Sequence Listing are also envisioned by the invention. Such sequence modifications can be engineered into a sequence by site-directed mutagenesis (Wu (ed.) Meth. Enzymol. (1993) vol. 217, Academic Press) or the other methods noted below. Amino acid substitutions are typically of single residues; insertions usually will be on the order of about from 1 to 10 amino acid residues; and deletions will range about from 1 to 30 residues. In preferred embodiments, deletions or insertions are made in adjacent pairs, e.g., a deletion of two residues or insertion of two residues. Substitutions, deletions, insertions or any combination thereof can be combined to arrive at a sequence. The mutations that are made in the polynucleotide encoding the transcription factor should not place the sequence out of reading frame and should not create complementary regions that could produce secondary mRNA structure. Preferably, the polypeptide encoded by the DNA performs the desired function.

Conservative substitutions are those in which at least one residue in the amino acid sequence has been removed and a different residue inserted in its place. Such substitutions generally are made in accordance with the Table 2 when it is desired to maintain the activity of the protein. Table 2 shows amino acids which can be substituted for an amino acid in a protein and which are typically regarded as conservative substitutions.

Table 2

Residue	Conservative Substitutions
Ala	Ser
Arg	Lys
Asn	Gln; His
Asp	Glu
Gln	Asn
Cys	Ser
Glu	Asp
Gly	Pro
His	Asn; Gln
Ile	Leu, Val
Leu	Ile; Val
Lys	Arg; Gln
Met	Leu; Ile
Phe	Met; Leu; Tyr
Ser	Thr; Gly
Thr	Ser; Val
Trp	Tyr
Tyr	Trp; Phe
Val	Ile; Leu

Substitutions that are less conservative than those in Table 2 can be selected by picking residues that differ more significantly in their effect on maintaining (a) the structure of the polypeptide backbone in the area of the substitution, for example, as a sheet or helical conformation, (b) the charge or hydrophobicity of the molecule at the target site, or (c) the bulk of the side chain. The substitutions which in general are expected to produce the greatest changes in protein properties will be those in which (a) a hydrophilic residue, e.g., seryl or threonyl, is substituted for (or by) a hydrophobic residue, e.g., leucyl, isoleucyl, phenylalanyl, valyl or alanyl; (b) a cysteine or proline is substituted for (or by) any other residue; (c) a residue having an electropositive side chain, e.g., lysyl, arginyl, or histidyl, is substituted for (or by) an electronegative residue, e.g., glutamyl or aspartyl; or (d) a residue having a bulky side chain, e.g., phenylalanine, is substituted for (or by) one not having a side chain, e.g., glycine.

FURTHER MODIFYING SEQUENCES OF THE INVENTION—MUTATION/ FORCED EVOLUTION

In addition to generating silent or conservative substitutions as noted, above, the present invention optionally includes methods of modifying the sequences of the
5 Sequence Listing. In the methods, nucleic acid or protein modification methods are used to alter the given sequences to produce new sequences and/or to chemically or enzymatically modify given sequences to change the properties of the nucleic acids or proteins.

Thus, in one embodiment, given nucleic acid sequences are modified, e.g., according to standard mutagenesis or artificial evolution methods to produce modified
10 sequences. For example, Ausubel, *supra*, provides additional details on mutagenesis methods. Artificial forced evolution methods are described, e.g., by Stemmer (1994) *Nature* 370:389-391, and Stemmer (1994) *Proc. Natl. Acad. Sci. USA* 91:10747-10751. Many other mutation and evolution methods are also available and expected to be within the skill of the practitioner.

Similarly, chemical or enzymatic alteration of expressed nucleic acids and polypeptides can be performed by standard methods. For example, sequence can be modified by addition of lipids, sugars, peptides, organic or inorganic compounds, by the inclusion of modified nucleotides or amino acids, or the like. For example, protein modification techniques are illustrated in Ausubel, *supra*. Further details on chemical and enzymatic
15 20 modifications can be found herein. These modification methods can be used to modify any given sequence, or to modify any sequence produced by the various mutation and artificial evolution modification methods noted herein.

Accordingly, the invention provides for modification of any given nucleic acid by mutation, evolution, chemical or enzymatic modification, or other available methods,
25 as well as for the products produced by practicing such methods, e.g., using the sequences herein as a starting substrate for the various modification approaches.

For example, optimized coding sequence containing codons preferred by a particular prokaryotic or eukaryotic host can be used e.g., to increase the rate of translation or to produce recombinant RNA transcripts having desirable properties, such as a longer half-
30 life, as compared with transcripts produced using a non-optimized sequence. Translation stop codons can also be modified to reflect host preference. For example, preferred stop codons for *S. cerevisiae* and mammals are TAA and TGA, respectively. The preferred stop codon for monocotyledonous plants is TGA, whereas insects and *E. coli* prefer to use TAA as the stop codon.

The polynucleotide sequences of the present invention can also be engineered
35 in order to alter a coding sequence for a variety of reasons, including but not limited to, alterations which modify the sequence to facilitate cloning, processing and/or expression of

the gene product. For example, alterations are optionally introduced using techniques which are well known in the art, e.g., site-directed mutagenesis, to insert new restriction sites, to alter glycosylation patterns, to change codon preference, to introduce splice sites, etc.

Furthermore, a fragment or domain derived from any of the polypeptides of the invention can be combined with domains derived from other transcription factors or synthetic domains to modify the biological activity of a transcription factor. For instance, a DNA binding domain derived from a transcription factor of the invention can be combined with the activation domain of another transcription factor or with a synthetic activation domain. A transcription activation domain assists in initiating transcription from a DNA binding site. Examples include the transcription activation region of VP16 or GAL4 (Moore et al. (1998) Proc. Natl. Acad. Sci. USA 95: 376-381; and Aoyama et al. (1995) Plant Cell 7:1773-1785), peptides derived from bacterial sequences (Ma and Ptashne (1987) Cell 51: 113-119) and synthetic peptides (Giniger and Ptashne, (1987) Nature 330:670-672).

EXPRESSION AND MODIFICATION OF POLYPEPTIDES

Typically, polynucleotide sequences of the invention are incorporated into recombinant DNA (or RNA) molecules that direct expression of polypeptides of the invention in appropriate host cells, transgenic plants, in vitro translation systems, or the like. Due to the inherent degeneracy of the genetic code, nucleic acid sequences which encode substantially the same or a functionally equivalent amino acid sequence can be substituted for any listed sequence to provide for cloning and expressing the relevant homologue.

Vectors, Promoters and Expression Systems

The present invention includes recombinant constructs comprising one or more of the nucleic acid sequences herein. The constructs typically comprise a vector, such as a plasmid, a cosmid, a phage, a virus (e.g., a plant virus), a bacterial artificial chromosome (BAC), a yeast artificial chromosome (YAC), or the like, into which a nucleic acid sequence of the invention has been inserted, in a forward or reverse orientation. In a preferred aspect of this embodiment, the construct further comprises regulatory sequences, including, for example, a promoter, operably linked to the sequence. Large numbers of suitable vectors and promoters are known to those of skill in the art, and are commercially available.

General texts which describe molecular biological techniques useful herein, including the use and production of vectors, promoters and many other relevant topics, include Berger, Sambrook and Ausubel, *supra*. Any of the identified sequences can be incorporated into a cassette or vector, e.g., for expression in plants. A number of expression vectors suitable for stable transformation of plant cells or for the establishment of transgenic plants have been described including those described in Weissbach and Weissbach, (1989) Methods for Plant Molecular Biology, Academic Press, and Gelvin et al., (1990) Plant

Molecular Biology Manual, Kluwer Academic Publishers. Specific examples include those derived from a Ti plasmid of *Agrobacterium tumefaciens*, as well as those disclosed by Herrera-Estrella et al. (1983) Nature 303: 209, Bevan (1984) Nucl Acid Res. 12: 8711-8721, Klee (1985) Bio/Technology 3: 637-642, for dicotyledonous plants.

5 Alternatively, non-Ti vectors can be used to transfer the DNA into monocotyledonous plants and cells by using free DNA delivery techniques. Such methods can involve, for example, the use of liposomes, electroporation, microprojectile bombardment, silicon carbide whiskers, and viruses. By using these methods transgenic plants such as wheat, rice (Christou (1991) Bio/Technology 9: 957-962) and corn (Gordon-
10 Kamm (1990) Plant Cell 2: 603-618) can be produced. An immature embryo can also be a good target tissue for monocots for direct DNA delivery techniques by using the particle gun (Weeks et al. (1993) Plant Physiol 102: 1077-1084; Vasil (1993) Bio/Technology 10: 667-674; Wan and Lemeaux (1994) Plant Physiol 104: 37-48, and for *Agrobacterium*-mediated DNA transfer (Ishida et al. (1996) Nature Biotech 14: 745-750).

15 Typically, plant transformation vectors include one or more cloned plant coding sequence (genomic or cDNA) under the transcriptional control of 5' and 3' regulatory sequences and a dominant selectable marker. Such plant transformation vectors typically also contain a promoter (e.g., a regulatory region controlling inducible or constitutive, environmentally- or developmentally-regulated, or cell- or tissue-specific expression), a
20 transcription initiation start site, an RNA processing signal (such as intron splice sites), a transcription termination site, and/or a polyadenylation signal.

 Examples of constitutive plant promoters which can be useful for expressing the TF sequence include: the cauliflower mosaic virus (CaMV) 35S promoter, which confers constitutive, high-level expression in most plant tissues (*see, e.g.,* Odel et al. (1985) Nature
25 313:810); the nopaline synthase promoter (An et al. (1988) Plant Physiol 88:547); and the octopine synthase promoter (Fromm et al. (1989) Plant Cell 1: 977).

 A variety of plant gene promoters that regulate gene expression in response to environmental, hormonal, chemical, developmental signals, and in a tissue-active manner can be used for expression of a TF sequence in plants. Choice of a promoter is based largely on
30 the phenotype of interest and is determined by such factors as tissue (e.g., seed, fruit, root, pollen, vascular tissue, flower, carpel, etc.), inducibility (e.g., in response to wounding, heat, cold, drought, light, pathogens, etc.), timing, developmental stage, and the like. Numerous known promoters have been characterized and can favorably be employed to promote expression of a polynucleotide of the invention in a transgenic plant or cell of interest. For
35 example, tissue specific promoters include: seed-specific promoters (such as the napin, phaseolin or DC3 promoter described in US Pat. No. 5,773,697), fruit-specific promoters that are active during fruit ripening (such as the *dru 1* promoter (US Pat. No. 5,783,393), or the

2A11 promoter (US Pat. No. 4,943,674) and the tomato polygalacturonase promoter (Bird et al. (1988) Plant Mol Biol 11:651), root-specific promoters, such as those disclosed in US Patent Nos. 5,618,988, 5,837,848 and 5,905,186, pollen-active promoters such as PTA29, PTA26 and PTA13 (US Pat. No. 5,792,929), promoters active in vascular tissue (Ringli and Keller (1998) Plant Mol Biol 37:977-988), flower-specific (Kaiser et al. (1995) Plant Mol Biol 28:231-243), pollen (Baerson et al. (1994) Plant Mol Biol 26:1947-1959), carpels (Ohl et al. (1990) Plant Cell 2:837-848), pollen and ovules (Baerson et al. (1993) Plant Mol Biol 22:255-267), auxin-inducible promoters (such as that described in van der Kop et al. (1999) Plant Mol Biol 39:979-990 or Baumann et al. (1999) Plant Cell 11:323-334), cytokinin-inducible promoter (Guevara-Garcia (1998) Plant Mol Biol 38:743-753), promoters responsive to gibberellin (Shi et al. (1998) Plant Mol Biol 38:1053-1060, Willmott et al. (1998) 38:817-825) and the like. Additional promoters are those that elicit expression in response to heat (Ainley et al. (1993) Plant Mol Biol 22: 13-23), light (e.g., the pea rbcS-3A promoter, Kuhlmeier et al. (1989) Plant Cell 1:471, and the maize rbcS promoter, Schaffner and Sheen (1991) Plant Cell 3: 997); wounding (e.g., *wun1*, Siebertz et al. (1989) Plant Cell 1: 961); pathogens (such as the PR-1 promoter described in Buchel et al. (1999) Plant Mol. Biol. 40:387-396, and the PDF1.2 promoter described in Manners et al. (1998) Plant Mol. Biol. 38:1071-80), and chemicals such as methyl jasmonate or salicylic acid (Gatz et al. (1997) Plant Mol Biol 48: 89-108). In addition, the timing of the expression can be controlled by using promoters such as those acting at senescence (An and Amazon (1995) Science 270: 1986-1988); or late seed development (Odell et al. (1994) Plant Physiol 106:447-458).

Plant expression vectors can also include RNA processing signals that can be positioned within, upstream or downstream of the coding sequence. In addition, the expression vectors can include additional regulatory sequences from the 3'-untranslated region of plant genes, e.g., a 3' terminator region to increase mRNA stability of the mRNA, such as the PI-II terminator region of potato or the octopine or nopaline synthase 3' terminator regions.

Additional Expression Elements

Specific initiation signals can aid in efficient translation of coding sequences.

These signals can include, e.g., the ATG initiation codon and adjacent sequences. In cases where a coding sequence, its initiation codon and upstream sequences are inserted into the appropriate expression vector, no additional translational control signals may be needed. However, in cases where only coding sequence (e.g., a mature protein coding sequence), or a portion thereof, is inserted, exogenous transcriptional control signals including the ATG initiation codon can be separately provided. The initiation codon is provided in the correct reading frame to facilitate transcription. Exogenous transcriptional elements and initiation

codons can be of various origins, both natural and synthetic. The efficiency of expression can be enhanced by the inclusion of enhancers appropriate to the cell system in use.

Expression Hosts

The present invention also relates to host cells which are transduced with
5 vectors of the invention, and the production of polypeptides of the invention (including fragments thereof) by recombinant techniques. Host cells are genetically engineered (i.e., nucleic acids are introduced, e.g., transduced, transformed or transfected) with the vectors of this invention, which may be, for example, a cloning vector or an expression vector comprising the relevant nucleic acids herein. The vector is optionally a plasmid, a viral
10 particle, a phage, a naked nucleic acids, *etc.* The engineered host cells can be cultured in conventional nutrient media modified as appropriate for activating promoters, selecting transformants, or amplifying the relevant gene. The culture conditions, such as temperature, pH and the like, are those previously used with the host cell selected for expression, and will be apparent to those skilled in the art and in the references cited herein, including, Sambrook
15 and Ausubel.

The host cell can be a eukaryotic cell, such as a yeast cell, or a plant cell, or the host cell can be a prokaryotic cell, such as a bacterial cell. Plant protoplasts are also suitable for some applications. For example, the DNA fragments are introduced into plant tissues, cultured plant cells or plant protoplasts by standard methods including electroporation
20 (Fromm et al., (1985) Proc. Natl. Acad. Sci. USA 82, 5824, infection by viral vectors such as cauliflower mosaic virus (CaMV) (Hohn et al., (1982) Molecular Biology of Plant Tumors, (Academic Press, New York) pp. 549-560; US 4,407,956), high velocity ballistic penetration by small particles with the nucleic acid either within the matrix of small beads or particles, or on the surface (Klein et al., (1987) Nature 327, 70-73), use of pollen as vector (WO
25 85/01856), or use of *Agrobacterium tumefaciens* or *A. rhizogenes* carrying a T-DNA plasmid in which DNA fragments are cloned. The T-DNA plasmid is transmitted to plant cells upon infection by *Agrobacterium tumefaciens*, and a portion is stably integrated into the plant genome (Horsch et al. (1984) Science 233:496-498; Fraley et al. (1983) Proc. Natl. Acad. Sci. USA 80, 4803).

30 The cell can include a nucleic acid of the invention which encodes a polypeptide, wherein the cells expresses a polypeptide of the invention. The cell can also include vector sequences, or the like. Furthermore, cells and transgenic plants which include any polypeptide or nucleic acid above or throughout this specification, e.g., produced by transduction of a vector of the invention, are an additional feature of the invention.

35 For long-term, high-yield production of recombinant proteins, stable expression can be used. Host cells transformed with a nucleotide sequence encoding a polypeptide of the invention are optionally cultured under conditions suitable for the

expression and recovery of the encoded protein from cell culture. The protein or fragment thereof produced by a recombinant cell may be secreted, membrane-bound, or contained intracellularly, depending on the sequence and/or the vector used. As will be understood by those of skill in the art, expression vectors containing polynucleotides encoding mature proteins of the invention can be designed with signal sequences which direct secretion of the mature polypeptides through a prokaryotic or eukaryotic cell membrane.

Modified Amino Acids

Polypeptides of the invention may contain one or more modified amino acids. The presence of modified amino acids may be advantageous in, for example, increasing polypeptide half-life, reducing polypeptide antigenicity or toxicity, increasing polypeptide storage stability, or the like. Amino acid(s) are modified, for example, co-translationally or post-translationally during recombinant production or modified by synthetic or chemical means.

Non-limiting examples of a modified amino acid include incorporation or other use of acetylated amino acids, glycosylated amino acids, sulfated amino acids, prenylated (e.g., farnesylated, geranylgeranylated) amino acids, PEG modified (e.g., "PEGylated") amino acids, biotinylated amino acids, carboxylated amino acids, phosphorylated amino acids, etc. References adequate to guide one of skill in the modification of amino acids are replete throughout the literature.

IDENTIFICATION OF ADDITIONAL FACTORS

A transcription factor provided by the present invention can also be used to identify additional endogenous or exogenous molecules that can affect a phenotype or trait of interest. On the one hand, such molecules include organic (small or large molecules) and/or inorganic compounds that affect expression of (i.e., regulate) a particular transcription factor. Alternatively, such molecules include endogenous molecules that are acted upon either at a transcriptional level by a transcription factor of the invention to modify a phenotype as desired. For example, the transcription factors can be employed to identify one or more downstream gene with which is subject to a regulatory effect of the transcription factor. In one approach, a transcription factor or transcription factor homologue of the invention is expressed in a host cell, e.g., a transgenic plant cell, tissue or explant, and expression products, either RNA or protein, of likely or random targets are monitored, e.g., by hybridization to a microarray of nucleic acid probes corresponding to genes expressed in a tissue or cell type of interest, by two-dimensional gel electrophoresis of protein products, or by any other method known in the art for assessing expression of gene products at the level of RNA or protein. Alternatively, a transcription factor of the invention can be used to identify promoter sequences (i.e., binding sites) involved in the regulation of a downstream target. After

identifying a promoter sequence, interactions between the transcription factor and the promoter sequence can be modified by changing specific nucleotides in the promoter sequence or specific amino acids in the transcription factor that interact with the promoter sequence to alter a plant trait. Typically, transcription factor DNA binding sites are identified by gel shift assays. After identifying the promoter regions, the promoter region sequences can be employed in double-stranded DNA arrays to identify molecules that affect the interactions of the transcription factors with their promoters (Bulyk et al. (1999) Nature Biotechnology 17:573-577).

The identified transcription factors are also useful to identify proteins that modify the activity of the transcription factor. Such modification can occur by covalent modification, such as by phosphorylation, or by protein-protein (homo or-heteropolymer) interactions. Any method suitable for detecting protein-protein interactions can be employed. Among the methods that can be employed are co-immunoprecipitation, cross-linking and co-purification through gradients or chromatographic columns, and the two-hybrid yeast system.

The two-hybrid system detects protein interactions in vivo and is described in Chien, et al., (1991), Proc. Natl. Acad. Sci. USA 88, 9578-9582 and is commercially available from Clontech (Palo Alto, Calif.). In such a system, plasmids are constructed that encode two hybrid proteins: one consists of the DNA-binding domain of a transcription activator protein fused to the TF polypeptide and the other consists of the transcription activator protein's activation domain fused to an unknown protein that is encoded by a cDNA that has been recombined into the plasmid as part of a cDNA library. The DNA-binding domain fusion plasmid and the cDNA library are transformed into a strain of the yeast *Saccharomyces cerevisiae* that contains a reporter gene (e.g., lacZ) whose regulatory region contains the transcription activator's binding site. Either hybrid protein alone cannot activate transcription of the reporter gene. Interaction of the two hybrid proteins reconstitutes the functional activator protein and results in expression of the reporter gene, which is detected by an assay for the reporter gene product. Then, the library plasmids responsible for reporter gene expression are isolated and sequenced to identify the proteins encoded by the library plasmids. After identifying proteins that interact with the transcription factors, assays for compounds that interfere with the TF protein-protein interactions can be preformed.

IDENTIFICATION OF MODULATORS

In addition to the intracellular molecules described above, extracellular molecules that alter activity or expression of a transcription factor, either directly or indirectly, can be identified. For example, the methods can entail first placing a candidate molecule in contact with a plant or plant cell. The molecule can be introduced by topical administration, such as spraying or soaking of a plant, and then the molecule's effect on the

expression or activity of the TF polypeptide or the expression of the polynucleotide monitored. Changes in the expression of the TF polypeptide can be monitored by use of polyclonal or monoclonal antibodies, gel electrophoresis or the like. Changes in the expression of the corresponding polynucleotide sequence can be detected by use of
5 microarrays, Northern, quantitative PCR, or any other technique for monitoring changes in mRNA expression. These techniques are exemplified in Ausubel et al. (eds) Current Protocols in Molecular Biology, John Wiley & Sons (1998). Such changes in the expression levels can be correlated with modified plant traits and thus identified molecules can be useful for soaking or spraying on fruit, vegetable and grain crops to modify traits in plants.

10 Essentially any available composition can be tested for modulatory activity of expression or activity of any nucleic acid or polypeptide herein. Thus, available libraries of compounds such as chemicals, polypeptides, nucleic acids and the like can be tested for modulatory activity. Often, potential modulator compounds can be dissolved in aqueous or organic (e.g., DMSO-based) solutions for easy delivery to the cell or plant of interest in which
15 the activity of the modulator is to be tested. Optionally, the assays are designed to screen large modulator composition libraries by automating the assay steps and providing compounds from any convenient source to assays, which are typically run in parallel (e.g., in microtiter formats on microtiter plates in robotic assays).

In one embodiment, high throughput screening methods involve providing a
20 combinatorial library containing a large number of potential compounds (potential modulator compounds). Such "combinatorial chemical libraries" are then screened in one or more assays, as described herein, to identify those library members (particular chemical species or subclasses) that display a desired characteristic activity. The compounds thus identified can serve as target compounds.

25 A combinatorial chemical library can be, e.g., a collection of diverse chemical compounds generated by chemical synthesis or biological synthesis. For example, a combinatorial chemical library such as a polypeptide library is formed by combining a set of chemical building blocks (e.g., in one example, amino acids) in every possible way for a given compound length (i.e., the number of amino acids in a polypeptide compound of a set
30 length). Exemplary libraries include peptide libraries, nucleic acid libraries, antibody libraries (see, e.g., Vaughn et al. (1996) Nature Biotechnology, 14(3):309-314 and PCT/US96/10287), carbohydrate libraries (see, e.g., Liang et al. Science (1996) 274:1520-1522 and U.S. Patent 5,593,853), peptide nucleic acid libraries (see, e.g., U.S. Patent 5,539,083), and small organic molecule libraries (see, e.g., benzodiazepines, Baum C&EN Jan 18, page 33 (1993);
35 isoprenoids, U.S. Patent 5,569,588; thiazolidinones and metathiazanones, U.S. Patent 5,549,974; pyrrolidines, U.S. Patents 5,525,735 and 5,519,134; morpholino compounds, U.S. Patent 5,506,337) and the like.

Preparation and screening of combinatorial or other libraries is well known to those of skill in the art. Such combinatorial chemical libraries include, but are not limited to, peptide libraries (see, e.g., U.S. Patent 5,010,175, Furka, Int. J. Pept. Prot. Res. 37:487-493 (1991) and Houghton et al. Nature 354:84-88 (1991)). Other chemistries for generating
5 chemical diversity libraries can also be used.

In addition, as noted, compound screening equipment for high-throughput screening is generally available, e.g., using any of a number of well known robotic systems that have also been developed for solution phase chemistries useful in assay systems. These systems include automated workstations including an automated synthesis apparatus and
10 robotic systems utilizing robotic arms. Any of the above devices are suitable for use with the present invention, e.g., for high-throughput screening of potential modulators. The nature and implementation of modifications to these devices (if any) so that they can operate as discussed herein will be apparent to persons skilled in the relevant art.

Indeed, entire high throughput screening systems are commercially available.
15 These systems typically automate entire procedures including all sample and reagent pipetting, liquid dispensing, timed incubations, and final readings of the microplate in detector(s) appropriate for the assay. These configurable systems provide high throughput and rapid start up as well as a high degree of flexibility and customization. Similarly, microfluidic implementations of screening are also commercially available.

The manufacturers of such systems provide detailed protocols the various high throughput. Thus, for example, Zymark Corp. provides technical bulletins describing screening systems for detecting the modulation of gene transcription, ligand binding, and the like. The integrated systems herein, in addition to providing for sequence alignment and, optionally, synthesis of relevant nucleic acids, can include such screening apparatus to
20 identify modulators that have an effect on one or more polynucleotides or polypeptides according to the present invention.

In some assays it is desirable to have positive controls to ensure that the components of the assays are working properly. At least two types of positive controls are appropriate. That is, known transcriptional activators or inhibitors can be incubated with
30 cells/plants/ etc. in one sample of the assay, and the resulting increase/decrease in transcription can be detected by measuring the resulting increase in RNA/ protein expression, etc., according to the methods herein. It will be appreciated that modulators can also be combined with transcriptional activators or inhibitors to find modulators which inhibit transcriptional activation or transcriptional repression. Either expression of the nucleic acids
35 and proteins herein or any additional nucleic acids or proteins activated by the nucleic acids or proteins herein, or both, can be monitored.

In an embodiment, the invention provides a method for identifying compositions that modulate the activity or expression of a polynucleotide or polypeptide of the invention. For example, a test compound, whether a small or large molecule, is placed in contact with a cell, plant (or plant tissue or explant), or composition comprising the polynucleotide or polypeptide of interest and a resulting effect on the cell, plant, (or tissue or explant) or composition is evaluated by monitoring, either directly or indirectly, one or more of: expression level of the polynucleotide or polypeptide, activity (or modulation of the activity) of the polynucleotide or polypeptide. In some cases, an alteration in a plant phenotype can be detected following contact of a plant (or plant cell, or tissue or explant) with the putative modulator, e.g., by modulation of expression or activity of a polynucleotide or polypeptide of the invention.

SUBSEQUENCES

Also contemplated are uses of polynucleotides, also referred to herein as oligonucleotides, typically having at least 12 bases, preferably at least 15, more preferably at least 20, 30, or 50 bases, which hybridize under at least highly stringent (or ultra-high stringent or ultra-ultra- high stringent conditions) conditions to a polynucleotide sequence described above. The polynucleotides may be used as probes, primers, sense and antisense agents, and the like, according to methods as noted *supra*.

Subsequences of the polynucleotides of the invention, including polynucleotide fragments and oligonucleotides are useful as nucleic acid probes and primers. An oligonucleotide suitable for use as a probe or primer is at least about 15 nucleotides in length, more often at least about 18 nucleotides, often at least about 21 nucleotides, frequently at least about 30 nucleotides, or about 40 nucleotides, or more in length. A nucleic acid probe is useful in hybridization protocols, e.g., to identify additional polypeptide homologues of the invention, including protocols for microarray experiments. Primers can be annealed to a complementary target DNA strand by nucleic acid hybridization to form a hybrid between the primer and the target DNA strand, and then extended along the target DNA strand by a DNA polymerase enzyme. Primer pairs can be used for amplification of a nucleic acid sequence, e.g., by the polymerase chain reaction (PCR) or other nucleic-acid amplification methods. See Sambrook and Ausubel, *supra*.

In addition, the invention includes an isolated or recombinant polypeptide including a subsequence of at least about 15 contiguous amino acids encoded by the recombinant or isolated polynucleotides of the invention. For example, such polypeptides, or domains or fragments thereof, can be used as immunogens, e.g., to produce antibodies specific for the polypeptide sequence, or as probes for detecting a sequence of interest. A

subsequence can range in size from about 15 amino acids in length up to and including the full length of the polypeptide.

PRODUCTION OF TRANSGENIC PLANTS

Modification of Traits

5 The polynucleotides of the invention are favorably employed to produce transgenic plants with various traits, or characteristics, that have been modified in a desirable manner, e.g., to improve the pathogen resistance of a plant. For example, alteration of expression levels or patterns (e.g., spatial or temporal expression patterns) of one or more of the transcription factors (or transcription factor homologues) of the invention, as compared
10 with the levels of the same protein found in a wild type plant, can be used to modify a plant's traits. An illustrative example of trait modification, improved pathogen tolerance, by altering expression levels of a particular transcription factor is described further in the Examples and the Sequence Listing.

Antisense and Cosuppression Approaches

15 In addition to expression of the nucleic acids of the invention as gene replacement or plant phenotype modification nucleic acids, the nucleic acids are also useful for sense and anti-sense suppression of expression, e.g., to down-regulate expression of a nucleic acid of the invention, e.g., as a further mechanism for modulating plant phenotype. That is, the nucleic acids of the invention, or subsequences or anti-sense sequences thereof,
20 can be used to block expression of naturally occurring homologous nucleic acids. A variety of sense and anti-sense technologies are known in the art, e.g., as set forth in Lichtenstein and Nellen (1997) Antisense Technology: A Practical Approach IRL Press at Oxford University, Oxford, England. In general, sense or anti-sense sequences are introduced into a cell, where they are optionally amplified, e.g., by transcription. Such sequences include both simple
25 oligonucleotide sequences and catalytic sequences such as ribozymes.

 For example, a reduction or elimination of expression (i.e., a "knock-out") of a transcription factor or transcription factor homologue polypeptide in a transgenic plant, e.g., to modify a plant trait, can be obtained by introducing an antisense construct corresponding to the polypeptide of interest as a cDNA. For antisense suppression, the transcription factor or
30 homologue cDNA is arranged in reverse orientation (with respect to the coding sequence) relative to the promoter sequence in the expression vector. The introduced sequence need not be the full length cDNA or gene, and need not be identical to the cDNA or gene found in the plant type to be transformed. Typically, the antisense sequence need only be capable of hybridizing to the target gene or RNA of interest. Thus, where the introduced sequence is of
35 shorter length, a higher degree of homology to the endogenous transcription factor sequence will be needed for effective antisense suppression. While antisense sequences of various

lengths can be utilized, preferably, the introduced antisense sequence in the vector will be at least 30 nucleotides in length, and improved antisense suppression will typically be observed as the length of the antisense sequence increases. Preferably, the length of the antisense sequence in the vector will be greater than 100 nucleotides. Transcription of an antisense
5 construct as described results in the production of RNA molecules that are the reverse complement of mRNA molecules transcribed from the endogenous transcription factor gene in the plant cell.

Suppression of endogenous transcription factor gene expression can also be achieved using a ribozyme. Ribozymes are RNA molecules that possess highly specific
10 endoribonuclease activity. The production and use of ribozymes are disclosed in U.S. Patent No. 4,987,071 and U.S. Patent No. 5,543,508. Synthetic ribozyme sequences including antisense RNAs can be used to confer RNA cleaving activity on the antisense RNA, such that endogenous mRNA molecules that hybridize to the antisense RNA are cleaved, which in turn leads to an enhanced antisense inhibition of endogenous gene expression.

Vectors in which RNA encoded by a transcription factor or transcription
15 factor homologue cDNA is over-expressed can also be used to obtain co-suppression of a corresponding endogenous gene, e.g., in the manner described in U.S. Patent No. 5,231,020 to Jorgensen. Such co-suppression (also termed sense suppression) does not require that the entire transcription factor cDNA be introduced into the plant cells, nor does it require that the
20 introduced sequence be exactly identical to the endogenous transcription factor gene of interest. However, as with antisense suppression, the suppressive efficiency will be enhanced as specificity of hybridization is increased, e.g., as the introduced sequence is lengthened, and/or as the sequence similarity between the introduced sequence and the endogenous transcription factor gene is increased.

Vectors expressing an untranslatable form of the transcription factor mRNA,
25 e.g., sequences comprising one or more stop codon, or nonsense mutation) can also be used to suppress expression of an endogenous transcription factor, thereby reducing or eliminating its activity and modifying one or more traits. Methods for producing such constructs are described in U.S. Patent No. 5,583,021. Preferably, such constructs are made by introducing
30 a premature stop codon into the transcription factor gene. Alternatively, a plant trait can be modified by gene silencing using double-strand RNA (Sharp (1999) Genes and Development 13: 139-141).

Another method for abolishing the expression of a gene is by insertion
mutagenesis using the T-DNA of *Agrobacterium tumefaciens*. After generating the insertion
35 mutants, the mutants can be screened to identify those containing the insertion in a transcription factor or transcription factor homologue gene. Plants containing a single

transgene insertion event at the desired gene can be crossed to generate homozygous plants for the mutation (Koncz et al. (1992) Methods in Arabidopsis Research, World Scientific).

Alternatively, a plant phenotype can be altered by eliminating an endogenous gene, such as a transcription factor or transcription factor homologue, e.g., by homologous recombination (Kempin et al. (1997) Nature 389:802).

A plant trait can also be modified by using the cre-lox system (for example, as described in US Patent No. 5,658,772). A plant genome can be modified to include first and second lox sites that are then contacted with a Cre recombinase. If the lox sites are in the same orientation, the intervening DNA sequence between the two sites is excised. If the lox sites are in the opposite orientation, the intervening sequence is inverted.

The polynucleotides and polypeptides of this invention can also be expressed in a plant in the absence of an expression cassette by manipulating the activity or expression level of the endogenous gene by other means. For example, by ectopically expressing a gene by T-DNA activation tagging (Ichikawa et al. (1997) Nature 390 698-701; Kakimoto et al. (1996) Science 274: 982-985). This method entails transforming a plant with a gene tag containing multiple transcriptional enhancers and once the tag has inserted into the genome, expression of a flanking gene coding sequence becomes deregulated. In another example, the transcriptional machinery in a plant can be modified so as to increase transcription levels of a polynucleotide of the invention (See, e.g., PCT Publications WO 96/06166 and WO 98/53057 which describe the modification of the DNA binding specificity of zinc finger proteins by changing particular amino acids in the DNA binding motif).

The transgenic plant can also include the machinery necessary for expressing or altering the activity of a polypeptide encoded by an endogenous gene, for example by altering the phosphorylation state of the polypeptide to maintain it in an activated state.

Transgenic plants (or plant cells, or plant explants, or plant tissues) incorporating the polynucleotides of the invention and/or expressing the polypeptides of the invention can be produced by a variety of well established techniques as described above. Following construction of a vector, most typically an expression cassette, including a polynucleotide, e.g., encoding a transcription factor or transcription factor homologue, of the invention, standard techniques can be used to introduce the polynucleotide into a plant, a plant cell, a plant explant or a plant tissue of interest. Optionally, the plant cell, explant or tissue can be regenerated to produce a transgenic plant.

The plant can be any higher plant, including gymnosperms, monocotyledonous and dicotyledonous plants. Suitable protocols are available for *Leguminosae* (alfalfa, soybean, clover, etc.), *Umbelliferae* (carrot, celery, parsnip), *Cruciferae* (cabbage, radish, rapeseed, broccoli, etc.), *Curcubitaceae* (melons and cucumber), *Gramineae* (wheat, corn, rice, barley, millet, etc.), *Solanaceae* (potato, tomato, tobacco,

peppers, etc.), and various other crops. See protocols described in Ammirato et al. (1984) Handbook of Plant Cell Culture –Crop Species. Macmillan Publ. Co. Shimamoto et al. (1989) Nature 338:274-276; Fromm et al. (1990) Bio/Technology 8:833-839; and Vasil et al. (1990) Bio/Technology 8:429-434.

5 Transformation and regeneration of both monocotyledonous and dicotyledonous plant cells is now routine, and the selection of the most appropriate transformation technique will be determined by the practitioner. The choice of method will vary with the type of plant to be transformed; those skilled in the art will recognize the suitability of particular methods for given plant types. Suitable methods can include, but are not limited to: electroporation of plant protoplasts; liposome-mediated transformation; polyethylene glycol (PEG) mediated transformation; transformation using viruses; micro-injection of plant cells; micro-projectile bombardment of plant cells; vacuum infiltration; and *Agrobacterium tumefaciens* mediated transformation. Transformation means introducing a nucleotide sequence in a plant in a manner to cause stable or transient expression of the sequence.

Successful examples of the modification of plant characteristics by transformation with cloned sequences which serve to illustrate the current knowledge in this field of technology, and which are herein incorporated by reference, include: U.S. Patent Nos. 5,571,706; 5,677,175; 5,510,471; 5,750,386; 5,597,945; 5,589,615; 5,750,871; 5,268,526; 20 5,780,708; 5,538,880; 5,773,269; 5,736,369 and 5,610,042.

Following transformation, plants are preferably selected using a dominant selectable marker incorporated into the transformation vector. Typically, such a marker will confer antibiotic or herbicide resistance on the transformed plants, and selection of transformants can be accomplished by exposing the plants to appropriate concentrations of the antibiotic or herbicide.

After transformed plants are selected and grown to maturity, those plants showing a modified trait are identified. The modified trait can be any of those traits described above. Additionally, to confirm that the modified trait is due to changes in expression levels or activity of the polypeptide or polynucleotide of the invention can be determined by analyzing mRNA expression using Northern blots, RT-PCR or microarrays, or protein expression using immunoblots or Western blots or gel shift assays.

INTEGRATED SYSTEMS—SEQUENCE IDENTITY

Additionally, the present invention may be an integrated system, computer or computer readable medium that comprises an instruction set for determining the identity of one or more sequences in a database. In addition, the instruction set can be used to generate or identify sequences that meet any specified criteria. Furthermore, the instruction set may

be used to associate or link certain functional benefits, such improved pathogen tolerance, with one or more identified sequence.

For example, the instruction set can include, e.g., a sequence comparison or other alignment program, e.g., an available program such as, for example, the Wisconsin Package Version 10.0, such as BLAST, FASTA, PILEUP, FINDPATTERNS or the like (GCG, Madison, WI). Public sequence databases such as GenBank, EMBL, Swiss-Prot and PIR or private sequence databases such as PhytoSeq (Incyte Pharmaceuticals, Palo Alto, CA) can be searched.

Alignment of sequences for comparison can be conducted by the local homology algorithm of Smith and Waterman (1981) Adv. Appl. Math. 2:482, by the homology alignment algorithm of Needleman and Wunsch (1970) J. Mol. Biol. 48:443, by the search for similarity method of Pearson and Lipman (1988) Proc. Natl. Acad. Sci. U.S.A. 85: 2444, by computerized implementations of these algorithms. After alignment, sequence comparisons between two (or more) polynucleotides or polypeptides are typically performed by comparing sequences of the two sequences over a comparison window to identify and compare local regions of sequence similarity. The comparison window can be a segment of at least about 20 contiguous positions, usually about 50 to about 200, more usually about 100 to about 150 contiguous positions. A description of the method is provided in Ausubel et al., *supra*.

A variety of methods of determining sequence relationships can be used, including manual alignment and computer assisted sequence alignment and analysis. This later approach is a preferred approach in the present invention, due to the increased throughput afforded by computer assisted methods. As noted above, a variety of computer programs for performing sequence alignment are available, or can be produced by one of skill.

One example algorithm that is suitable for determining percent sequence identity and sequence similarity is the BLAST algorithm, which is described in Altschul et al. J. Mol. Biol. 215:403-410 (1990). Software for performing BLAST analyses is publicly available, e.g., through the National Center for Biotechnology Information (<http://www.ncbi.nlm.nih.gov/>). This algorithm involves first identifying high scoring sequence pairs (HSPs) by identifying short words of length W in the query sequence, which either match or satisfy some positive-valued threshold score T when aligned with a word of the same length in a database sequence. T is referred to as the neighborhood word score threshold (Altschul et al., *supra*). These initial neighborhood word hits act as seeds for initiating searches to find longer HSPs containing them. The word hits are then extended in both directions along each sequence for as far as the cumulative alignment score can be increased. Cumulative scores are calculated using, for nucleotide sequences, the parameters

M (reward score for a pair of matching residues; always > 0) and N (penalty score for mismatching residues; always < 0). For amino acid sequences, a scoring matrix is used to calculate the cumulative score. Extension of the word hits in each direction are halted when: the cumulative alignment score falls off by the quantity X from its maximum achieved value; the cumulative score goes to zero or below, due to the accumulation of one or more negative-scoring residue alignments; or the end of either sequence is reached. The BLAST algorithm parameters W, T, and X determine the sensitivity and speed of the alignment. The BLASTN program (for nucleotide sequences) uses as defaults a wordlength (W) of 11, an expectation (E) of 10, a cutoff of 100, M=5, N=-4, and a comparison of both strands. For amino acid sequences, the BLASTP program uses as defaults a wordlength (W) of 3, an expectation (E) of 10, and the BLOSUM62 scoring matrix (*see* Henikoff & Henikoff (1989) Proc. Natl. Acad. Sci. USA 89:10915).

In addition to calculating percent sequence identity, the BLAST algorithm also performs a statistical analysis of the similarity between two sequences (*see, e.g.,* Karlin & Altschul (1993) Proc. Natl. Acad. Sci. USA 90:5873-5787). One measure of similarity provided by the BLAST algorithm is the smallest sum probability (P(N)), which provides an indication of the probability by which a match between two nucleotide or amino acid sequences would occur by chance. For example, a nucleic acid is considered similar to a reference sequence (and, therefore, in this context, homologous) if the smallest sum probability in a comparison of the test nucleic acid to the reference nucleic acid is less than about 0.1, or less than about 0.01, and or even less than about 0.001. An additional example of a useful sequence alignment algorithm is PILEUP. PILEUP creates a multiple sequence alignment from a group of related sequences using progressive, pairwise alignments. The program can align, e.g., up to 300 sequences of a maximum length of 5,000 letters.

The integrated system, or computer typically includes a user input interface allowing a user to selectively view one or more sequence records corresponding to the one or more character strings, as well as an instruction set which aligns the one or more character strings with each other or with an additional character string to identify one or more region of sequence similarity. The system may include a link of one or more character strings with a particular phenotype or gene function. Typically, the system includes a user readable output element which displays an alignment produced by the alignment instruction set.

The methods of this invention can be implemented in a localized or distributed computing environment. In a distributed environment, the methods may be implemented on a single computer comprising multiple processors or on a multiplicity of computers. The computers can be linked, e.g. through a common bus, but more preferably the computer(s) are nodes on a network. The network can be a generalized or a dedicated local or

wide-area network and, in certain preferred embodiments, the computers may be components of an intra-net or an internet.

Thus, the invention provides methods for identifying a sequence similar or homologous to one or more polynucleotides as noted herein, or one or more target polypeptides encoded by the polynucleotides, or otherwise noted herein and may include linking or associating a given plant phenotype or gene function with a sequence. In the methods, a sequence database is provided (locally or across an inter or intra net) and a query is made against the sequence database using the relevant sequences herein and associated plant phenotypes or gene functions.

Any sequence herein can be entered into the database, before or after querying the database. This provides for both expansion of the database and, if done before the querying step, for insertion of control sequences into the database. The control sequences can be detected by the query to ensure the general integrity of both the database and the query. As noted, the query can be performed using a web browser based interface. For example, the database can be a centralized public database such as those noted herein, and the querying can be done from a remote terminal or computer across an internet or intranet.

EXAMPLES

The following examples are intended to illustrate but not limit the present invention.

20 EXAMPLE I. FULL LENGTH GENE IDENTIFICATION AND CLONING

Putative transcription factor sequences (genomic or ESTs) related to known transcription factors were identified in the *Arabidopsis thaliana* GenBank database using the tblastn sequence analysis program using default parameters and a P-value cutoff threshold of -4 or -5 or lower, depending on the length of the query sequence. Putative transcription factor sequence hits were then screened to identify those containing particular sequence strings. If the sequence hits contained such sequence strings, the sequences were confirmed as transcription factors.

Alternatively, *Arabidopsis thaliana* cDNA libraries derived from different tissues or treatments, or genomic libraries were screened to identify novel members of a transcription family using a low stringency hybridization approach. Probes were synthesized using gene specific primers in a standard PCR reaction (annealing temperature 60° C) and labeled with ³²P dCTP using the High Prime DNA Labeling Kit (Boehringer Mannheim). Purified radiolabelled probes were added to filters immersed in Church hybridization medium (0.5 M NaPO₄ pH 7.0, 7% SDS, 1 % w/v bovine serum albumin) and hybridized overnight at 60 °C with shaking. Filters were washed two times for 45 to 60 minutes with 1xSSC, 1% SDS at 60° C.

To identify additional sequence 5' or 3' of a partial cDNA sequence in a cDNA library, 5' and 3' rapid amplification of cDNA ends (RACE) was performed using the Marathon™ cDNA amplification kit (Clontech, Palo Alto, CA). Generally, the method entailed first isolating poly(A) mRNA, performing first and second strand cDNA synthesis to
5 generate double stranded cDNA, blunting cDNA ends, followed by ligation of the Marathon™ Adaptor to the cDNA to form a library of adaptor-ligated ds cDNA.

Gene-specific primers were designed to be used along with adaptor specific primers for both 5' and 3' RACE reactions. Nested primers, rather than single primers, were used to increase PCR specificity. Using 5' and 3' RACE reactions, 5' and 3' RACE
10 fragments were obtained, sequenced and cloned. The process can be repeated until 5' and 3' ends of the full-length gene were identified. Then the full-length cDNA was generated by PCR using primers specific to 5' and 3' ends of the gene by end-to-end PCR.

EXAMPLE II. CONSTRUCTION OF EXPRESSION VECTORS

The sequence was amplified from a genomic or cDNA library using primers
15 specific to sequences upstream and downstream of the coding region. The expression vector was pMEN20 or pMEN65, which are both derived from pMON316 (Sanders et al, (1987) Nucleic Acids Research 15:1543-58) and contain the CaMV 35S promoter to express transgenes. To clone the sequence into the vector, both pMEN20 and the amplified DNA fragment were digested separately with SalI and NotI restriction enzymes at 37° C for 2 hours.
20 The digestion products were subject to electrophoresis in a 0.8% agarose gel and visualized by ethidium bromide staining. The DNA fragments containing the sequence and the linearized plasmid were excised and purified by using a Qiaquick gel extraction kit (Qiagen, CA). The fragments of interest were ligated at a ratio of 3:1 (vector to insert). Ligation reactions using T4 DNA ligase (New England Biolabs, MA) were carried out at 16° C for 16
25 hours. The ligated DNAs were transformed into competent cells of the *E. coli* strain DH5alpha by using the heat shock method. The transformations were plated on LB plates containing 50 mg/l kanamycin (Sigma).

Individual colonies were grown overnight in five milliliters of LB broth containing 50 mg/l kanamycin at 37° C. Plasmid DNA was purified by using Qiaquick Mini
30 Prep kits (Qiagen, CA).

EXAMPLE III. TRANSFORMATION OF *AGROBACTERIUM* WITH THE EXPRESSION VECTOR

After the plasmid vector containing the gene was constructed, the vector was used to transform *Agrobacterium tumefaciens* cells expressing the gene products. The stock of
35 *Agrobacterium tumefaciens* cells for transformation were made as described by Nagel et al. (1990) FEMS Microbiol Letts. 67: 325-328. *Agrobacterium* strain ABI was grown in 250 ml

LB medium (Sigma) overnight at 28°C with shaking until an absorbance (A_{600}) of 0.5 – 1.0 was reached. Cells were harvested by centrifugation at 4,000 x g for 15 min at 4° C. Cells were then resuspended in 250 µl chilled buffer (1 mM HEPES, pH adjusted to 7.0 with KOH). Cells were centrifuged again as described above and resuspended in 125 µl chilled
5 buffer. Cells were then centrifuged and resuspended two more times in the same HEPES buffer as described above at a volume of 100 µl and 750 µl, respectively. Resuspended cells were then distributed into 40 µl aliquots, quickly frozen in liquid nitrogen, and stored at -80° C.

Agrobacterium cells were transformed with plasmids prepared as described
10 above following the protocol described by Nagel et al. For each DNA construct to be transformed, 50 – 100 ng DNA (generally resuspended in 10 mM Tris-HCl, 1 mM EDTA, pH 8.0) was mixed with 40 µl of *Agrobacterium* cells. The DNA/cell mixture was then transferred to a chilled cuvette with a 2mm electrode gap and subject to a 2.5 kV charge dissipated at 25 µF and 200 µF using a Gene Pulser II apparatus (Bio-Rad). After
15 electroporation, cells were immediately resuspended in 1.0 ml LB and allowed to recover without antibiotic selection for 2 – 4 hours at 28° C in a shaking incubator. After recovery, cells were plated onto selective medium of LB broth containing 100 µg/ml spectinomycin (Sigma) and incubated for 24-48 hours at 28° C. Single colonies were then picked and inoculated in fresh medium. The presence of the plasmid construct was verified by PCR
20 amplification and sequence analysis.

EXAMPLE IV. TRANSFORMATION OF ARABIDOPSIS PLANTS WITH AGROBACTERIUM TUMEFACIENS WITH EXPRESSION VECTOR

After transformation of *Agrobacterium tumefaciens* with plasmid vectors containing the gene, single *Agrobacterium* colonies were identified, propagated, and used to
25 transform *Arabidopsis* plants. Briefly, 500 ml cultures of LB medium containing 50 mg/l kanamycin were inoculated with the colonies and grown at 28° C with shaking for 2 days until an absorbance (A_{600}) of > 2.0 is reached. Cells were then harvested by centrifugation at 4,000 x g for 10 min, and resuspended in infiltration medium (1/2 X Murashige and Skoog salts (Sigma), 1 X Gamborg's B-5 vitamins (Sigma), 5.0% (w/v) sucrose (Sigma), 0.044 µM
30 benzylamino purine (Sigma), 200 µl/L Silwet L-77 (Lehle Seeds) until an absorbance (A_{600}) of 0.8 was reached.

Prior to transformation, *Arabidopsis thaliana* seeds (ecotype Columbia) were sown at a density of ~10 plants per 4" pot onto Pro-Mix BX potting medium (Hummert International) covered with fiberglass mesh (18 mm X 16 mm). Plants were grown under
35 continuous illumination (50-75 µE/m²/sec) at 22-23° C with 65-70% relative humidity. After about 4 weeks, primary inflorescence stems (bolts) are cut off to encourage growth of

multiple secondary bolts. After flowering of the mature secondary bolts, plants were prepared for transformation by removal of all siliques and opened flowers.

The pots were then immersed upside down in the mixture of *Agrobacterium* infiltration medium as described above for 30 sec, and placed on their sides to allow draining into a 1' x 2' flat surface covered with plastic wrap. After 24 h, the plastic wrap was removed and pots are turned upright. The immersion procedure was repeated one week later, for a total of two immersions per pot. Seeds were then collected from each transformation pot and analyzed following the protocol described below.

EXAMPLE V. IDENTIFICATION OF ARABIDOPSIS PRIMARY TRANSFORMANTS

Seeds collected from the transformation pots were sterilized essentially as follows. Seeds were dispersed into in a solution containing 0.1% (v/v) Triton X-100 (Sigma) and sterile H₂O and washed by shaking the suspension for 20 min. The wash solution was then drained and replaced with fresh wash solution to wash the seeds for 20 min with shaking. After removal of the second wash solution, a solution containing 0.1% (v/v) Triton X-100 and 70% ethanol (Equistar) was added to the seeds and the suspension was shaken for 5 min. After removal of the ethanol/detergent solution, a solution containing 0.1% (v/v) Triton X-100 and 30% (v/v) bleach (Clorox) was added to the seeds, and the suspension was shaken for 10 min. After removal of the bleach/detergent solution, seeds were then washed five times in sterile distilled H₂O. The seeds were stored in the last wash water at 4° C for 2 days in the dark before being plated onto antibiotic selection medium (1 X Murashige and Skoog salts (pH adjusted to 5.7 with 1M KOH), 1 X Gamborg's B-5 vitamins, 0.9% phytagar (Life Technologies), and 50 mg/l kanamycin). Seeds were germinated under continuous illumination (50-75 $\mu\text{E}/\text{m}^2/\text{sec}$) at 22-23° C. After 7-10 days of growth under these conditions, kanamycin resistant primary transformants (T₁ generation) were visible and obtained. These seedlings were transferred first to fresh selection plates where the seedlings continued to grow for 3-5 more days, and then to soil (Pro-Mix BX potting medium).

Primary transformants were crossed and progeny seeds (T₂) collected; kanamycin resistant seedlings were selected and analyzed. The expression levels of the recombinant polynucleotides in the transformants varies from about a 5% expression level increase to a least a 100% expression level increase. Similar observations are made with respect to polypeptide level expression.

EXAMPLE VI. IDENTIFICATION OF ARABIDOPSIS PLANTS WITH TRANSCRIPTION FACTOR GENE KNOCKOUTS

The screening of insertion mutagenized *Arabidopsis* collections for null mutants in a known target gene was essentially as described in Krysan et al (1999) Plant Cell 11:2283-2290. Briefly, gene-specific primers, nested by 5-250 bases to each other, were designed from the 5' and 3' regions of a known target gene. Similarly, nested sets of primers were also created specific to each of the T-DNA or transposon ends (the "right" and "left" borders). All possible combinations of gene specific and T-DNA/transposon primers were used to detect by PCR an insertion event within or close to the target gene. The amplified DNA fragments were then sequenced which allows the precise determination of the T-DNA/transposon insertion point relative to the target gene. Insertion events within the coding or intervening sequence of the genes were deconvoluted from a pool comprising a plurality of insertion events to a single unique mutant plant for functional characterization. The method is described in more detail in Yu and Adam, US Application Serial No. 09/177,733 filed October 23, 1998.

15 EXAMPLE VII. IDENTIFICATION OF PATHOGEN INDUCED GENES

In some instances, expression patterns of the pathogen induced genes (such as defense genes) was monitored by microarray experiments. cDNAs were generated by PCR and resuspended at a final concentration of ~ 100 ng/ul in 3X SSC or 150mM Na-phosphate (Eisen and Brown (1999) *Meth. in Enzymol.* 303:179-205). The cDNAs were spotted on microscope glass slides coated with polylysine. The prepared cDNAs were aliquoted into 384 well plates and spotted on the slides using an x-y-z gantry (OmniGrid) purchased from GeneMachines (Menlo Park, CA) outfitted with quill type pins purchased from Telechem International (Sunnyvale, CA). After spotting, the arrays were cured for a minimum of one week at room temperature, rehydrated and blocked following the protocol recommended by Eisen and Brown (1999).

Sample total RNA (10 ug) samples were labeled using fluorescent Cy3 and Cy5 dyes. Labeled samples were resuspended in 4X SSC/0.03% SDS/4 ug salmon sperm DNA/2 ug tRNA/ 50mM Na-pyrophosphate, heated for 95°C for 2.5 minutes, spun down and placed on the array. The array was then covered with a glass coverslip and placed in a sealed chamber. The chamber was then kept in a water bath at 62°C overnight. The arrays were washed as described in Eisen and Brown (1999) and scanned on a General Scanning 3000 laser scanner. The resulting files are subsequently quantified using Imogene a software purchased from BioDiscovery (Los Angeles, CA).

EXAMPLE VIII. IDENTIFICATION OF PATHOGEN TOLERANCE PHENOTYPE IN OVEREXPRESSOR OR GENE KNOCKOUT PLANTS

Experiments were performed to identify those transformants or knockouts that exhibited an improved pathogen tolerance. For such studies, the transformants were exposed to biotrophic fungal pathogens, such as *Erysiphe orontii*, and necrotrophic fungal pathogens, such as *Fusarium oxysporum*. *Fusarium oxysporum* isolates cause vascular wilts and damping off of various annual vegetables, perennials and weeds (Mauch-Mani and Slusarenko (1994) Molecular Plant-Microbe Interactions 7: 378-383). For *Fusarium oxysporum* experiments, plants grown on petri dishes were sprayed with a fresh spore suspension of *F. oxysporum*. The spore suspension was prepared as follows: A plug of fungal hyphae from a plate culture was placed on a fresh potato dextrose agar plate and allowed to spread for one week. 5 ml sterile water was then added to the plate, swirled, and pipetted into 50 ml Armstrong Fusarium medium. Spores were grown overnight in Fusarium medium and then sprayed onto plants using a Preval paint sprayer. Plant tissue was harvested and frozen in liquid nitrogen 48 hours post infection.

Erysiphe orontii is a causal agent of powdery mildew. For *Erysiphe orontii* experiments, plants were grown approximately 4 weeks in a greenhouse under 12 hour light (20 C, ~30% relative humidity (rh)). Individual leaves were infected with *E. orontii* spores from infected plants using a camel's hair brush, and the plants were transferred to a Percival growth chamber (20 C, 80% rh.). Plant tissue was harvested and frozen in liquid nitrogen 7 days post infection.

Botrytis cinerea is a necrotrophic pathogen. *Botrytis cinerea* was grown on potato dextrose agar in the light. A spore culture was made by spreading 10 ml of sterile water on the fungus plate, swirling and transferring spores to 10 ml of sterile water. The spore inoculum (approx. 10⁵ spores/ml) was used to spray 10 day-old seedlings grown under sterile conditions on MS (-sucrose) media. Symptoms were evaluated every day up to approximately 1 week.

Infection with bacterial pathogens *Pseudomonas syringae* pv *maculicola* strain 4326 and pv *maculicola* strain 4326 was performed by hand inoculation at two doses. Two inoculation doses allows the differentiation between plants with enhanced susceptibility and plants with enhanced resistance to the pathogen. Plants were grown for 3 weeks in the greenhouse, then transferred to the growth chamber for the remainder of their growth. Psm ES4326 was hand inoculated with 1 ml syringe on 3 fully-expanded leaves per plant (4 1/2 wk old), using at least 9 plants per overexpressing line at two inoculation doses, OD=0.005 and OD=0.0005. Disease scoring occurred at day 3 post-inoculation with pictures of the plants and leaves taken in parallel.

Table 3 shows the phenotypes observed for particular overexpressor or knockout plants and provides the SEQ ID No., the internal reference code (GID), whether a knockout or overexpressor plant was analyzed and the observed phenotype.

Table 3

SEQ ID No.	GID	Knockout (KO) or overexpressor (OE)	Phenotype
1	G188	KO	Increased susceptibility to Fusarium
3	G616	OE	Increased tolerance to Erysiphe
5	G19	OE	Increased tolerance to Erysiphe
7	G261	OE	Increased susceptibility to Botrytis
9	G28	OE	Increased resistance to Erysiphe
11	G869	OE	Increased susceptibility to Fusarium
13	G237	OE	Increased tolerance to Erysiphe
15	G409	OE	Increased tolerance to Erysiphe
17	G418	OE	Increased tolerance to Pseudomonas
19	G591	OE	Increased tolerance to Erysiphe
21	G525	OE	Increased tolerance to Pseudomonas
23	G545	OE	Increased susceptibility to Pseudomonas, Erysiphe and Fusarium
25	G865	OE	Increased susceptibility to Erysiphe and Botrytis
27	G881	OE	Increased susceptibility to Erysiphe and Botrytis
29	G896	KO	Increased susceptibility to Fusarium
31	G378	OE	Increased resistance to Erysiphe
33	G569	OE	Decreased expression of defense genes
35	G558	OE	Increased expression of defense genes

5 For a particular overexpressor that shows an increased susceptibility to a pathogen, it may be more useful to select a plant with a decreased expression of the particular transcription factor. For a particular knockout that shows an increased susceptibility to a pathogen, it may be more useful to select a plant with an increased expression of the particular transcription factor.

10 Other than *Fusarium oxysporum*, *Erysiphe orontii*, the transgenic plants are more tolerant to *Sclerotinia spp.*, soil-borne oomycetes, foliar oomycetes, *Botrytis spp.*, *Rhizoctonia spp.*, *Verticillium dahliae/albo-atrum*, *Alternaria spp.*, rusts, *Mycosphaerella spp.*, *Fusarium solani*, or the like. The transgenic plants are more resistant to fungal diseases such as rusts, smuts, wilts, yellows, root rot, leaf drop, ergot, leaf blight of potato, brown spot of rice, leaf

15 blight, late blight, powdery mildew, downy mildew, and the like; viral diseases such as sugarcane mosaic, cassava mosaic, sugar beet yellows, plum pox, barley yellow dwarf, tomato yellow leaf curl, tomato spotted wilt virus, and the like; bacterial diseases such as citrus canker, bacterial leaf blight, bacterial wilt, soft rot of vegetables, and the like; nematode diseases such as root knot, sugar beet cyst nematode or the like.

20

EXAMPLE IX. IDENTIFICATION OF HOMOLOGOUS SEQUENCES

Homologous sequences from *Arabidopsis* and plant species other than *Arabidopsis* were identified using database sequence search tools, such as the Basic Local Alignment Search Tool (BLAST) (Altschul et al. (1990) *J. Mol. Biol.* 215:403-410; and Altschul et al. (1997) *Nucl. Acid Res.* 25: 3389-3402). The tblastx sequence analysis programs were employed using the BLOSUM-62 scoring matrix (Henikoff, S. and Henikoff, J. G. (1992) *Proc. Natl. Acad. Sci. USA* 89: 10915-10919).

Identified *Arabidopsis* homologous sequences are provided in Figure 2 and included in the Sequence Listing. The percent sequence identity among these sequences is as low as 47% sequence identity. Additionally, the entire NCBI GenBank database was filtered for sequences from all plants except *Arabidopsis thaliana* by selecting all entries in the NCBI GenBank database associated with NCBI taxonomic ID 33090 (Viridiplantae; all plants) and excluding entries associated with taxonomic ID 3701 (*Arabidopsis thaliana*). These sequences were compared to sequences representing genes of SEQ IDs Nos. 1-58 on 9/26/2000 using the Washington University TBLASTX algorithm (version 2.0a19MP). For each gene of SEQ IDs Nos. 1-58, individual comparisons were ordered by probability score (P-value), where the score reflects the probability that a particular alignment occurred by chance. For example, a score of 3.6e-40 is 3.6×10^{-40} . For up to ten species, the gene with the lowest P-value (and therefore the most likely homolog) is listed in Figure 3.

In addition to P-values, comparisons were also scored by percentage identity. Percentage identity reflects the degree to which two segments of DNA or protein are identical over a particular length. The ranges of percent identity between the non-*Arabidopsis* genes shown in Figure 3 and the *Arabidopsis* genes in the sequence listing are: SEQ ID No. 1: 38%-76%; SEQ ID No. 3: 36%-72%; SEQ ID No. 5: 51%-75%; SEQ ID No. 7: 37%-76%; SEQ ID No. 9: 48%-75%; SEQ ID No. 11: 31%-68%; SEQ ID No. 13: 59%-81%; SEQ ID No. 15: 49%-81%; SEQ ID No. 17: 53%-87%; SEQ ID No. 19: 48%-84%; SEQ ID No. 21: 73%-89%; SEQ ID No. 23: 52%-64%; SEQ ID No. 25: 48%-83%; SEQ ID No. 27: 35%-92%; SEQ ID No. 29: 56%-89%; SEQ ID No. 31: 50%-90%; SEQ ID No. 33: 50%-93%; SEQ ID No. 35: 52%-81%; SEQ ID No. 37: 75%-81%; SEQ ID No. 39: 35%-72%; SEQ ID No. 41: 55%-89%; SEQ ID No. 43: 56%-77%; SEQ ID No. 45: 34%-72%; SEQ ID No. 47: 51%-86%; SEQ ID No. 49: 46%-86%; SEQ ID No. 51: 58%-80%; SEQ ID No. 53: 46%-55%; SEQ ID No. 55: 84%-89%; and SEQ ID No. 57: 43%-71%.

The polynucleotides and polypeptides in the Sequence Listing and the identified homologous sequences may be stored in a computer system and have associated or linked with the sequences a function, such as that the polynucleotides and polypeptides are useful for modifying the pathogen tolerance of a plant.

All references, publications, patents and other documents herein are incorporated by reference in their entirety for all purposes. Although the invention has been described with reference to the embodiments and examples above, it should be understood that various modifications can be made without departing from the spirit of the invention.

What is claimed is:

1. A transgenic plant with modified pathogen tolerance, which plant comprises a recombinant polynucleotide comprising a nucleotide sequence selected from the group consisting of:
 - 5 (a) a nucleotide sequence encoding a polypeptide comprising a sequence selected from SEQ ID Nos. 2N, where N=1-29, or a complementary nucleotide sequence thereof;
 - (b) a nucleotide sequence encoding a polypeptide comprising a conservatively substituted variant of a polypeptide of (a);
 - 10 (c) a nucleotide sequence comprising a sequence selected from those of SEQ ID Nos. 2N-1, where N=1-29, or a complementary nucleotide sequence thereof;
 - (d) a nucleotide sequence comprising silent substitutions in a nucleotide sequence of (c);
 - (e) a nucleotide sequence which hybridizes under stringent conditions to a nucleotide
 - 15 sequence of one or more of: (a), (b), (c), or (d);
 - (f) a nucleotide sequence comprising at least 15 consecutive nucleotides of a sequence of any of (a)-(e);
 - (g) a nucleotide sequence comprising a subsequence or fragment of any of (a)-(f), which subsequence or fragment encodes a polypeptide that modifies a plant's
 - 20 pathogen tolerance;
 - (h) a nucleotide sequence having at least 31% sequence identity to a nucleotide sequence of any of (a)-(g);
 - (i) a nucleotide sequence having at least 60% identity sequence identity to a nucleotide sequence of any of (a)-(g);
 - 25 (j) a nucleotide sequence which encodes a polypeptide having at least 31% identity sequence identity to a polypeptide of SEQ ID Nos. 2N, where N=1-29;
 - (k) a nucleotide sequence which encodes a polypeptide having at least 60% identity sequence identity to a polypeptide of SEQ ID Nos. 2N, where N=1-29; and
 - (l) a nucleotide sequence which encodes a polypeptide having at least 65% sequence
 - 30 identity to a conserved domain of a polypeptide of SEQ ID Nos. 2N, where N=1-29.
2. The transgenic plant of claim 1, further comprising a constitutive, inducible, or tissue-active promoter operably linked to said nucleotide sequence.
- 35 3. The transgenic plant of claim 1, wherein the plant is selected from the group consisting of: soybean, wheat, corn, potato, cotton, rice, oilseed rape, sunflower, alfalfa, sugarcane, turf, banana, blackberry, blueberry, strawberry, raspberry, cantaloupe, carrot,

cauliflower, coffee, cucumber, eggplant, grapes, honeydew, lettuce, mango, melon, onion, papaya, peas, peppers, pineapple, spinach, squash, sweet corn, tobacco, tomato, watermelon, rosaceous fruits, and vegetable brassicas.

- 5 4. An isolated or recombinant polynucleotide comprising a nucleotide sequence selected from the group consisting of:
 - (a) a nucleotide sequence encoding a polypeptide comprising a sequence selected from SEQ ID Nos. 2N, where N=1-29, or a complementary nucleotide sequence thereof;
 - 10 (b) a nucleotide sequence encoding a polypeptide comprising a conservatively substituted variant of a polypeptide of (a);
 - (c) a nucleotide sequence comprising a sequence selected from those of SEQ ID Nos. 2N-1, where N=1-29, or a complementary nucleotide sequence thereof;
 - (d) a nucleotide sequence comprising silent substitutions in a nucleotide sequence of
 - 15 (c);
 - (e) a nucleotide sequence which hybridizes under stringent conditions to a nucleotide sequence of one or more of: (a), (b), (c), or (d);
 - (f) a nucleotide sequence comprising at least 15 consecutive nucleotides of a sequence of any of (a)-(e);
 - 20 (g) a nucleotide sequence comprising a subsequence or fragment of any of (a)-(f), which subsequence or fragment encodes a polypeptide having a biological activity that modifies a plant's pathogen tolerance;
 - (h) a nucleotide sequence having at least 31% sequence identity to a nucleotide sequence of any of (a)-(g);
 - 25 (i) a nucleotide sequence having at least 60% identity sequence identity to a nucleotide sequence of any of (a)-(g);
 - (j) a nucleotide sequence which encodes a polypeptide having at least 31% identity sequence identity to a polypeptide of SEQ ID Nos. 2N, where N=1-29;
 - (k) a nucleotide sequence which encodes a polypeptide having at least 60% identity
 - 30 sequence identity to a polypeptide of SEQ ID Nos. 2N, where N=1-29; and
 - (l) a nucleotide sequence which encodes a conserved domain of a polypeptide having at least 65% sequence identity to a conserved domain of a polypeptide of SEQ ID Nos. 2N, where N=1-29.
- 35 5. The isolated or recombinant polynucleotide of claim 4, further comprising a constitutive, inducible, or tissue-active promoter operably linked to the nucleotide sequence.

6. A cloning or expression vector comprising the isolated or recombinant polynucleotide of claim 4.
7. A cell comprising the cloning or expression vector of claim 6.
8. A transgenic plant comprising the isolated or recombinant polynucleotide of claim 4.
9. A composition produced by one or more of:
- (a) incubating one or more polynucleotide of claim 4 with a nuclease;
 - (b) incubating one or more polynucleotide of claim 4 with a restriction enzyme;
 - (c) incubating one or more polynucleotide of claim 4 with a polymerase;
 - (d) incubating one or more polynucleotide of claim 4 with a polymerase and a primer;
 - (e) incubating one or more polynucleotide of claim 4 with a cloning vector, or
 - (f) incubating one or more polynucleotide of claim 4 with a cell.
10. A composition comprising two or more different polynucleotides of claim 4.
11. An isolated or recombinant polypeptide comprising a subsequence of at least about 15 contiguous amino acids encoded by the recombinant or isolated polynucleotide of claim 4.
12. A plant comprising an isolated polypeptide of claim 11.
13. A method for producing a plant having a modified pathogen tolerance, the method comprising altering the expression of the isolated or recombinant polynucleotide of claim 4 or the expression levels or activity of a polypeptide of claim 11 in a plant, thereby producing a modified plant, and selecting the modified plant for improved pathogen tolerance thereby providing the modified plant with a modified pathogen tolerance.
14. The method of claim 13, wherein the polynucleotide is a polynucleotide of claim 4.
15. A method of identifying a factor that is modulated by or interacts with a polypeptide encoded by a polynucleotide of claim 4, the method comprising:
- (a) expressing a polypeptide encoded by the polynucleotide in a plant; and
 - (b) identifying at least one factor that is modulated by or interacts with the polypeptide.

16. The method of claim 15, wherein the identifying is performed by detecting binding by the polypeptide to a promoter sequence, or detecting interactions between an additional protein and the polypeptide in a yeast two hybrid system.
- 5 17. The method of claim 15, wherein the identifying is performed by detecting expression of a factor by hybridization to a microarray, subtractive hybridization or differential display.
18. A method of identifying a molecule that modulates activity or expression of a polynucleotide or polypeptide of interest, the method comprising:
- 10 (a) placing the molecule in contact with a plant comprising the polynucleotide or polypeptide encoded by the polynucleotide of claim 4; and,
- (b) monitoring one or more of:
- (i) expression level of the polynucleotide in the plant;
- (ii) expression level of the polypeptide in the plant;
- 15 (iii) modulation of an activity of the polypeptide in the plant; or
- (iv) modulation of an activity of the polynucleotide in the plant.
19. An integrated system, computer or computer readable medium comprising one or more character strings corresponding to a polynucleotide of claim 4, or to a polypeptide
- 20 encoded by the polynucleotide.
20. The integrated system, computer or computer readable medium of claim 19, further comprising a link between said one or more sequence strings to a modified plant pathogen tolerance phenotype.
- 25 21. A method of identifying a sequence similar or homologous to one or more polynucleotides of claim 4, or one or more polypeptides encoded by the polynucleotides, the method comprising:
- (a) providing a sequence database; and,
- 30 (b) querying the sequence database with one or more target sequences corresponding to the one or more polynucleotides or to the one or more polypeptides to identify one or more sequence members of the database that display sequence similarity or homology to one or more of the one or more target sequences.
- 35 22. The method of claim 21, wherein the querying comprises aligning one or more of the target sequences with one or more of the one or more sequence members in the sequence database.

23. The method of claim 21, wherein the querying comprises identifying one or more of the one or more sequence members of the database that meet a user-selected identity criteria with one or more of the target sequences.
- 5
24. The method of claim 21, further comprising linking the one or more of the polynucleotides of claim 4, or encoded polypeptides, to a modified plant pathogen tolerance phenotype.
- 10
25. A plant comprising altered expression levels of an isolated or recombinant polynucleotide of claim 4.
26. A plant comprising altered expression levels or the activity of an isolated or recombinant polypeptide of claim 11.
- 15
27. A plant lacking a nucleotide sequence encoding a polypeptide of claim 11.

Figure 1

SEQ ID No.	GID	cDNA or protein	conserved domain
1	G188	cDNA	
2	G188	protein	175-222
3	G616	cDNA	
4	G616	protein	39-95
5	G19	cDNA	
6	G19	protein	76-145
7	G261	cDNA	
8	G261	protein	16-104
9	G28	cDNA	
10	G28	protein	145-213
11	G869	cDNA	
12	G869	protein	109-177
13	G237	cDNA	
14	G237	protein	11-113
15	G409	cDNA	
16	G409	protein	64-124
17	G418	cDNA	
18	G418	protein	500-560
19	G591	cDNA	
20	G591	protein	143-240
21	G525	cDNA	
22	G525	protein	23-167
23	G545	cDNA	
24	G545	protein	82-102, 136-154
25	G865	cDNA	
26	G865	protein	36-103
27	G881	cDNA	
28	G881	protein	176-233
29	G896	cDNA	
30	G896	protein	18-39
31	G378	cDNA	
32	G378	protein	196-237
33	G569	cDNA	
34	G569	protein	90-153
35	G558	cDNA	
36	G558	protein	45-105

Figure 2

SEQ ID No.	GID	homolog	cDNA or protein	conserved domain
37	G1396	homolog of G1394	cDNA	
38	G1396	homolog of G1394	protein	entire protein
39	G265	homolog of G261	cDNA	
40	G265	homolog of G261	protein	14-105
41	G1006	homolog of G28	cDNA	
42	G1006	homolog of G28	protein	114-182
43	G1309	homolog of G237	cDNA	
44	G1309	homolog of G237	protein	9-114
45	G2550	homolog of G418	cDNA	
46	G2550	homolog of G418	protein	348-408
47	G965	homolog of G418	cDNA	
48	G965	homolog of G418	protein	423-486
49	G793	homolog of G591	cDNA	
50	G793	homolog of G591	protein	151-206
51	G764	homolog of G525	cDNA	
52	G764	homolog of G525	protein	27-171
53	G350	homolog of G545	cDNA	
54	G350	homolog of G545	protein	91-113,150-170
55	G986	homolog of G881	cDNA	
56	G986	homolog of G881	protein	146-203
57	G1349	homolog of G896	cDNA	
58	G1349	homolog of G896	protein	13-63

Figure 3A

SEQ ID No.	GID	Genbank NID	P-value	Species
1	G188	7779802	5.20E-36	Lotus japonicus
1	G188	7284340	2.10E-34	Glycine max
1	G188	9361307	1.20E-27	Triticum aestivum
1	G188	7340336	1.10E-22	Oryza sativa
1	G188	6529152	3.60E-22	Lycopersicon esculentum
1	G188	8748477	7.70E-21	Medicago truncatula
1	G188	5456433	7.10E-14	Zea mays
1	G188	9302479	1.60E-12	Sorghum bicolor
1	G188	6696287	4.10E-12	Pinus taeda
1	G188	562242	9.00E-12	Brassica rapa
3	G616	7719440	8.30E-37	Lotus japonicus
3	G616	7692230	5.90E-33	Glycine max
3	G616	7501307	1.10E-21	Gossypium arboreum
3	G616	8071090	1.50E-21	Solanum tuberosum
3	G616	8858771	1.50E-21	Oryza sativa
3	G616	5047315	1.50E-21	Gossypium hirsutum
3	G616	6358532	5.80E-20	Antirrhinum graniticum
3	G616	2826867	7.00E-20	Antirrhinum majus
3	G616	6358535	7.40E-20	Antirrhinum majus subsp. linkianum
3	G616	6358538	7.50E-20	Antirrhinum braun-blanquetii
5	G19	8789223	2.80E-34	Citrus x paradisi
5	G19	9434234	4.50E-34	Lycopersicon esculentum
5	G19	7478682	1.30E-30	Glycine max
5	G19	6654934	1.20E-28	Medicago truncatula
5	G19	3264766	5.50E-26	Prunus armeniaca
5	G19	7624302	8.30E-26	Gossypium arboreum
5	G19	9425363	2.90E-25	Triticum aestivum
5	G19	688579	3.60E-25	Ricinus communis
5	G19	9419304	6.00E-25	Hordeum vulgare
5	G19	7720316	8.80E-25	Lotus japonicus
7	G261	5821137	5.10E-93	Nicotiana tabacum
7	G261	7158881	8.80E-86	Medicago sativa
7	G261	886741	1.00E-73	Zea mays
7	G261	5900449	5.20E-47	Lycopersicon esculentum
7	G261	7561318	1.20E-46	Medicago truncatula
7	G261	19491	1.70E-42	Lycopersicon peruvianum
7	G261	7233914	3.50E-41	Glycine max
7	G261	4528238	9.00E-41	Citrus unshiu
7	G261	8903922	4.00E-39	Hordeum vulgare
7	G261	9251913	1.90E-36	Solanum tuberosum
9	G28	7528275	4.20E-62	Mesembryanthemum crystallinum
9	G28	6654776	1.20E-57	Medicago truncatula
9	G28	790362	2.30E-54	Nicotiana tabacum
9	G28	8809570	8.00E-54	Nicotiana sylvestris
9	G28	3342210	8.40E-54	Lycopersicon esculentum
9	G28	6566281	8.40E-47	Glycine max
9	G28	7627061	8.40E-47	Gossypium arboreum
9	G28	7324479	2.00E-44	Lycopersicon pennellii
9	G28	6478844	1.80E-35	Matricaria chamomilla
9	G28	7273972	7.80E-29	Oryza sativa
11	G869	2213784	1.30E-19	Lycopersicon esculentum
11	G869	3065894	7.30E-19	Nicotiana tabacum

Figure 3B

SEQ ID No.	GID	Genbank NID	P-value	Species
11	G869	8570080	4.20E-18	Oryza sativa
11	G869	7560260	1.50E-17	Medicago truncatula
11	G869	7534890	5.20E-14	Sorghum bicolor
11	G869	6455322	1.10E-13	Glycine max
11	G869	9362061	2.70E-13	Triticum aestivum
11	G869	7788764	5.70E-13	Lotus japonicus
11	G869	7624302	2.50E-12	Gossypium arboreum
11	G869	3858036	2.80E-12	Populus balsamifera subsp. trichocarpa
13	G237	8283916	4.70E-42	Glycine max
13	G237	9361969	8.30E-41	Triticum aestivum
13	G237	4753385	4.10E-39	Zea mays
13	G237	7535969	4.10E-33	Sorghum bicolor
13	G237	7566043	9.30E-33	Medicago truncatula
13	G237	7339127	2.00E-32	Lycopersicon esculentum
13	G237	5860031	1.10E-28	Pinus taeda
13	G237	7776223	2.20E-28	Lotus japonicus
13	G237	6850206	5.10E-28	Oryza sativa
13	G237	5048991	8.50E-28	Gossypium hirsutum
15	G409	6654773	6.10E-57	Medicago truncatula
15	G409	6531235	2.00E-56	Lycopersicon esculentum
15	G409	7924152	1.10E-47	Glycine max
15	G409	5006854	6.50E-43	Oryza sativa
15	G409	8098529	2.10E-41	Hordeum vulgare
15	G409	767697	1.40E-37	Daucus carota
15	G409	8328991	3.30E-37	Mesembryanthemum crystallinum
15	G409	7415613	1.40E-32	Physcomitrella patens
15	G409	7785121	2.80E-32	Lotus japonicus
15	G409	6916941	4.80E-32	Lycopersicon pennellii
17	G418	7239156	1.90E-123	Malus x domestica
17	G418	5892190	2.00E-62	Lycopersicon esculentum
17	G418	7628137	8.70E-58	Gossypium arboreum
17	G418	9205496	3.90E-51	Glycine max
17	G418	6069643	1.50E-45	Oryza sativa
17	G418	7562931	6.90E-45	Medicago truncatula
17	G418	7781695	5.50E-40	Lotus japonicus
17	G418	9298824	7.80E-34	Sorghum bicolor
17	G418	9428023	3.90E-32	Triticum aestivum
17	G418	7244366	1.30E-31	Mentha x piperita
19	G591	7646333	1.90E-55	Lycopersicon esculentum
19	G591	7924288	4.10E-53	Glycine max
19	G591	7722838	1.10E-41	Lotus japonicus
19	G591	5804781	1.40E-24	Nicotiana tabacum
19	G591	9198126	2.50E-23	Medicago truncatula
19	G591	427677	9.50E-15	Oryza sativa
19	G591	7624745	1.80E-14	Gossypium arboreum
19	G591	7535578	8.70E-14	Sorghum bicolor
19	G591	5915205	1.30E-11	Zea mays
19	G591	9249806	2.60E-11	Solanum tuberosum
21	G525	4384535	5.60E-61	Lycopersicon esculentum
21	G525	6454868	2.00E-58	Glycine max
21	G525	6066594	9.30E-54	Petunia x hybrida
21	G525	4977542	8.60E-51	Oryza sativa

Figure 3C

SEQ ID No.	GID	Genbank NID	P-value	Species
21	G525	9361647	2.50E-50	Triticum aestivum
21	G525	4218536	5.20E-50	Triticum sp.
21	G525	6732159	5.20E-50	Triticum monococcum
21	G525	5343151	2.70E-49	Zea mays
21	G525	5049217	4.20E-48	Gossypium hirsutum
21	G525	8708684	8.90E-48	Hordeum vulgare
23	G545	4666359	8.30E-55	Datisca glomerata
23	G545	7228328	3.70E-52	Medicago sativa
23	G545	1763062	1.30E-51	Glycine max
23	G545	7206360	3.10E-44	Medicago truncatula
23	G545	7626808	9.60E-40	Gossypium arboreum
23	G545	439492	3.90E-39	Petunia x hybrida
23	G545	4382658	1.70E-38	Lycopersicon esculentum
23	G545	8486215	8.70E-38	Euphorbia esula
23	G545	7322653	6.80E-37	Lycopersicon hirsutum
23	G545	7785845	1.10E-33	Lotus japonicus
25	G865	9417297	1.70E-32	Triticum aestivum
25	G865	7206394	4.90E-29	Medicago truncatula
25	G865	7796858	5.70E-27	Glycine max
25	G865	4387560	9.20E-25	Lycopersicon esculentum
25	G865	569065	1.50E-23	Oryza sativa
25	G865	7788764	4.10E-23	Lotus japonicus
25	G865	790362	8.40E-22	Nicotiana tabacum
25	G865	7528275	5.90E-21	Mesembryanthemum crystallinum
25	G865	3264766	8.80E-20	Prunus armeniaca
25	G865	8098026	2.00E-19	Hordeum vulgare
27	G881	5820418	9.80E-29	Glycine max
27	G881	8440065	1.00E-27	Gossypium hirsutum
27	G881	4380578	1.50E-27	Lycopersicon esculentum
27	G881	9199620	2.70E-27	Medicago truncatula
27	G881	6472584	2.20E-24	Nicotiana tabacum
27	G881	9250698	3.20E-24	Solanum tuberosum
27	G881	8205146	5.20E-21	Oryza sativa
27	G881	1159878	8.20E-17	Avena fatua
27	G881	9299778	2.70E-16	Sorghum bicolor
27	G881	9444636	1.10E-14	Triticum aestivum
29	G896	9410462	1.90E-101	Hordeum vulgare
29	G896	7628908	3.60E-82	Gossypium arboreum
29	G896	7244408	1.80E-79	Mentha x piperita
29	G896	5046180	2.10E-73	Gossypium hirsutum
29	G896	7678652	1.10E-63	Lotus japonicus
29	G896	8286031	1.40E-60	Glycine max
29	G896	5888938	4.50E-58	Lycopersicon esculentum
29	G896	9298238	9.20E-54	Sorghum bicolor
29	G896	7566414	8.00E-52	Medicago truncatula
29	G896	8845076	1.00E-46	Triticum aestivum
31	G378	5270028	5.10E-73	Lycopersicon esculentum
31	G378	5048335	4.10E-58	Gossypium hirsutum
31	G378	7239521	5.90E-42	Oryza sativa
31	G378	5606120	6.80E-36	Glycine max
31	G378	3853800	3.20E-30	Populus tremula x Populus tremuloides
31	G378	7659983	1.70E-23	Sorghum bicolor

Figure 3D

SEQ ID No.	GID	Genbank NID	P-value	Species
31	G378	6626305	1.10E-21	Zea mays
31	G378	9412941	9.40E-19	Triticum aestivum
31	G378	3242033	4.30E-17	Mesembryanthemum crystallinum
31	G378	7626259	7.70E-13	Gossypium arboreum
33	G229	7337390	6.60E-51	Lycopersicon esculentum
33	G229	9823237	3.60E-50	Hordeum vulgare
33	G229	7244424	4.90E-50	Mentha x piperita
33	G229	7776053	1.70E-49	Lotus japonicus
33	G229	2921335	5.80E-48	Gossypium hirsutum
33	G229	1491932	4.50E-47	Zea mays
33	G229	6455590	2.80E-44	Glycine max
33	G229	6020191	2.00E-41	Pinus taeda
33	G229	10697236	4.20E-41	Oryza sativa
33	G229	7765706	5.10E-41	Medicago truncatula
35	G663	7673087	5.10E-43	Petunia integrifolia
35	G663	9508051	3.00E-41	Lycopersicon esculentum
35	G663	7673091	3.30E-41	Petunia x hybrida
35	G663	7673097	2.40E-36	Petunia axillaris
35	G663	5048991	1.20E-33	Gossypium hirsutum
35	G663	6455590	2.50E-31	Glycine max
35	G663	7560175	1.90E-27	Medicago truncatula
35	G663	7244424	4.10E-26	Mentha x piperita
35	G663	9954117	3.40E-25	Solanum tuberosum
35	G663	6020191	3.60E-25	Pinus taeda
37	G1396	498704	5.20E-22	Spinacia oleracea
37	G1396	7502400	1.20E-21	Gossypium arboreum
37	G1396	3857536	3.40E-21	Populus balsamifera subsp. trichocarpa
37	G1396	4385300	1.20E-20	Lycopersicon esculentum
37	G1396	6917249	1.50E-20	Lycopersicon pennellii
37	G1396	6915979	1.70E-20	Glycine max
37	G1396	7674530	2.70E-20	Medicago truncatula
37	G1396	8090319	3.40E-20	Sorghum bicolor
37	G1396	3592182	9.10E-20	Oryza sativa
37	G1396	6654124	1.10E-19	Zea mays
39	G265	5821137	6.50E-83	Nicotiana tabacum
39	G265	7158881	3.80E-79	Medicago sativa
39	G265	886741	1.60E-70	Zea mays
39	G265	5900449	5.60E-43	Lycopersicon esculentum
39	G265	8903922	8.20E-43	Hordeum vulgare
39	G265	7561318	2.10E-41	Medicago truncatula
39	G265	9204445	5.30E-36	Glycine max
39	G265	4528238	5.40E-36	Citrus unshiu
39	G265	19489	2.10E-35	Lycopersicon peruvianum
39	G265	9251913	2.00E-32	Solanum tuberosum
41	G1006	7528275	2.70E-51	Mesembryanthemum crystallinum
41	G1006	3342210	4.90E-49	Lycopersicon esculentum
41	G1006	6654776	1.90E-48	Medicago truncatula
41	G1006	790362	2.30E-47	Nicotiana tabacum
41	G1006	8809570	2.00E-46	Nicotiana sylvestris
41	G1006	7627061	6.40E-41	Gossypium arboreum
41	G1006	7324479	1.20E-35	Lycopersicon pennellii
41	G1006	6478844	1.80E-35	Matricaria chamomilla

Figure 3E

SEQ ID No.	GID	Genbank NID	P-value	Species
41	G1006	6566281	1.30E-34	Glycine max
41	G1006	4716624	3.80E-28	Oryza sativa
43	G1309	9361969	2.40E-45	Triticum aestivum
43	G1309	7566043	9.60E-35	Medicago truncatula
43	G1309	5891104	2.20E-31	Lycopersicon esculentum
43	G1309	5860031	2.10E-30	Pinus taeda
43	G1309	5049507	6.20E-30	Gossypium hirsutum
43	G1309	5139805	1.30E-29	Glycine max
43	G1309	6850206	2.50E-29	Oryza sativa
43	G1309	7721017	3.40E-29	Lotus japonicus
43	G1309	8368245	5.20E-28	Zea mays
43	G1309	20560	9.50E-27	Petunia x hybrida
45	G2550	4380729	2.80E-51	Lycopersicon esculentum
45	G2550	5667196	2.20E-49	Oryza sativa
45	G2550	8669454	1.40E-48	Glycine max
45	G2550	9298824	1.50E-48	Sorghum bicolor
45	G2550	7239156	9.90E-46	Malus x domestica
45	G2550	7570704	5.70E-45	Medicago truncatula
45	G2550	7628137	3.30E-42	Gossypium arboreum
45	G2550	7244366	6.00E-41	Mentha x piperita
45	G2550	9428023	4.70E-40	Triticum aestivum
45	G2550	9250642	3.50E-39	Solanum tuberosum
47	G965	7239156	3.10E-126	Malus x domestica
47	G965	5892190	2.00E-62	Lycopersicon esculentum
47	G965	7628137	1.60E-56	Gossypium arboreum
47	G965	9205496	2.60E-49	Glycine max
47	G965	6069643	1.70E-45	Oryza sativa
47	G965	7562931	2.50E-44	Medicago truncatula
47	G965	7781695	1.60E-41	Lotus japonicus
47	G965	9298824	6.30E-33	Sorghum bicolor
47	G965	9428023	1.50E-31	Triticum aestivum
47	G965	7244366	1.20E-29	Mentha x piperita
49	G793	6976712	3.60E-43	Lycopersicon esculentum
49	G793	7924288	2.00E-41	Glycine max
49	G793	7614163	3.90E-34	Lotus japonicus
49	G793	9198126	5.70E-23	Medicago truncatula
49	G793	5804781	1.10E-22	Nicotiana tabacum
49	G793	7535578	1.60E-14	Sorghum bicolor
49	G793	427677	6.10E-14	Oryza sativa
49	G793	5915205	2.90E-10	Zea mays
49	G793	9249806	4.20E-10	Solanum tuberosum
49	G793	7624745	1.30E-09	Gossypium arboreum
51	G764	4384535	7.00E-70	Lycopersicon esculentum
51	G764	5049217	1.80E-65	Gossypium hirsutum
51	G764	6454868	1.90E-64	Glycine max
51	G764	6066594	5.20E-59	Petunia x hybrida
51	G764	4218536	2.30E-52	Triticum sp.
51	G764	6732159	2.30E-52	Triticum monococcum
51	G764	9361647	7.50E-52	Triticum aestivum
51	G764	4977542	4.10E-49	Oryza sativa
51	G764	6799764	4.40E-49	Medicago truncatula
51	G764	9296257	1.00E-48	Sorghum bicolor

Figure 3F

SEQ ID No.	GID	Genbank NID	P-value	Species
53	G350	439492	5.20E-53	Petunia x hybrida
53	G350	7228328	8.90E-51	Medicago sativa
53	G350	4666359	3.10E-48	Datisca glomerata
53	G350	1763062	8.30E-48	Glycine max
53	G350	7626808	9.10E-44	Gossypium arboreum
53	G350	7206360	2.20E-43	Medicago truncatula
53	G350	2981168	2.10E-38	Nicotiana tabacum
53	G350	7322653	2.00E-37	Lycopersicon hirsutum
53	G350	5276755	2.40E-37	Lycopersicon esculentum
53	G350	2058503	1.10E-31	Brassica rapa
55	G986	6472584	1.00E-34	Nicotiana tabacum
55	G986	8440065	8.80E-33	Gossypium hirsutum
55	G986	4385167	1.50E-32	Lycopersicon esculentum
55	G986	8205146	5.50E-30	Oryza sativa
55	G986	5820418	8.80E-26	Glycine max
55	G986	1159878	2.30E-23	Avena fatua
55	G986	9250698	4.60E-22	Solanum tuberosum
55	G986	9413507	7.90E-21	Triticum aestivum
55	G986	7748539	2.30E-20	Lotus japonicus
55	G986	9199620	1.30E-16	Medicago truncatula
57	G1349	8904043	1.50E-47	Hordeum vulgare
57	G1349	7244408	2.40E-47	Mentha x piperita
57	G1349	8286031	3.60E-46	Glycine max
57	G1349	9298238	9.10E-36	Sorghum bicolor
57	G1349	7628908	4.70E-34	Gossypium arboreum
57	G1349	5046180	1.50E-33	Gossypium hirsutum
57	G1349	5888938	1.30E-30	Lycopersicon esculentum
57	G1349	5043924	6.20E-30	Pinus taeda
57	G1349	8845076	4.40E-29	Triticum aestivum
57	G1349	7678652	4.20E-27	Lotus japonicus

MBI15 Sequence Listing.ST25
SEQUENCE LISTING

<110> Heard, Jacqueline
Keddie, James
Yu, Guo-Liang
Ratcliffe, Oliver
Creelman, Robert
Jiang, Cai-zhong
Pineda, Omaira
Reuber, Lynne
Adam, Luc

<120> Pathogen Resistance Genes

<130> MBI-0015

<150> 60/166,228

<151> 1999-11-17

<150> Plant Trait Modification III

<151> 2000-08-22

<150> 60/197,899

<151> 2000-04-17

<160> 58

<170> PatentIn version 3.0

<210> 1

<211> 1187

<212> DNA

<213> Arabidopsis thaliana

<220>

<221> CDS

<222> (50)..(1096)

<223> G188

<400> 1

ctctcaccaa cataatcaaa gaagctttcc tcacgaattc aagatcgcc atg tcc tcc 58
Met Ser Ser
1

gag gat tgg gat ctc ttc gcc gtc gtc aga agc tgc agc tct tct gtt 106
Glu Asp Trp Asp Leu Phe Ala Val Val Arg Ser Cys Ser Ser Ser Val
5 10 15

tcc acc acc aat tct tgt gct ggt cat gaa gac gac ata gga aac tgt 154
Ser Thr Thr Asn Ser Cys Ala Gly His Glu Asp Asp Ile Gly Asn Cys
20 25 30 35

aaa caa caa caa gat cct cct cct cct cct ctg ttt caa gct tct tct 202
Lys Gln Gln Gln Asp Pro Pro Pro Pro Pro Leu Phe Gln Ala Ser Ser
40 45 50

tct tgc aac gag tta caa gat tct tgc aaa cca ttt tta ccc gtt act 250
Ser Cys Asn Glu Leu Gln Asp Ser Cys Lys Pro Phe Leu Pro Val Thr
55 60 65

act act act act act act tgg tct cct cct cct cta ctt cct cct cct 298
Thr Thr Thr Thr Thr Thr Trp Ser Pro Pro Pro Leu Leu Pro Pro Pro
70 75 80

aaa gcc tca tca cca tct ccc aat atc tta cta aaa caa gaa caa gta 346
Lys Ala Ser Ser Pro Ser Pro Asn Ile Leu Leu Lys Gln Glu Gln Val
85 90 95

ctt ctc gaa tca caa gat caa aaa cct cct ctt agt gtt agg gtt ttc 394
Leu Leu Glu Ser Gln Asp Gln Lys Pro Pro Leu Ser Val Arg Val Phe
100 105 110 115

cca cca tcc act tct tct tct gtc ttt gtt ttt aga ggt caa cgc gac 442
Pro Pro Ser Thr Ser Ser Ser Val Phe Val Phe Arg Gly Gln Arg Asp

MBI15 Sequence Listing.ST25

120	125	130	
cag ctt ctt caa caa caa tcc caa cct ccc ctt cga tct aga aaa aga			490
Gln Leu Leu Gln Gln Gln Ser Gln Pro Pro Leu Arg Ser Arg Lys Arg			
135	140	145	
aag aat cag caa aaa aga acc ata tgt cat gta acg caa gag aat ctt			538
Lys Asn Gln Gln Lys Arg Thr Ile Cys His Val Thr Gln Glu Asn Leu			
150	155	160	
tct tct gat ttg tgg gct tgg cgt aaa tac ggt caa aaa ccc atc aaa			586
Ser Ser Asp Leu Trp Ala Trp Arg Lys Tyr Gly Gln Lys Pro Ile Lys			
165	170	175	
ggc tct cct tat cca agg aat tat tac aga tgt agt agc tca aaa gga			634
Gly Ser Pro Tyr Pro Arg Asn Tyr Tyr Arg Cys Ser Ser Ser Lys Gly			
180	185	190	195
tgt tta gca cga aaa caa gtt gaa aga agt aat tta gat cct aat atc			682
Cys Leu Ala Arg Lys Gln Val Glu Arg Ser Asn Leu Asp Pro Asn Ile			
200	205	210	
ttc atc gtt act tac acc gga gaa cac act cat cca cgt cct act cac			730
Phe Ile Val Thr Tyr Thr Gly Glu His Thr His Pro Arg Pro Thr His			
215	220	225	
cgg aac tct ctc gcc gga agt act cgt aac aaa tct cag ccc gtt aac			778
Arg Asn Ser Leu Ala Gly Ser Thr Arg Asn Lys Ser Gln Pro Val Asn			
230	235	240	
ccg gtt cct aaa ccg gac aca tct cct tta tcg gat aca gta aaa gaa			826
Pro Val Pro Lys Pro Asp Thr Ser Pro Leu Ser Asp Thr Val Lys Glu			
245	250	255	
gag att cat ctt tct ccg acg aca ccg ttg aaa gga aac gat gac gtt			874
Glu Ile His Leu Ser Pro Thr Thr Pro Leu Lys Gly Asn Asp Asp Val			
260	265	270	275
caa gaa acg aat gga gat gaa gat atg gtt ggt caa gaa gtc aac atg			922
Gln Glu Thr Asn Gly Asp Glu Asp Met Val Gly Gln Glu Val Asn Met			
280	285	290	
gaa gag gaa gag gag gaa gaa gaa gtg gaa gaa gat gat gaa gaa gaa			970
Glu Glu Glu Glu Glu Glu Glu Glu Val Glu Glu Asp Asp Glu Glu Glu			
295	300	305	
gaa gat gat gat gac gtg gat gat ctt ttg ata cca aat tta gcg gtg			1018
Glu Asp Asp Asp Asp Val Asp Asp Leu Leu Ile Pro Asn Leu Ala Val			
310	315	320	
aga gat cga gat gat ttg ttc ttc gct gga agt ttt cca tct tgg tcc			1066
Arg Asp Arg Asp Asp Leu Phe Phe Ala Gly Ser Phe Pro Ser Trp Ser			
325	330	335	
gcc gga tcc gcc ggt gac ggt ggt gga tga tgaaaacgaa taaaatctca			1116
Ala Gly Ser Ala Gly Asp Gly Gly Gly			
340	345		
atttācaatt tacaaaaaga aaaaagtcag tttttaatta ttatttttgt ttgttaaac			1176
ttgacattta t			1187
<210> 2			
<211> 348			
<212> PRT			
<213> Arabidopsis thaliana			
<400> 2			
Met Ser Ser Glu Asp Trp Asp Leu Phe Ala Val Val Arg Ser Cys Ser			
1 5 10 15			
Ser Ser Val Ser Thr Thr Asn Ser Cys Ala Gly His Glu Asp Asp Ile			

20

Page 3

MBI15 Sequence Listing.ST25

Leu Ala Val Arg Asp Arg Asp Asp Leu Phe Phe Ala Gly Ser Phe Pro
 325 330 335

Ser Trp Ser Ala Gly Ser Ala Gly Asp Gly Gly Gly
 340 345

<210> 3
 <211> 1431
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (129)..(1211)
 <223> G616

<400> 3
 ctttaaatacc caaaccaacc ctaaagtttt gatttttaat ttggtgggta accaaaaaaa 60
 aaacaaaacc ctaattttttt ttcttttagtg atgagattat tggatgatgat gaaatgattg 120
 gagatcta atg aag aat aac aac aat ggc gac gtt gtg gat aac gaa gtg 170
 Met Lys Asn Asn Asn Asn Gly Asp Val Val Asp Asn Glu Val
 1 5 10
 aac aac cgg tta agc cgg tgg cat cac aat tct tcc cgg ata att agg 218
 Asn Asn Arg Leu Ser Arg Trp His His Asn Ser Ser Arg Ile Ile Arg
 15 20 25 30
 gtt tca cga gct tcc ggt ggt aaa gat cga cac agc aaa gtc ttg act 266
 Val Ser Arg Ala Ser Gly Gly Lys Asp Arg His Ser Lys Val Leu Thr
 35 40 45
 tct aaa gga cca cgt gac cgt cgt gtc cgg tta tca gtc tcc acc gct 314
 Ser Lys Gly Pro Arg Asp Arg Arg Val Arg Leu Ser Val Ser Thr Ala
 50 55 60
 ctt caa ttc tat gat ctt caa gat cgg tta ggt tat gat caa cct agc 362
 Leu Gln Phe Tyr Asp Leu Gln Asp Arg Leu Gly Tyr Asp Gln Pro Ser
 65 70 75
 aaa gct gtt gaa tgg tta atc aaa gct gct gaa gat tca atc tct gag 410
 Lys Ala Val Glu Trp Leu Ile Lys Ala Ala Glu Asp Ser Ile Ser Glu
 80 85 90
 ctt cct tca ctc aac aac act cat ttt ccg acc gat gac gag aat cac 458
 Leu Pro Ser Leu Asn Thr His Phe Pro Thr Asp Asp Glu Asn His
 95 100 105 110
 cag aat cag aca tta aca aca gtt gct gct aat tcc ttg tct aaa tct 506
 Gln Asn Gln Thr Leu Thr Thr Val Ala Ala Asn Ser Leu Ser Lys Ser
 115 120 125
 gct tgt agt agc aat tca gac acg agc aag aac tct tct ggt ttg tct 554
 Ala Cys Ser Ser Asn Ser Asp Thr Ser Lys Asn Ser Ser Gly Leu Ser
 130 135 140
 tta tca aga tcg gag ctt aga gat aaa gct aga gag agg gct aga gag 602
 Leu Ser Arg Ser Glu Leu Arg Asp Lys Ala Arg Glu Arg Ala Arg Glu
 145 150 155
 aga aca gct aaa gag acc aag gaa aga gat cat aac cac act tcg ttt 650
 Arg Thr Ala Lys Glu Thr Lys Glu Arg Asp His Asn His Thr Ser Phe
 160 165 170
 acg gat ttg tta aat tcc ggt tca gat ccg gtt aac tca aac cgg caa 698
 Thr Asp Leu Leu Asn Ser Gly Ser Asp Pro Val Asn Ser Asn Arg Gln
 175 180 185 190
 tgg atg gct tca gct cct tct tca tct cca atg gag tat ttc agt tcg 746
 Trp Met Ala Ser Ala Pro Ser Ser Ser Pro Met Glu Tyr Phe Ser Ser
 195 200 205

MBI15 Sequence Listing.ST25

```

ggg tta att ctc ggg tcg ggt caa caa acc cat ttc cct att tca aca      794
Gly Leu Ile Leu Gly Ser Gly Gln Gln Thr His Phe Pro Ile Ser Thr
                210                      215                      220

aat tct cat cct ttc tca tca atc tcc gat cat cat cat cat cat cct      842
Asn Ser His Pro Phe Ser Ser Ile Ser Asp His His His His His Pro
                225                      230                      235

cat cat cag cat caa gag ttt tca ttc gtt ccc gac cat ttg ata tca      890
His His Gln His Gln Glu Phe Ser Phe Val Pro Asp His Leu Ile Ser
                240                      245                      250

ccg gca gaa tcc aac ggc gga gca ttc aat ctt gat ttt aat atg tca      938
Pro Ala Glu Ser Asn Gly Gly Ala Phe Asn Leu Asp Phe Asn Met Ser
                255                      260                      265                      270

aca ccc tcc ggc gcc gga gct gcc gtc tcc gcc gca tca ggt ggt ggc      986
Thr Pro Ser Gly Ala Gly Ala Ala Val Ser Ala Ala Ser Gly Gly Gly
                275                      280                      285

ttc agt ggt ttc aac agg ggg acc ctt cag tcc aat tca aca aat cag      1034
Phe Ser Gly Phe Asn Arg Gly Thr Leu Gln Ser Asn Ser Thr Asn Gln
                290                      295                      300

cat cag tca ttc ctc gct aat cta cag agg ttt cca aca tca gaa agt      1082
His Gln Ser Phe Leu Ala Asn Leu Gln Arg Phe Pro Thr Ser Glu Ser
                305                      310                      315

gga gga ggt cca cag ttc tta ttc ggt gca ctg cct gca gag aat cac      1130
Gly Gly Gly Pro Gln Phe Phe Gly Ala Leu Pro Ala Glu Asn His
                320                      325                      330

cac cac aat cac cag ttt cag ctt tac tat gaa aat gga tgc aga aac      1178
His His Asn His Gln Phe Gln Leu Tyr Tyr Glu Asn Gly Cys Arg Asn
                335                      340                      345                      350

tca tca gaa cat aag ggt aaa ggc aag aac tga tgatattaat tattgcatct      1231
Ser Ser Glu His Lys Gly Lys Gly Lys Asn
                355                      360

ttgggttttgt tcaaagtctc attttgtatg tttatctttg gtttatttca aaacaaatgt      1291

taatctcttt cggtgtctga tgtgtgttag gggtttgttt tatgtattga gggctcttgg      1351

aaatcttttt gcattgtgct tgtaatgttg tatttgtgat aatagcattt tgtttgtgag      1411

ttaaaaaaaaa aaaaaaaaaa      1431

```

<210> 4
 <211> 360
 <212> PRT
 <213> Arabidopsis thaliana

<400> 4

Met Lys Asn Asn Asn Asn Gly Asp Val Val Asp Asn Glu Val Asn Asn
1 5 10 15

Arg Leu Ser Arg Trp His His Asn Ser Ser Arg Ile Ile Arg Val Ser
20 25 30

Arg Ala Ser Gly Gly Lys Asp Arg His Ser Lys Val Leu Thr Ser Lys
35 40 45

Gly Pro Arg Asp Arg Arg Val Arg Leu Ser Val Ser Thr Ala Leu Gln
50 55 60

Phe Tyr Asp Leu Gln Asp Arg Leu Gly Tyr Asp Gln Pro Ser Lys Ala
65 70 75 80

MBI15 Sequence Listing.ST25

Val Glu Trp Leu Ile Lys Ala Ala Glu Asp Ser Ile Ser Glu Leu Pro
 85 90 95
 Ser Leu Asn Asn Thr His Phe Pro Thr Asp Asp Glu Asn His Gln Asn
 100 105 110
 Gln Thr Leu Thr Thr Val Ala Ala Asn Ser Leu Ser Lys Ser Ala Cys
 115 120 125
 Ser Ser Asn Ser Asp Thr Ser Lys Asn Ser Ser Gly Leu Ser Leu Ser
 130 135 140
 Arg Ser Glu Leu Arg Asp Lys Ala Arg Glu Arg Ala Arg Glu Arg Thr
 145 150 155 160
 Ala Lys Glu Thr Lys Glu Arg Asp His Asn His Thr Ser Phe Thr Asp
 165 170 175
 Leu Leu Asn Ser Gly Ser Asp Pro Val Asn Ser Asn Arg Gln Trp Met
 180 185 190
 Ala Ser Ala Pro Ser Ser Ser Pro Met Glu Tyr Phe Ser Ser Gly Leu
 195 200 205
 Ile Leu Gly Ser Gly Gln Gln Thr His Phe Pro Ile Ser Thr Asn Ser
 210 215 220
 His Pro Phe Ser Ser Ile Ser Asp His His His His His Pro His His
 225 230 235 240
 Gln His Gln Glu Phe Ser Phe Val Pro Asp His Leu Ile Ser Pro Ala
 245 250 255
 Glu Ser Asn Gly Gly Ala Phe Asn Leu Asp Phe Asn Met Ser Thr Pro
 260 265 270
 Ser Gly Ala Gly Ala Ala Val Ser Ala Ala Ser Gly Gly Gly Phe Ser
 275 280 285
 Gly Phe Asn Arg Gly Thr Leu Gln Ser Asn Ser Thr Asn Gln His Gln
 290 295 300
 Ser Phe Leu Ala Asn Leu Gln Arg Phe Pro Thr Ser Glu Ser Gly Gly
 305 310 315 320
 Gly Pro Gln Phe Leu Phe Gly Ala Leu Pro Ala Glu Asn His His His
 325 330 335
 Asn His Gln Phe Gln Leu Tyr Tyr Glu Asn Gly Cys Arg Asn Ser Ser
 340 345 350
 Glu His Lys Gly Lys Gly Lys Asn
 355 360

<210> 5

MBI15 Sequence Listing.ST25

```

<211> 1055
<212> DNA
<213> Arabidopsis thaliana

<220>
<221> CDS
<222> (70)..(816)
<223> G19

<400> 5
ataaaggcat ttcagctcca ccgtaggaaa ctttctcttg aaagaaaccc acagcaacaa      60
acagagaaa atg tgt ggc ggt gct att att tcc gat tat gcc cct ctc gtc      111
      Met Cys Gly Gly Ala Ile Ile Ser Asp Tyr Ala Pro Leu Val
      1              5              10

acc aag gcc aag ggc cgt aaa ctc acg gct gag gaa ctc tgg tca gag      159
Thr Lys Ala Lys Gly Arg Lys Leu Thr Ala Glu Glu Leu Trp Ser Glu
15              20              25              30

ctc gat gct tcc gcc gcc gac gac ttc tgg ggt ttc tat tcc acc tcc      207
Leu Asp Ala Ser Ala Ala Asp Asp Phe Trp Gly Phe Tyr Ser Thr Ser
              35              40              45

aaa ctc cat ccc acc aac caa gtt aac gtg aaa gag gag gca gtg aag      255
Lys Leu His Pro Thr Asn Gln Val Asn Val Lys Glu Glu Ala Val Lys
              50              55              60

aag gag cag gca aca gag ccg ggg aaa cgg agg aag agg aag aat gtt      303
Lys Glu Gln Ala Thr Glu Pro Gly Lys Arg Arg Lys Arg Lys Asn Val
              65              70              75

tat aga ggg ata cgt aag cgt cca tgg gga aaa tgg gcg gct gag att      351
Tyr Arg Gly Ile Arg Lys Arg Pro Trp Gly Lys Trp Ala Ala Glu Ile
              80              85              90

cga gat cca cga aaa ggt gtt aga gtt tgg ctt ggt acg ttc aac acg      399
Arg Asp Pro Arg Lys Gly Val Arg Val Trp Leu Gly Thr Phe Asn Thr
95              100              105              110

gcg gag gaa gct gcc atg gct tat gat gtt gcg gcc aag cag atc cgt      447
Ala Glu Glu Ala Ala Met Ala Tyr Asp Val Ala Ala Lys Gln Ile Arg
              115              120              125

ggt gat aaa gcc aag ctc aac ttc cca gat ctg cac cat cct cct cct      495
Gly Asp Lys Ala Lys Leu Asn Phe Pro Asp Leu His His Pro Pro Pro
              130              135              140

cct aat tat act cct ccg ccg tca tcg cca cga tca acc gat cag cct      543
Pro Asn Tyr Thr Pro Pro Pro Ser Ser Pro Arg Ser Thr Asp Gln Pro
              145              150              155

ccg gcg aag aag gtc tgc gtt gtc tct cag agt gag agc gag tta agt      591
Pro Ala Lys Lys Val Cys Val Val Ser Gln Ser Glu Ser Glu Leu Ser
              160              165              170

cag ccg agt ttc ccg gtg gag tgt ata gga ttt gga aat ggg gac gag      639
Gln Pro Ser Phe Pro Val Glu Cys Ile Gly Phe Gly Asn Gly Asp Glu
175              180              185              190

ttt cag aac ctg agt tac gga ttt gag ccg gat tat gat ctg aaa cag      687
Phe Gln Asn Leu Ser Tyr Gly Phe Glu Pro Asp Tyr Asp Leu Lys Gln
              195              200              205

cag ata tcg agc ttg gaa tcg ttc ctt gag ctg gac ggt aac acg gcg      735
Gln Ile Ser Ser Leu Glu Ser Phe Leu Glu Leu Asp Gly Asn Thr Ala
              210              215              220

gag caa ccg agt cag ctt gat gag tcc gtt tcc gag gtg gat atg tgg      783
Glu Gln Pro Ser Gln Leu Asp Glu Ser Val Ser Glu Val Asp Met Trp
              225              230              235

atg ctt gat gat gtc att gcg tcg tat gag taa aagaaaaaaa ataagtttaa      836
Met Leu Asp Asp Val Ile Ala Ser Tyr Glu

```

MBI15 Sequence Listing.ST25

240
 245
 aaaaagttaa ataaagtctg taatatatat gtaaccgccg ttacttttaa aaggttttta 896
 ccgtcgcatc ggactgctga tgatgtctgt tgtgtaatgt gtagaatgtg accaaatgga 956
 cgttatatta cggtttgtgg tattattagt ttcttagatg gaaaaactta catgtgtaaa 1016
 taagatttgt aatgtaagac gaagtactta taacttctt 1055

<210> 6
 <211> 248
 <212> PRT
 <213> Arabidopsis thaliana

<400> 6

Met Cys Gly Gly Ala Ile Ile Ser Asp Tyr Ala Pro Leu Val Thr Lys
 1 5 10 15

Ala Lys Gly Arg Lys Leu Thr Ala Glu Glu Leu Trp Ser Glu Leu Asp
 20 25 30

Ala Ser Ala Ala Asp Asp Phe Trp Gly Phe Tyr Ser Thr Ser Lys Leu
 35 40 45

His Pro Thr Asn Gln Val Asn Val Lys Glu Glu Ala Val Lys Lys Glu
 50 55 60

Gln Ala Thr Glu Pro Gly Lys Arg Arg Lys Arg Lys Asn Val Tyr Arg
 65 70 75 80

Gly Ile Arg Lys Arg Pro Trp Gly Lys Trp Ala Ala Glu Ile Arg Asp
 85 90 95

Pro Arg Lys Gly Val Arg Val Trp Leu Gly Thr Phe Asn Thr Ala Glu
 100 105 110

Glu Ala Ala Met Ala Tyr Asp Val Ala Ala Lys Gln Ile Arg Gly Asp
 115 120 125

Lys Ala Lys Leu Asn Phe Pro Asp Leu His His Pro Pro Pro Pro Asn
 130 135 140

Tyr Thr Pro Pro Pro Ser Ser Pro Arg Ser Thr Asp Gln Pro Pro Ala
 145 150 155 160

Lys Lys Val Cys Val Val Ser Gln Ser Glu Ser Glu Leu Ser Gln Pro
 165 170 175

Ser Phe Pro Val Glu Cys Ile Gly Phe Gly Asn Gly Asp Glu Phe Gln
 180 185 190

Asn Leu Ser Tyr Gly Phe Glu Pro Asp Tyr Asp Leu Lys Gln Gln Ile
 195 200 205

Ser Ser Leu Glu Ser Phe Leu Glu Leu Asp Gly Asn Thr Ala Glu Gln
 210 215 220

Pro Ser Gln Leu Asp Glu Ser Val Ser Glu Val Asp Met Trp Met Leu

MBI15 Sequence Listing.ST25

225	230	235	240	
Asp Asp Val Ile Ala Ser Tyr Glu				
245				
<210> 7 <211> 1857 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (458)..(1663) <223> G261 <400> 7				
gttttaggttc	gagaagcaga	gaggggttcga	gaagctaata	aggggtttctt ctttttgatt
60				
ttaatgctaa	aagggttcta	gattcgttga	attttacaag	ggtttttaggg gttccttagaa
120				
gctttttgctt	gattgtcttt	tatttagaaa	cagtgggtgag	tttttagtct ttcactttgt
180				
tcaagttcga	agcttttttt	ggaggggaatt	ttgggcttct	gattttgatc gaaacttact
240				
gatagtaagt	tctttgagtc	ctccttaact	gtagtttctg	tgtactgaag ttattgaatt
300				
gaaagttttt	atctttttttg	gttattgaaa	ctttcatagt	ttgatcaaaa gagtctcttg
360				
ctctgttttt	ggctctgttt	ttgtgagtgt	gattgtaagc	tttgttgta gtagattgaa
420				
tcaaggagtg	tgagagttgt	taaaagtgtt	ttcagag atg gat gag aat aat cat	475
			Met Asp Glu Asn Asn His	
			1 5	
gga gtt tca tca agc tca ctt cca cct ttc ctc acc aaa aca tat gag				523
Gly Val Ser Ser Ser Leu Pro Pro Phe Leu Thr Lys Thr Tyr Glu				
	10		15	20
atg gtt gat gat tct tca tcc gat tct atc gtc tct tgg agt cag agc				571
Met Val Asp Asp Ser Ser Asp Ser Ile Val Ser Trp Ser Gln Ser				
	25		30	35
aat aag agt ttc atc gtt tgg aat ccg ccg gag ttt tct aga gat ctt				619
Asn Lys Ser Phe Ile Val Trp Asn Pro Pro Glu Phe Ser Arg Asp Leu				
	40		45	50
ctt ccg aga ttc ttc aag cac aat aac ttc tct agc ttt atc cgc cag				667
Leu Pro Arg Phe Phe Lys His Asn Asn Phe Ser Ser Phe Ile Arg Gln				
	55		60	65
ctt aac aca tat ggt ttt aga aaa gct gat cct gag caa tgg gaa ttt				715
Leu Asn Thr Tyr Gly Phe Arg Lys Ala Asp Pro Glu Gln Trp Glu Phe				
	75		80	85
gcg aat gat gat ttt gtg aga ggt caa cct cat ctt atg aag aac att				763
Ala Asn Asp Asp Phe Val Arg Gly Gln Pro His Leu Met Lys Asn Ile				
	90		95	100
cat aga cgc aaa cca gtt cat agc cac tct tta ccg aat ctt caa gct				811
His Arg Arg Lys Pro Val His Ser His Ser Leu Pro Asn Leu Gln Ala				
	105		110	115
cag tta aac ccg ttg acg gat tca gaa cga gtg aga atg aat aat cag				859
Gln Leu Asn Pro Leu Thr Asp Ser Glu Arg Val Arg Met Asn Asn Gln				
	120		125	130
att gag aga ttg aca aaa gag aaa gaa gga ttg ctt gaa gag tta cat				907
Ile Glu Arg Leu Thr Lys Glu Lys Glu Gly Leu Leu Glu Glu Leu His				
	135		140	145
aaa caa gac gag gaa cga gaa gtg ttt gag atg caa gtg aaa gaa ctt				955
Lys Gln Asp Glu Glu Arg Glu Val Phe Glu Met Gln Val Lys Glu Leu				

MBI15 Sequence Listing.ST25

155	160	165	
aaa gaa cga tta caa cac atg gag aag cgt cag aaa aca atg gtt tcg Lys Glu Arg Leu Gln His Met Glu Lys Arg Gln Lys Thr Met Val Ser			1003
170	175	180	
ttt gtt tct caa gta ttg gaa aag cca ggg ctt gct ttg aac cta tcg Phe Val Ser Gln Val Leu Glu Lys Pro Gly Leu Ala Leu Asn Leu Ser			1051
185	190	195	
ccg tgt gtt ccc gaa aca aac gag agg aaa aga agg ttc cct agg atc Pro Cys Val Pro Glu Thr Asn Glu Arg Lys Arg Phe Pro Arg Ile			1099
200	205	210	
gag ttc ttt ccc gat gaa ccg atg ttg gaa gag aac aaa act tgt gtt Glu Phe Phe Pro Asp Glu Pro Met Leu Glu Glu Asn Lys Thr Cys Val			1147
215	220	225	230
gtt gtg aga gag gaa ggt tct aca agc cct tct tca cac aca aga gag Val Val Arg Glu Glu Gly Ser Thr Ser Pro Ser Ser His Thr Arg Glu			1195
235	240	245	
cat caa gtg gaa cag tta gag tca tcg ata gcg att tgg gag aat ctt His Gln Val Glu Gln Leu Glu Ser Ser Ile Ala Ile Trp Glu Asn Leu			1243
250	255	260	
gta tcg gat tct tgt gag agt atg tta caa tca aga agt atg atg aca Val Ser Asp Ser Cys Glu Ser Met Leu Gln Ser Arg Ser Met Met Thr			1291
265	270	275	
ctt gat gtg gat gaa tca tct act ttt cca gag agc cct cct ctt tct Leu Asp Val Asp Glu Ser Ser Thr Phe Pro Glu Ser Pro Pro Leu Ser			1339
280	285	290	
tgc ata cag tta agt gtc gat tca cgt ctc aaa tct cct cct tct cca Cys Ile Gln Leu Ser Val Asp Ser Arg Leu Lys Ser Pro Pro Ser Pro			1387
295	300	305	310
agg atc atc gat atg aac tgt gag ccc gat ggt tcg aaa gaa cag aac Arg Ile Ile Asp Met Asn Cys Glu Pro Asp Gly Ser Lys Glu Gln Asn			1435
315	320	325	
act gtt gct gct cct cct cct cct cca gta gca gga gcg aat gat ggc Thr Val Ala Ala Pro Pro Pro Pro Val Ala Gly Ala Asn Asp Gly			1483
330	335	340	
ttc tgg cag cag ttt ttc tca gag aat cct ggc tca acc gag caa cgg Phe Trp Gln Gln Phe Phe Ser Glu Asn Pro Gly Ser Thr Glu Gln Arg			1531
345	350	355	
gaa gtt caa tta gag agg aaa gac gat aaa gat aaa gcc gga gta cgt Glu Val Gln Leu Glu Arg Lys Asp Asp Lys Asp Lys Ala Gly Val Arg			1579
360	365	370	
act gag aaa tgt tgg tgg aat tcg aga aat gtt aat gca att aca gaa Thr Glu Lys Cys Trp Trp Asn Ser Arg Asn Val Asn Ala Ile Thr Glu			1627
375	380	385	390
cag ctt gga cat ctg act tct tca gag aga agt tga tatgtcaaag Gln Leu Gly His Leu Thr Ser Ser Glu Arg Ser			1673
395	400		
attaaatttc tagtctgttt tagttacttg taaaataggg tttctcagtt ttattgtttt			1733
cgattccagt acttaggtat ggttcagctg tttatttatc acttgatga tctttcccag			1793
ttcattgtag cagacttcaa tggtaatgat aagctagagc ttatggatag tattcataaa			1853
aaaa			1857

<210> 8
 <211> 401
 <212> PRT
 <213> Arabidopsis thaliana

MBI15 Sequence Listing.ST25

<400> 8

```

Met Asp Glu Asn Asn His Gly Val Ser Ser Ser Ser Leu Pro Pro Phe
1      5      10      15

Leu Thr Lys Thr Tyr Glu Met Val Asp Asp Ser Ser Ser Asp Ser Ile
20      25      30

Val Ser Trp Ser Gln Ser Asn Lys Ser Phe Ile Val Trp Asn Pro Pro
35      40      45

Glu Phe Ser Arg Asp Leu Leu Pro Arg Phe Phe Lys His Asn Asn Phe
50      55      60

Ser Ser Phe Ile Arg Gln Leu Asn Thr Tyr Gly Phe Arg Lys Ala Asp
65      70      75      80

Pro Glu Gln Trp Glu Phe Ala Asn Asp Asp Phe Val Arg Gly Gln Pro
85      90      95

His Leu Met Lys Asn Ile His Arg Arg Lys Pro Val His Ser His Ser
100     105     110

Leu Pro Asn Leu Gln Ala Gln Leu Asn Pro Leu Thr Asp Ser Glu Arg
115     120     125

Val Arg Met Asn Asn Gln Ile Glu Arg Leu Thr Lys Glu Lys Glu Gly
130     135     140

Leu Leu Glu Glu Leu His Lys Gln Asp Glu Glu Arg Glu Val Phe Glu
145     150     155     160

Met Gln Val Lys Glu Leu Lys Glu Arg Leu Gln His Met Glu Lys Arg
165     170     175

Gln Lys Thr Met Val Ser Phe Val Ser Gln Val Leu Glu Lys Pro Gly
180     185     190

Leu Ala Leu Asn Leu Ser Pro Cys Val Pro Glu Thr Asn Glu Arg Lys
195     200     205

Arg Arg Phe Pro Arg Ile Glu Phe Phe Pro Asp Glu Pro Met Leu Glu
210     215     220

Glu Asn Lys Thr Cys Val Val Val Arg Glu Glu Gly Ser Thr Ser Pro
225     230     235     240

Ser Ser His Thr Arg Glu His Gln Val Glu Gln Leu Glu Ser Ser Ile
245     250     255

Ala Ile Trp Glu Asn Leu Val Ser Asp Ser Cys Glu Ser Met Leu Gln
260     265     270

Ser Arg Ser Met Met Thr Leu Asp Val Asp Glu Ser Ser Thr Phe Pro
275     280     285

```

MBI15 Sequence Listing.ST25

Glu Ser Pro Pro Leu Ser Cys Ile Gln Leu Ser Val Asp Ser Arg Leu
 290 295 300

Lys Ser Pro Pro Ser Pro Arg Ile Ile Asp Met Asn Cys Glu Pro Asp
 305 310 315 320

Gly Ser Lys Glu Gln Asn Thr Val Ala Ala Pro Pro Pro Pro Val
 325 330 335

Ala Gly Ala Asn Asp Gly Phe Trp Gln Gln Phe Phe Ser Glu Asn Pro
 340 345 350

Gly Ser Thr Glu Gln Arg Glu Val Gln Leu Glu Arg Lys Asp Asp Lys
 355 360 365

Asp Lys Ala Gly Val Arg Thr Glu Lys Cys Trp Trp Asn Ser Arg Asn
 370 375 380

Val Asn Ala Ile Thr Glu Gln Leu Gly His Leu Thr Ser Ser Glu Arg
 385 390 395 400

Ser

<210> 9
 <211> 964
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (63)..(869)
 <223> G28

<400> 9
 gaaatctcaa caagaaccaa accaaacaac aaaaaaacat tcttaataat tatctttctg 60
 tt atg tcg atg acg gcg gat tct caa tct gat tat gct ttt ctt gag 107
 Met Ser Met Thr Ala Asp Ser Gln Ser Asp Tyr Ala Phe Leu Glu
 1 5 10 15
 tcc ata cga cga cac tta cta gga gaa tcg gag ccg ata ctc agt gag 155
 Ser Ile Arg Arg His Leu Leu Gly Glu Ser Glu Pro Ile Leu Ser Glu
 20 25 30
 tcg aca gcg agt tcg gtt act caa tct tgt gta acc ggt cag agc att 203
 Ser Thr Ala Ser Ser Val Thr Gln Ser Cys Val Thr Gly Gln Ser Ile
 35 40 45
 aaa ccg gtg tac gga cga aac cct agc ttt agc aaa ctg tat cct tgc 251
 Lys Pro Val Tyr Gly Arg Asn Pro Ser Phe Ser Lys Leu Tyr Pro Cys
 50 55 60
 ttc acc gag agc tgg gga gat ttg ccg ttg aaa gaa aac gat tct gag 299
 Phe Thr Glu Ser Trp Gly Asp Leu Pro Leu Lys Glu Asn Asp Ser Glu
 65 70 75
 gat atg tta gtt tac ggt atc ctc aac gac gcc ttt cac ggc ggt tgg 347
 Asp Met Leu Val Tyr Gly Ile Leu Asn Asp Ala Phe His Gly Gly Trp
 80 85 90 95
 gag ccg tct tct tcg tct tcc gac gaa gat cgt agc tct ttc ccg agt 395
 Glu Pro Ser Ser Ser Ser Ser Asp Glu Asp Arg Ser Ser Phe Pro Ser
 100 105 110
 gtt aag atc gag act ccg gag agt ttc gcg gcg gtg gat tct gtt ccg 443

MBI15 Sequence Listing.ST25

```

Val Lys Ile Glu Thr Pro Glu Ser Phe Ala Ala Val Asp Ser Val Pro
115 120 125

gtc aag aag gag aag acg agt cct gtt tcg gcg gcg gtg acg gcg gcg 491
Val Lys Lys Glu Lys Thr Ser Pro Val Ser Ala Ala Val Thr Ala Ala
130 135 140

aag gga aag cat tat aga gga gtg aga caa agg ccg tgg ggg aaa ttt 539
Lys Gly Lys His Tyr Arg Gly Val Arg Gln Arg Pro Trp Gly Lys Phe
145 150 155

gcg gcg gag att aga gat ccg gcg aag aac gga gct agg gtt tgg tta 587
Ala Ala Glu Ile Arg Asp Pro Ala Lys Asn Gly Ala Arg Val Trp Leu
160 165 170 175

gga acg ttt gag acg gcg gag gac gcg gcg ttg gct tac gac aga gct 635
Gly Thr Phe Glu Thr Ala Glu Asp Ala Ala Leu Ala Tyr Asp Arg Ala
180 185 190

gct ttc agg atg cgt ggt tcc cgc gct ttg ttg aat ttt ccg ttg aga 683
Ala Phe Arg Met Arg Gly Ser Arg Ala Leu Leu Asn Phe Pro Leu Arg
195 200 205

gtt aat tca gga gaa ccc gac ccg gtt cga atc aag tcc aag aga tct 731
Val Asn Ser Gly Glu Pro Asp Pro Val Arg Ile Lys Ser Lys Arg Ser
210 215 220

tct ttt tct tct tct aac gag aac gga gct ccg aag aag agg aga acg 779
Ser Phe Ser Ser Ser Asn Glu Asn Gly Ala Pro Lys Lys Arg Arg Thr
225 230 235

gtg gcc gcc ggt ggt gga atg gat aag gga ttg acg gtg aag tgc gag 827
Val Ala Ala Gly Gly Gly Met Asp Lys Gly Leu Thr Val Lys Cys Glu
240 245 250 255

gtt gtt gaa gtg gca cgt ggc gat cgt tta ttg gtt tta taa 869
Val Val Glu Val Ala Arg Gly Asp Arg Leu Leu Val Leu
260 265

ttttgatttt tctttgttgg atgattatat gattcttcaa aaaagaagaa cgtaataaaa 929
aaaattcggtt tattattaaa aaaaaaaaaa aaaaa 964

<210> 10
<211> 268
<212> PRT
<213> Arabidopsis thaliana

<400> 10

Met Ser Met Thr Ala Asp Ser Gln Ser Asp Tyr Ala Phe Leu Glu Ser
1 5 10 15

Ile Arg Arg His Leu Leu Gly Glu Ser Glu Pro Ile Leu Ser Glu Ser
20 25 30

Thr Ala Ser Ser Val Thr Gln Ser Cys Val Thr Gly Gln Ser Ile Lys
35 40 45

Pro Val Tyr Gly Arg Asn Pro Ser Phe Ser Lys Leu Tyr Pro Cys Phe
50 55 60

Thr Glu Ser Trp Gly Asp Leu Pro Leu Lys Glu Asn Asp Ser Glu Asp
65 70 75 80

Met Leu Val Tyr Gly Ile Leu Asn Asp Ala Phe His Gly Gly Trp Glu
85 90 95

```

MBI15 Sequence Listing.ST25

Pro Ser Ser Ser Ser Ser Asp Glu Asp Arg Ser Ser Phe Pro Ser Val
 100 105 110

Lys Ile Glu Thr Pro Glu Ser Phe Ala Ala Val Asp Ser Val Pro Val
 115 120 125

Lys Lys Glu Lys Thr Ser Pro Val Ser Ala Ala Val Thr Ala Ala Lys
 130 135 140

Gly Lys His Tyr Arg Gly Val Arg Gln Arg Pro Trp Gly Lys Phe Ala
 145 150 155 160

Ala Glu Ile Arg Asp Pro Ala Lys Asn Gly Ala Arg Val Trp Leu Gly
 165 170 175

Thr Phe Glu Thr Ala Glu Asp Ala Ala Leu Ala Tyr Asp Arg Ala Ala
 180 185 190

Phe Arg Met Arg Gly Ser Arg Ala Leu Leu Asn Phe Pro Leu Arg Val
 195 200 205

Asn Ser Gly Glu Pro Asp Pro Val Arg Ile Lys Ser Lys Arg Ser Ser
 210 215 220

Phe Ser Ser Ser Asn Glu Asn Gly Ala Pro Lys Lys Arg Arg Thr Val
 225 230 235 240

Ala Ala Gly Gly Gly Met Asp Lys Gly Leu Thr Val Lys Cys Glu Val
 245 250 255

Val Glu Val Ala Arg Gly Asp Arg Leu Leu Val Leu
 260 265

<210> 11
 <211> 1571
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (428)..(1402)
 <223> G869

<400> 11
 aggaacagtg aaaggttcgg ttttttgggt ttcgatctga taatcaacaa gaaaaaaggg 60
 tttgatttat gtcggctggg tttgaatcga ctgtgatttt gtctttgatt catatctctt 120
 ctccgatttc atcatcatct tcccatcat cgtcgtcttt gaaatcttgt cttctcaacg 180
 ctcttcactt ctgctgtaat aagcagaggc ttgttctgga gactccttct ctttccatgc 240
 gcttaagacc caaaaggact tgttctagtg ttgaagtctt tggggggtttt cacataaagc 300
 agcaaaagtt ttcttttttc atagttcgtc gagagttttg agttttgata ccaaaaaagt 360
 tttgaccttt tagagtgatt tttgttctt tctgttttct gggtattttt gaggagtggg 420
 tttaaca atg gtt gcg att aga aag gaa cag tct ttg agt ggt gtt agt 469
 Met Val Ala Ile Arg Lys Glu Gln Ser Leu Ser Gly Val Ser
 1 5 10
 agc gag att aag aag aga gct aag aga aac act cta tcg tcc ctt cct 517

MBI15 Sequence Listing.ST25																
Ser 15	Glu	Ile	Lys	Lys	Arg 20	Ala	Lys	Arg	Asn 25	Thr	Leu	Ser	Ser	Leu	Pro 30	
caa	gaa	acc	caa	cct	ttg	agg	aaa	gtc	cgt	att	att	gtg	aat	gat	cct	565
Gln	Glu	Thr	Gln	Pro 35	Leu	Arg	Lys	Val	Arg 40	Ile	Ile	Val	Asn	Asp	Pro 45	
tat	gct	act	gat	gat	tcc	tct	agt	gat	gag	gaa	gag	ctt	aag	gtt	cct	613
Tyr	Ala	Thr	Asp 50	Asp	Ser	Ser	Ser	Asp 55	Glu	Glu	Glu	Leu	Lys	Val	Pro 60	
aag	cca	agg	aaa	atg	aaa	cgt	atc	gtt	cgt	gag	att	aac	ttt	cct	tct	661
Lys	Pro	Arg	Lys	Met	Lys	Arg	Ile	Val	Arg	Glu	Ile	Asn	Phe	Pro	Ser 75	
atg	gaa	gtt	tct	gaa	cag	cct	tct	gag	agt	tct	tct	cag	gac	agt	act	709
Met	Glu	Val	Ser	Glu	Gln	Pro 85	Ser	Glu	Ser	Ser	Ser	Gln	Asp	Ser	Thr 90	
aaa	act	gat	ggc	aag	ata	gct	gtg	tca	gct	tct	cct	gct	gtt	cct	agg	757
Lys	Thr	Asp	Gly	Lys	Ile	Ala	Val	Ser	Ala	Ser	Pro	Ala	Val	Pro	Arg 110	
aag	aag	cct	gtt	ggc	gtt	agg	caa	agg	aaa	tgg	ggg	aaa	tgg	gct	gct	805
Lys	Lys	Pro	Val	Gly 115	Val	Arg	Gln	Arg	Lys	Trp	Gly	Lys	Trp	Ala	Ala 125	
gag	att	aga	gat	cct	att	aag	aaa	act	agg	act	tgg	ttg	ggc	act	ttt	853
Glu	Ile	Arg	Asp 130	Pro	Ile	Lys	Lys	Thr	Arg	Thr	Trp	Leu	Gly	Thr	Phe 140	
gat	act	ctt	gaa	gaa	gct	gct	aaa	gct	tat	gat	gct	aag	aag	ctt	gag	901
Asp	Thr	Leu	Glu	Glu	Ala	Ala	Lys	Ala	Tyr	Asp	Ala	Lys	Lys	Leu	Glu 155	
ttt	gat	gct	att	gtt	gct	gga	aat	gtg	tcc	act	act	aaa	cgt	gat	gtt	949
Phe	Asp	Ala	Ile	Val	Ala	Gly 165	Asn	Val	Ser	Thr	Thr	Lys	Arg	Asp	Val 170	
tct	tca	tct	gag	act	agc	caa	tgc	tct	cgt	tct	tca	cct	gtt	gtt	cct	997
Ser	Ser	Ser	Glu	Thr	Ser	Gln	Cys	Ser	Arg	Ser	Ser	Pro	Val	Val	Pro 190	
gtt	gag	caa	gat	gac	act	tct	gca	tca	gct	ctc	act	tgt	gtc	aac	aac	1045
Val	Glu	Gln	Asp	Asp 195	Thr	Ser	Ala	Ser	Ala	Leu	Thr	Cys	Val	Asn	Asn 205	
cct	gat	gac	gtc	tcg	acc	gtt	gct	cca	act	gct	cca	act	cca	aat	gtt	1093
Pro	Asp	Asp	Val	Ser	Thr	Val	Ala	Pro	Thr	Ala	Pro	Thr	Pro	Asn	Val 220	
cct	gct	ggc	gga	aac	aag	gaa	acg	ttg	ttc	gat	ttc	gac	ttt	act	aat	1141
Pro	Ala	Gly	Gly	Asn	Lys	Glu	Thr	Leu	Phe	Asp	Phe	Asp	Phe	Thr	Asn 235	
cta	cag	atc	cct	gat	ttt	ggc	ttc	ttg	gca	gag	gag	caa	caa	gac	cta	1189
Leu	Gln	Ile	Pro	Asp	Phe	Gly	Phe	Leu	Ala	Glu	Glu	Gln	Gln	Asp	Leu 245	
gac	ttc	gat	tgt	ttc	ctc	gcg	gat	gat	cag	ttt	gat	gat	ttc	ggc	ttg	1237
Asp	Phe	Asp	Cys	Phe	Leu	Ala	Asp	Asp	Gln	Phe	Asp	Asp	Phe	Gly	Leu 270	
ctt	gat	gac	att	caa	gga	ttc	gaa	gat	aac	ggc	cca	agt	gcg	tta	cca	1285
Leu	Asp	Asp	Ile	Gln	Gly	Phe	Glu	Asp	Asn	Gly	Pro	Ser	Ala	Leu	Pro 285	
gat	ttc	gac	ttt	gcg	gat	gtt	gaa	gat	ctt	cag	cta	gct	gac	tct	agt	1333
Asp	Phe	Asp	Phe 290	Ala	Asp	Val	Glu	Asp	Leu	Gln	Leu	Ala	Asp	Ser	Ser 300	
ttc	ggc	ttc	ctt	gat	caa	ctt	gct	cct	atc	aac	atc	tct	tgc	cca	tta	1381
Phe	Gly	Phe	Leu	Asp	Gln	Leu	Ala	Pro	Ile	Asn	Ile	Ser	Cys	Pro	Leu 315	

MBI15 Sequence Listing.ST25

aaa agt ttt gca gct tca tag gatcttgctt agtaatgta agtgagaaga 1432
 Lys Ser Phe Ala Ala Ser
 320

gtgttttggt ttttcgttta tgcttttagta atttaagaca tacaaaagtg tgtgttccgg 1492

attgtagtaa gatcttaaga cataaagccg gggtttgcaa ttaggaatcg agttttaatg 1552

aagttttagt ttatgtttg 1571

<210> 12

<211> 324

<212> PRT

<213> Arabidopsis thaliana

<400> 12

Met Val Ala Ile Arg Lys Glu Gln Ser Leu Ser Gly Val Ser Ser Glu
 1 5 10 15

Ile Lys Lys Arg Ala Lys Arg Asn Thr Leu Ser Ser Leu Pro Gln Glu
 20 25 30

Thr Gln Pro Leu Arg Lys Val Arg Ile Ile Val Asn Asp Pro Tyr Ala
 35 40 45

Thr Asp Asp Ser Ser Ser Asp Glu Glu Glu Leu Lys Val Pro Lys Pro
 50 55 60

Arg Lys Met Lys Arg Ile Val Arg Glu Ile Asn Phe Pro Ser Met Glu
 65 70 75 80

Val Ser Glu Gln Pro Ser Glu Ser Ser Ser Gln Asp Ser Thr Lys Thr
 85 90 95

Asp Gly Lys Ile Ala Val Ser Ala Ser Pro Ala Val Pro Arg Lys Lys
 100 105 110

Pro Val Gly Val Arg Gln Arg Lys Trp Gly Lys Trp Ala Ala Glu Ile
 115 120 125

Arg Asp Pro Ile Lys Lys Thr Arg Thr Trp Leu Gly Thr Phe Asp Thr
 130 135 140

Leu Glu Glu Ala Ala Lys Ala Tyr Asp Ala Lys Lys Leu Glu Phe Asp
 145 150 155 160

Ala Ile Val Ala Gly Asn Val Ser Thr Thr Lys Arg Asp Val Ser Ser
 165 170 175

Ser Glu Thr Ser Gln Cys Ser Arg Ser Ser Pro Val Val Pro Val Glu
 180 185 190

Gln Asp Asp Thr Ser Ala Ser Ala Leu Thr Cys Val Asn Asn Pro Asp
 195 200 205

Asp Val Ser Thr Val Ala Pro Thr Ala Pro Thr Pro Asn Val Pro Ala
 210 215 220

Gly Gly Asn Lys Glu Thr Leu Phe Asp Phe Asp Phe Thr Asn Leu Gln

[illegible]

```
<210> 13
<211> 920
<212> DNA
<213> Arabidopsis thaliana

<220>
<221> CDS
<222> (1)..(852)
<223> G237
```

[illegible]

MBI15 Sequence Listing.ST25

gaa acc ttg atc tcg aat cac gtg ttc tcc ctc cag aga ctt cta gag 480
 Glu Thr Leu Ile Ser Asn His Val Phe Ser Leu Gln Arg Leu Leu Glu
 145 150 155 160

aac aaa tct tca tct ccc tca caa gaa agc aac gga aat aac agc cat 528
 Asn Lys Ser Ser Ser Pro Ser Gln Glu Ser Asn Gly Asn Asn Ser His
 165 170 175

caa tgt tct tct gct cct gag att cca agg ctt ttc ttc tct gaa tgg 576
 Gln Cys Ser Ser Ala Pro Glu Ile Pro Arg Leu Phe Phe Ser Glu Trp
 180 185 190

ctt tct tct tca tat ccc cac acc gat tat tcc tct gag ttt acc gac 624
 Leu Ser Ser Ser Tyr Pro His Thr Asp Tyr Ser Ser Glu Phe Thr Asp
 195 200 205

tct aag cac agt caa gct cca aat gtc gaa gag act ctc tca gct tat 672
 Ser Lys His Ser Gln Ala Pro Asn Val Glu Glu Thr Leu Ser Ala Tyr
 210 215 220

gaa gaa atg ggt gat gtt gat cag ttc cat tac aac gaa atg atg atc 720
 Glu Glu Met Gly Asp Val Asp Gln Phe His Tyr Asn Glu Met Met Ile
 225 230 235 240

aac aac agc aac tgg act ctt aac gac att gtg ttt ggt tcc aaa tgt 768
 Asn Asn Ser Asn Trp Thr Leu Asn Asp Ile Val Phe Gly Ser Lys Cys
 245 250 255

aag aag cag gag cat cat att tat aga gag gct tca gat tgt aat tct 816
 Lys Lys Gln Glu His His Ile Tyr Arg Glu Ala Ser Asp Cys Asn Ser
 260 265 270

tct gct gaa ttc ttt tct cca cca aca acg acg taa attgcgttta 862
 Ser Ala Glu Phe Phe Ser Pro Pro Thr Thr
 275 280

ttgtaatgta aatcaaattt ctaaggcaaaa accggaaaaa aaaaaaaaaa aaaaaaaaaa 920

<210> 14
 <211> 283
 <212> PRT
 <213> Arabidopsis thaliana

<400> 14

Met Ala Lys Thr Lys Tyr Gly Glu Arg His Arg Lys Gly Leu Trp Ser
 1 5 10 15

Pro Glu Glu Asp Glu Lys Leu Arg Ser Phe Ile Leu Ser Tyr Gly His
 20 25 30

Ser Cys Trp Thr Thr Val Pro Ile Lys Ala Gly Leu Gln Arg Asn Gly
 35 40 45

Lys Ser Cys Arg Leu Arg Trp Ile Asn Tyr Leu Arg Pro Gly Leu Lys
 50 55 60

Arg Asp Met Ile Ser Ala Glu Glu Glu Glu Thr Ile Leu Thr Phe His
 65 70 75 80

Ser Pro Leu Gly Asn Lys Trp Ser Gln Ile Ala Lys Phe Leu Pro Gly
 85 90 95

Arg Thr Asp Asn Glu Ile Lys Asn Tyr Trp His Ser His Leu Lys Lys
 100 105 110

Lys Trp Leu Lys Ser Gln Ser Leu Gln Asp Ala Lys Ser Ile Ser Pro

MBI15 Sequence Listing.ST25
120 125

115

Pro Ser Ser Ser Ser Ser Ser Leu Val Ala Cys Gly Glu Arg Asn Pro
130 135 140

Glu Thr Leu Ile Ser Asn His Val Phe Ser Leu Gln Arg Leu Leu Glu
145 150 155 160

Asn Lys Ser Ser Ser Pro Ser Gln Glu Ser Asn Gly Asn Asn Ser His
165 170 175

Gln Cys Ser Ser Ala Pro Glu Ile Pro Arg Leu Phe Phe Ser Glu Trp
180 185 190

Leu Ser Ser Ser Tyr Pro His Thr Asp Tyr Ser Ser Glu Phe Thr Asp
195 200 205

Ser Lys His Ser Gln Ala Pro Asn Val Glu Glu Thr Leu Ser Ala Tyr
210 215 220

Glu Glu Met Gly Asp Val Asp Gln Phe His Tyr Asn Glu Met Met Ile
225 230 235 240

Asn Asn Ser Asn Trp Thr Leu Asn Asp Ile Val Phe Gly Ser Lys Cys
245 250 255

Lys Lys Gln Glu His His Ile Tyr Arg Glu Ala Ser Asp Cys Asn Ser
260 265 270

Ser Ala Glu Phe Phe Ser Pro Pro Thr Thr Thr
275 280

<210> 15
<211> 1302
<212> DNA
<213> Arabidopsis thaliana

<220>
<221> CDS
<222> (331)..(1149)
<223> G409

<400> 15
tgtctctctc tctggctctc ttctctctaa cgtgatcata acgtgattcg aaaattggat 60
atagataggt ttcttggttg atcttgatcc ctctggaaaa ggaggggaga atagcagttc 120
atgatgggat ttgtatctg cccgttgagg tcacctgcga gattactatg gagtacaagc 180
ttcttcgcc ataagatcat gatcttctaa tccttctac ttcttcccat ctttttaatc 240
atcttctcgc tatctctgct tcctctttct ctctgtttcc tctttctcag aactcagaag 300
tagttgtgtg ttattttctg ttgatcaaaa atg gaa tcc aat tcg ttt ttc ttc 354
Met Glu Ser Asn Ser Phe Phe Phe
1 5
gat cca tct gct tca cac ggc aac agc atg ttc ttc ctt ggg aat ctc 402
Asp Pro Ser Ala Ser His Gly Asn Ser Met Phe Phe Leu Gly Asn Leu
10 15 20
aat ccc gtc gtc caa gga gga gga gca aga tcg atg atg aac atg gag 450
Asn Pro Val Val Gln Gly Gly Gly Ala Arg Ser Met Met Asn Met Glu

MBI15 Sequence Listing.ST25

25	30	35	40	
gaa act tcg aag cga agg ccc ttc ttt agc tcc cct gag gat ctc tac				498
Glu Thr Ser Lys Arg Arg Pro Phe Phe Ser Ser Pro Glu Asp Leu Tyr				
	45	50	55	
gac gat gac ttt tac gac gac cag ttg cct gaa aag aag cgt cgc ctc				546
Asp Asp Asp Phe Tyr Asp Asp Gln Leu Pro Glu Lys Lys Arg Arg Leu				
	60	65	70	
act acc gaa caa gtg cat ctg ctg gag aaa agc ttc gag aca gag aac				594
Thr Thr Glu Gln Val His Leu Leu Lys Ser Phe Glu Thr Glu Asn				
	75	80	85	
aag cta gag cct gaa cgc aag act cag ctt gcc aag aag ctt ggt cta				642
Lys Leu Glu Pro Glu Arg Lys Thr Gln Leu Ala Lys Lys Leu Gly Leu				
	90	95	100	
cag cca agg caa gtg gct gtc tgg ttt cag aat cgc cga gct cgt tgg				690
Gln Pro Arg Gln Val Ala Val Trp Phe Gln Asn Arg Arg Ala Arg Trp				
	105	110	115	
aaa aca aaa cag ctt gag aga gac tac gat ctt ctc aag tcc act tac				738
Lys Thr Lys Gln Leu Glu Arg Asp Tyr Asp Leu Leu Lys Ser Thr Tyr				
	125	130	135	
gac caa ctt ctt tct aac tac gac tcc atc gtc atg gac aac gat aag				786
Asp Gln Leu Ser Asn Tyr Asp Ser Ile Val Met Asp Asn Asp Lys				
	140	145	150	
ctc aga tcc gag gtt act tcc ctg acc gaa aag ctt cag ggc aaa caa				834
Leu Arg Ser Glu Val Thr Ser Leu Thr Glu Lys Leu Gln Gly Lys Gln				
	155	160	165	
gag aca gct aat gaa cca cct ggt caa gtg ccc gaa cca aac caa ctt				882
Glu Thr Ala Asn Glu Pro Pro Gly Gln Val Pro Glu Pro Asn Gln Leu				
	170	175	180	
gat ccg gtt tac att aat gcg gca gca atc aaa acc gag gac cgg tta				930
Asp Pro Val Tyr Ile Asn Ala Ala Ala Ile Lys Thr Glu Asp Arg Leu				
	185	190	195	
agt tca ggg agc gtt ggg agc gcg gta cta gac gac gac gca cct caa				978
Ser Ser Gly Ser Val Gly Ser Ala Val Leu Asp Asp Asp Ala Pro Gln				
	205	210	215	
cta cta gac agc tgt gac tct tac ttc cca agc atc gta ccc atc caa				1026
Leu Leu Asp Ser Cys Asp Ser Tyr Phe Pro Ser Ile Val Pro Ile Gln				
	220	225	230	
gac aac agc aac gcc agt gat cat gac aat gac cgg agc tgt ttc gcc				1074
Asp Asn Ser Asn Ala Ser Asp His Asp Asn Asp Arg Ser Cys Phe Ala				
	235	240	245	
gac gtc ttt gtg ccc acc act tca ccg tcg cac gat cat cac ggt gaa				1122
Asp Val Phe Val Pro Thr Thr Ser Pro Ser His Asp His His Gly Glu				
	250	255	260	
tca ttg gct ttc tgg gga tgg cct tag aaaaccactc tgataataaa				1169
Ser Leu Ala Phe Trp Gly Trp Pro				
	265	270		
tgtgtgttta ttttaagttca agagtcacatct tcttgttggt tccatgttga cgataattgt				1229
tgactcgtgg aataattccg ctgttcaacg gtatttttat cagttgcatt atatgctttt				1289
atgaaaaaaa aaa				1302

<210> 16
 <211> 272
 <212> PRT
 <213> Arabidopsis thaliana

<400> 16

MBI15 Sequence Listing.ST25

```

Met Glu Ser Asn Ser Phe Phe Phe Asp Pro Ser Ala Ser His Gly Asn
1      5      10      15

Ser Met Phe Phe Leu Gly Asn Leu Asn Pro Val Val Gln Gly Gly Gly
      20      25      30

Ala Arg Ser Met Met Asn Met Glu Glu Thr Ser Lys Arg Arg Pro Phe
      35      40      45

Phe Ser Ser Pro Glu Asp Leu Tyr Asp Asp Asp Phe Tyr Asp Asp Gln
      50      55      60

Leu Pro Glu Lys Lys Arg Arg Leu Thr Thr Glu Gln Val His Leu Leu
      65      70      75      80

Glu Lys Ser Phe Glu Thr Glu Asn Lys Leu Glu Pro Glu Arg Lys Thr
      85      90      95

Gln Leu Ala Lys Lys Leu Gly Leu Gln Pro Arg Gln Val Ala Val Trp
      100      105      110

Phe Gln Asn Arg Arg Ala Arg Trp Lys Thr Lys Gln Leu Glu Arg Asp
      115      120      125

Tyr Asp Leu Leu Lys Ser Thr Tyr Asp Gln Leu Leu Ser Asn Tyr Asp
      130      135      140

Ser Ile Val Met Asp Asn Asp Lys Leu Arg Ser Glu Val Thr Ser Leu
      145      150      155      160

Thr Glu Lys Leu Gln Gly Lys Gln Glu Thr Ala Asn Glu Pro Pro Gly
      165      170      175

Gln Val Pro Glu Pro Asn Gln Leu Asp Pro Val Tyr Ile Asn Ala Ala
      180      185      190

Ala Ile Lys Thr Glu Asp Arg Leu Ser Ser Gly Ser Val Gly Ser Ala
      195      200      205

Val Leu Asp Asp Asp Ala Pro Gln Leu Leu Asp Ser Cys Asp Ser Tyr
      210      215      220

Phe Pro Ser Ile Val Pro Ile Gln Asp Asn Ser Asn Ala Ser Asp His
      225      230      235      240

Asp Asn Asp Arg Ser Cys Phe Ala Asp Val Phe Val Pro Thr Thr Ser
      245      250      255

Pro Ser His Asp His His Gly Glu Ser Leu Ala Phe Trp Gly Trp Pro
      260      265      270

```

```

<210> 17
<211> 2545
<212> DNA
<213> Arabidopsis thaliana

```

```

<220>

```

MBI15 Sequence Listing.ST25

<221> CDS

<222> (103)..(2322)

<223> G418

<400> 17

```

acatatgttt taaattcttt gtctgaatct tacaggatcc gagagagaga gctctggaac      60
gatattaaca tatatcatga agaaaaagat tgaagtattg at atg gga ata act      114
                               Met Gly Ile Thr
                               1

aaa act tct cct aat act aca att ctc ttg aag act ttt cac aat aat      162
Lys Thr Ser Pro Asn Thr Thr Ile Leu Leu Lys Thr Phe His Asn Asn
5                               10                               15                               20

tct atg tcc caa gat tat cat cat cat cat cat cat aat caa cac caa      210
Ser Met Ser Gln Asp Tyr His His His His His His Asn Gln His Gln
                               25                               30                               35

gga ggt atc ttc aac ttc tct aat gga ttc gac cga tca gat tct ccc      258
Gly Gly Ile Phe Asn Phe Ser Asn Gly Phe Asp Arg Ser Asp Ser Pro
                               40                               45                               50

aat tta aca act cag cag aag caa gag cat caa agg gta gag atg gac      306
Asn Leu Thr Thr Gln Gln Lys Gln Glu His Gln Arg Val Glu Met Asp
55                               60                               65

gag gaa tct tca gtc gcc gga ggt agg att ccg gtc tac gaa tca gcc      354
Glu Glu Ser Ser Val Ala Gly Gly Arg Ile Pro Val Tyr Glu Ser Ala
70                               75                               80

ggt atg tta tcc gaa atg ttt aat ttc ccc gga agc agc ggt gga gga      402
Gly Met Leu Ser Glu Met Phe Asn Phe Pro Gly Ser Ser Gly Gly Gly
85                               90                               95

aga gat ctc gac ctc ggc caa tct ttc cgg tca aat agg cag ttg ctt      450
Arg Asp Leu Asp Leu Gly Gln Ser Phe Arg Ser Asn Arg Gln Leu Leu
105                              110                              115

gag gag caa cat cag aat att ccg gct atg aat gct acg gat tca gcc      498
Glu Glu Gln His Gln Asn Ile Pro Ala Met Asn Ala Thr Asp Ser Ala
120                              125                              130

acc gcc acc gca gcc gcc atg cag tta ttc ttg atg aat cca ccg cca      546
Thr Ala Thr Ala Ala Ala Met Gln Leu Phe Leu Met Asn Pro Pro Pro
135                              140                              145

ccg caa caa cca ccg tct ccg tca tcc aca act tcc cca agg agc cac      594
Pro Gln Gln Pro Pro Ser Ser Ser Thr Thr Ser Pro Arg Ser His
150                              155                              160

cac aat tct tca act ctt cac atg tta ctt cca agt cca tcc acc aac      642
His Asn Ser Ser Thr Leu His Met Leu Leu Pro Ser Pro Ser Thr Asn
165                              170                              175                              180

aca act cac cat cag aac tac act aat cat atg tct atg cat cag ctt      690
Thr Thr His His Gln Asn Tyr Thr Asn His Met Ser Met His Gln Leu
185                              190                              195

cca cat cag cat cac caa cag ata tcg acg tgg cag tct tct ccc gat      738
Pro His Gln His His Gln Gln Ile Ser Thr Trp Gln Ser Pro Pro Asp
200                              205                              210

cat cat cat cat cat cac aac agc caa acg gag att ggg acc gtc cac      786
His His His His His Asn Ser Gln Thr Glu Ile Gly Thr Val His
215                              220                              225

gtg gaa aac agc gga gga cac gga gga caa ggc ttg tcc tta tct ctc      834
Val Glu Asn Ser Gly Gly His Gly Gly Gln Gly Leu Ser Leu Ser Leu
230                              235                              240

tca tcg tct tta gag gct gca gca aaa gcg gaa gag tat aga aac att      882
Ser Ser Ser Leu Glu Ala Ala Ala Lys Ala Glu Glu Tyr Arg Asn Ile
245                              250                              255                              260

```

MBI15 Sequence Listing.ST25

tac tac gga gcc aat tct tct aac gca tca cct cat cat caa tac aat Tyr Tyr Gly Ala Asn Ser Ser Asn Ala Ser Pro His His Gln Tyr Asn 265 270 275	930
caa ttc aag act ctt ctt gct aat tct tct caa cat cac cat caa gta Gln Phe Lys Thr Leu Leu Ala Asn Ser Ser Gln His His His Gln Val 280 285 290	978
tta aac caa ttc cga tca tct ccg gct gct tct tcc tct tcc atg gca Leu Asn Gln Phe Arg Ser Ser Pro Ala Ala Ser Ser Ser Ser Met Ala 295 300 305	1026
gcg gtc aat atc tta aga aac tcg agg tac aca acg gcc gcg caa gag Ala Val Asn Ile Leu Arg Asn Ser Arg Tyr Thr Thr Ala Ala Gln Glu 310 315 320	1074
ttg ttg gaa gag ttt tgt agt gtt gga aga gga ttt ttg aag aag aac Leu Leu Glu Glu Phe Cys Ser Val Gly Arg Gly Phe Leu Lys Lys Asn 325 330 335 340	1122
aaa ctt ggg aac agc tca aac cct aat act tgc ggt ggt gat ggt ggt Lys Leu Gly Asn Ser Ser Asn Pro Asn Thr Cys Gly Gly Asp Gly Gly 345 350 355	1170
ggc agc tct cct tcg tcg gcc gga gca aac aag gag cat cct cct tta Gly Ser Ser Pro Ser Ser Ala Gly Ala Asn Lys Glu His Pro Pro Leu 360 365	1218
tcg gcg tct gat cgg att gag cat caa aga agg aaa gtg aaa cta ctc Ser Ala Ser Asp Arg Ile Glu His Gln Arg Arg Lys Val Lys Leu Leu 375 380 385	1266
acc atg ctt gaa gag gtg gac cga cgg tac aac cat tac tgc gag caa Thr Met Leu Glu Glu Val Asp Arg Arg Tyr Asn His Tyr Cys Glu Gln 390 395 400	1314
atg cag atg gtt gtg aac tct ttc gac ata gta atg ggc cac ggt gcg Met Gln Met Val Val Asn Ser Phe Asp Ile Val Met Gly His Gly Ala 405 410 415 420	1362
gca tta ccg tac acc gca ttg gct caa aaa gct atg tca aga cat ttt Ala Leu Pro Tyr Thr Ala Leu Ala Gln Lys Ala Met Ser Arg His Phe 425 430 435	1410
aga tgc ctt aaa gat gca gtt gcg gct cag ctt aag cag agt tgc gaa Arg Cys Leu Lys Asp Ala Val Ala Ala Gln Leu Lys Gln Ser Cys Glu 440 445 450	1458
ctt ctt ggg gac aaa gat gca gcg gga atc tct tct tcc ggg tta aca Leu Leu Gly Asp Lys Asp Ala Ala Gly Ile Ser Ser Ser Gly Leu Thr 455 460 465	1506
aaa ggt gaa act ccg cgt ttg cgt ttg cta gag caa agt ttg cgt cag Lys Gly Glu Thr Pro Arg Leu Arg Leu Leu Glu Gln Ser Leu Arg Gln 470 475 480	1554
caa cgt gcg ttt cat caa atg ggt atg atg gaa caa gaa gct tgg cgg Gln Arg Ala Phe His Gln Met Gly Met Met Glu Gln Glu Ala Trp Arg 485 490 500	1602
cca caa cgc ggt ttg cct gaa cgc tcc gtc aat ata ctt aga gct tgg Pro Gln Arg Gly Leu Pro Glu Arg Ser Val Asn Ile Leu Arg Ala Trp 505 510 515	1650
ctc ttc gaa cat ttc ctt cac ccg tat cca agt gat gca gat aaa cac Leu Phe Glu His Phe Leu His Pro Tyr Pro Ser Asp Ala Asp Lys His 520 525 530	1698
cta ttg gct cga cag act ggt tta tcc aga aat cag gta tca aat tgg Leu Leu Ala Arg Gln Thr Gly Leu Ser Arg Asn Gln Val Ser Asn Trp 535 540 545	1746
ttc ata aat gct agg gtt cgt tta tgg aaa cca atg gtg gaa gaa atg Phe Ile Asn Ala Arg Val Arg Leu Trp Lys Pro Met Val Glu Glu Met	1794

MBI15 Sequence Listing.ST25

550	555	560	
tac caa caa gaa tca aaa gaa aga gaa aga gaa gag gaa tta gaa gag Tyr Gln Gln Glu Ser Lys Glu Arg Glu Arg Glu Glu Glu Leu Glu Glu 565 570 575 580			1842
aac gaa gaa gat caa gaa aca aaa aac agc aac gac gac aag agc aca Asn Glu Glu Asp Gln Glu Thr Lys Asn Ser Asn Asp Asp Lys Ser Thr 585 590 595			1890
aaa tcc aac aac aat gaa agc aac ttc act gcc gtt cgg acc act tca Lys Ser Asn Asn Asn Glu Ser Asn Phe Thr Ala Val Arg Thr Thr Ser 600 605 610			1938
caa act cca acg aca acc gca cca gac gca tca gac gca gac gca gca Gln Thr Pro Thr Thr Thr Ala Pro Asp Ala Ser Asp Ala Asp Ala Ala 615 620 625			1986
gta gcg aca ggc cac cgt cta aga tcc aac att aat gct tac gaa aac Val Ala Thr Gly His Arg Leu Arg Ser Asn Ile Asn Ala Tyr Glu Asn 630 635 640			2034
gac gct tca tca ctt cta ctc cct tcc tct tat tcc aac gcc gcc gct Asp Ala Ser Ser Leu Leu Leu Pro Ser Ser Tyr Ser Asn Ala Ala Ala 645 650 655 660			2082
cct gcc gct gtt tct gac gac ttg aat tct cgt tac ggt ggc tca gac Pro Ala Ala Val Ser Asp Asp Leu Asn Ser Arg Tyr Gly Gly Ser Asp 665 670 675			2130
gcg ttt tcc gcc gtt gcc acg tgt caa caa agt gta ggt ggg ttc gat Ala Phe Ser Ala Val Ala Thr Cys Gln Gln Ser Val Gly Gly Phe Asp 680 685 690			2178
gat gct gac atg gat ggt gtt aac gtt ata agg ttt ggg aca aac cct Asp Ala Asp Met Asp Gly Val Asn Val Ile Arg Phe Gly Thr Asn Pro 695 700 705			2226
act ggt gac gtg tct ctc acg ctt ggt tta cgc cac gct gga aac atg Thr Gly Asp Val Ser Leu Thr Leu Gly Leu Arg His Ala Gly Asn Met 710 715 720			2274
cct gac aaa gac gct tct ttc tgc gtt aga gag ttt ggg ggt ttt tag Pro Asp Lys Asp Ala Ser Phe Cys Val Arg Glu Phe Gly Gly Phe 725 730 735			2322
tttgcttttg tcaactccatt taattaatta attatagttt tccattctta cttattttaa			2382
ttgaaaatct atttttgtct cttaaaagtc caaacaatac attagtctag cctcctctg			2442
cttttttttt tctatctcgt gaagagaaga aaacgatacg taaatccctt cgaaaactaa			2502
tgtacgttgt acgacttatt gttttcataa aaaaaaaaaa aaa			2545

<210> 18
 <211> 739
 <212> PRT
 <213> Arabidopsis thaliana

<400> 18

Met Gly Ile Thr Lys Thr Ser Pro Asn Thr Thr Ile Leu Leu Lys Thr
 1 5 10 15

Phe His Asn Asn Ser Met Ser Gln Asp Tyr His His His His His His
 20 25 30

Asn Gln His Gln Gly Gly Ile Phe Asn Phe Ser Asn Gly Phe Asp Arg
 35 40 45

Ser Asp Ser Pro Asn Leu Thr Thr Gln Gln Lys Gln Glu His Gln Arg

MBI15 Sequence Listing.ST25

50	55	60
Val Glu Met Asp Glu Glu Ser Ser Val Ala Gly Gly Arg Ile Pro Val		
65	70	75 80
Tyr Glu Ser Ala Gly Met Leu Ser Glu Met Phe Asn Phe Pro Gly Ser		
	85	90 95
Ser Gly Gly Gly Arg Asp Leu Asp Leu Gly Gln Ser Phe Arg Ser Asn		
	100	105 110
Arg Gln Leu Leu Glu Glu Gln His Gln Asn Ile Pro Ala Met Asn Ala		
	115	120 125
Thr Asp Ser Ala Thr Ala Thr Ala Ala Ala Met Gln Leu Phe Leu Met		
	130	135 140
Asn Pro Pro Pro Pro Gln Gln Pro Pro Ser Pro Ser Ser Thr Thr Ser		
145	150	155 160
Pro Arg Ser His His Asn Ser Ser Thr Leu His Met Leu Leu Pro Ser		
	165	170 175
Pro Ser Thr Asn Thr Thr His His Gln Asn Tyr Thr Asn His Met Ser		
	180	185 190
Met His Gln Leu Pro His Gln His His Gln Gln Ile Ser Thr Trp Gln		
	195	200 205
Ser Ser Pro Asp His His His His His His Asn Ser Gln Thr Glu Ile		
210	215	220
Gly Thr Val His Val Glu Asn Ser Gly Gly His Gly Gly Gln Gly Leu		
225	230	235 240
Ser Leu Ser Leu Ser Ser Ser Leu Glu Ala Ala Ala Lys Ala Glu Glu		
	245	250 255
Tyr Arg Asn Ile Tyr Tyr Gly Ala Asn Ser Ser Asn Ala Ser Pro His		
	260	265 270
His Gln Tyr Asn Gln Phe Lys Thr Leu Leu Ala Asn Ser Ser Gln His		
	275	280 285
His His Gln Val Leu Asn Gln Phe Arg Ser Ser Pro Ala Ala Ser Ser		
	290	295 300
Ser Ser Met Ala Ala Val Asn Ile Leu Arg Asn Ser Arg Tyr Thr Thr		
305	310	315 320
Ala Ala Gln Glu Leu Leu Glu Glu Phe Cys Ser Val Gly Arg Gly Phe		
	325	330 335
Leu Lys Lys Asn Lys Leu Gly Asn Ser Ser Asn Pro Asn Thr Cys Gly		
	340	345 350

MBI15 Sequence Listing.ST25

Gly Asp Gly Gly Gly Ser Ser Pro Ser Ser Ala Gly Ala Asn Lys Glu
 355 360 365

His Pro Pro Leu Ser Ala Ser Asp Arg Ile Glu His Gln Arg Arg Lys
 370 375 380

Val Lys Leu Leu Thr Met Leu Glu Glu Val Asp Arg Arg Tyr Asn His
 385 390 395 400

Tyr Cys Glu Gln Met Gln Met Val Val Asn Ser Phe Asp Ile Val Met
 405 410 415

Gly His Gly Ala Ala Leu Pro Tyr Thr Ala Leu Ala Gln Lys Ala Met
 420 425 430

Ser Arg His Phe Arg Cys Leu Lys Asp Ala Val Ala Ala Gln Leu Lys
 435 440 445

Gln Ser Cys Glu Leu Leu Gly Asp Lys Asp Ala Ala Gly Ile Ser Ser
 450 455 460

Ser Gly Leu Thr Lys Gly Glu Thr Pro Arg Leu Arg Leu Leu Glu Gln
 465 470 475 480

Ser Leu Arg Gln Gln Arg Ala Phe His Gln Met Gly Met Met Glu Gln
 485 490 495

Glu Ala Trp Arg Pro Gln Arg Gly Leu Pro Glu Arg Ser Val Asn Ile
 500 505 510

Leu Arg Ala Trp Leu Phe Glu His Phe Leu His Pro Tyr Pro Ser Asp
 515 520 525

Ala Asp Lys His Leu Leu Ala Arg Gln Thr Gly Leu Ser Arg Asn Gln
 530 535 540

Val Ser Asn Trp Phe Ile Asn Ala Arg Val Arg Leu Trp Lys Pro Met
 545 550 555 560

Val Glu Glu Met Tyr Gln Gln Glu Ser Lys Glu Arg Glu Arg Glu Glu
 565 570 575

Glu Leu Glu Glu Asn Glu Glu Asp Gln Glu Thr Lys Asn Ser Asn Asp
 580 585 590

Asp Lys Ser Thr Lys Ser Asn Asn Asn Glu Ser Asn Phe Thr Ala Val
 595 600 605

Arg Thr Thr Ser Gln Thr Pro Thr Thr Thr Ala Pro Asp Ala Ser Asp
 610 615 620

Ala Asp Ala Ala Val Ala Thr Gly His Arg Leu Arg Ser Asn Ile Asn
 625 630 635 640

Ala Tyr Glu Asn Asp Ala Ser Ser Leu Leu Leu Pro Ser Ser Tyr Ser
 645 650 655

MBI15 Sequence Listing.ST25

Asn Ala Ala Ala Pro Ala Ala Val Ser Asp Asp Leu Asn Ser Arg Tyr
660 665 670

Gly Gly Ser Asp Ala Phe Ser Ala Val Ala Thr Cys Gln Gln Ser Val
675 680 685

Gly Gly Phe Asp Asp Ala Asp Met Asp Gly Val Asn Val Ile Arg Phe
690 695 700

Gly Thr Asn Pro Thr Gly Asp Val Ser Leu Thr Leu Gly Leu Arg His
705 710 715 720

Ala Gly Asn Met Pro Asp Lys Asp Ala Ser Phe Cys Val Arg Glu Phe
725 730 735

Gly Gly Phe

<210> 19
<211> 1240
<212> DNA
<213> Arabidopsis thaliana

<220>
<221> CDS
<222> (88)..(1020)
<223> G591

<400> 19
gtaaatctct ctttgaaggt tcctaactcg ttaatcgtaa ctcacagtga ctcgttcgag 60
tcaaagtctc tgtcttttagc tcaaacc atg gct agt aac aac cct cac gac aac 114
Met Ala Ser Asn Asn Pro His Asp Asn
1 5
ctt tct gac caa act cct tct gat gat ttc ttc gag caa atc ctc ggc 162
Leu Ser Asp Gln Thr Pro Ser Asp Asp Phe Phe Glu Gln Ile Leu Gly
10 15 20 25
ctt cct aac ttc tca gcc tct tct gcc gcc ggt tta tct gga gtt gac 210
Leu Pro Asn Phe Ser Ala Ser Ser Ala Ala Gly Leu Ser Gly Val Asp
30 35 40
gga gga tta ggt ggt gga gca ccg cct atg atg ctg cag ttg ggt tcc 258
Gly Gly Leu Gly Gly Gly Ala Pro Pro Met Met Leu Gln Leu Gly Ser
45 50 55
gga gaa gaa gga agt cac atg ggt ggc tta gga gga agt gga cca act 306
Gly Glu Glu Gly Ser His Met Gly Gly Leu Gly Gly Ser Gly Pro Thr
60 65 70
ggg ttt cac aat cag atg ttt cct ttg ggg tta agt ctt gat caa ggg 354
Gly Phe His Asn Gln Met Phe Pro Leu Gly Leu Ser Leu Asp Gln Gly
75 80 85
aaa gga cct ggg ttt ctt aga cct gaa gga gga cat gga agt ggg aaa 402
Lys Gly Pro Gly Phe Leu Arg Pro Glu Gly Gly His Gly Ser Gly Lys
90 95 100 105
aga ttc tca gat gat gtt gtt gat aat cga tgt tct tct atg aaa cct 450
Arg Phe Ser Asp Asp Val Val Asp Asn Arg Cys Ser Ser Met Lys Pro
110 115 120
gtt ttc cac ggg cag cct atg caa cag cca cct cca tcg gcc cca cat 498
Val Phe His Gly Gln Pro Met Gln Gln Pro Pro Pro Ser Ala Pro His
125 130 135

MBI15 Sequence Listing.ST25

cag cct act tca atc cgt ccc agg gtt cga gct agg cgt ggt cag gct Gln Pro Thr Ser Ile Arg Pro Arg Val Arg Ala Arg Arg Gly Gln Ala 140 145 150	546
act gat cca cat agc atc gct gag cgg cta cgt aga gaa aga ata gca Thr Asp Pro His Ser Ile Ala Glu Arg Leu Arg Arg Glu Arg Ile Ala 155 160 165	594
gaa cgg atc agg gcg ctg cag gaa ctt gta cct act gtg aac aag acc Glu Arg Ile Arg Ala Leu Gln Glu Leu Val Pro Thr Val Asn Lys Thr 170 175 180 185	642
gat aga gct gct atg atc gat gag att gtc gat tat gta aag ttt ctc Asp Arg Ala Ala Met Ile Asp Glu Ile Val Asp Tyr Val Lys Phe Leu 190 195 200	690
agg ctc caa gtc aag gtt ttg agc atg aac cga ctt ggt gga gcc ggt Arg Leu Gln Val Lys Val Leu Ser Met Asn Arg Leu Gly Gly Ala Gly 205 210 215	738
gcg gtt gct cca ctt gtt act gat atg cct ctt tca tca tca gtt gag Ala Val Ala Pro Leu Val Thr Asp Met Pro Leu Ser Ser Ser Val Glu 220 225 230	786
gat gaa acg ggt gag ggt gga agg act ccg caa cca gcg tgg gag aaa Asp Glu Thr Gly Glu Gly Gly Arg Thr Pro Gln Pro Ala Trp Glu Lys 235 240 245	834
tgg tct aac gat ggg act gaa cgt caa gtg gct aaa ctg atg gaa gag Trp Ser Asn Asp Gly Thr Glu Arg Gln Val Ala Lys Leu Met Glu Glu 250 255 260 265	882
aac gtt gga gcc gcg atg cag ctt ctt caa tca aag gct ctt tgt atg Asn Val Gly Ala Ala Met Gln Leu Leu Gln Ser Lys Ala Leu Cys Met 270 275 280	930
atg cca atc tca ttg gca atg gca att tac cat tct caa cct ccg gat Met Pro Ile Ser Leu Ala Met Ala Ile Tyr His Ser Gln Pro Pro Asp 285 290 295	978
aca tct tca gtg gtc aag cct gag aac aat cct cca cag tag Thr Ser Ser Val Val Lys Pro Glu Asn Asn Pro Pro Gln 300 305 310	1020
gatttctgca ataaagagtt tgtacagcta atccaactgt ccaacatggg tttttcttct 1080	
gctctaataga ctctgggtttc ttctctcctc tctcaccgac ttgaaaggta aaaaagtga 1140	
aaaggctttg tagatggaat caatgtagga tttgcagtag agggcaaaaa aatgtcatat 1200	
agctcaattg atcaagtctt aaaaaaaaaa aaaaaaaaaa 1240	

<210> 20
 <211> 310
 <212> PRT
 <213> Arabidopsis thaliana

<400> 20

Met Ala Ser Asn Asn Pro His Asp Asn Leu Ser Asp Gln Thr Pro Ser
 1 5 10 15

Asp Asp Phe Phe Glu Gln Ile Leu Gly Leu Pro Asn Phe Ser Ala Ser
 20 25 30

Ser Ala Ala Gly Leu Ser Gly Val Asp Gly Gly Leu Gly Gly Gly Ala
 35 40 45

Pro Pro Met Met Leu Gln Leu Gly Ser Gly Glu Glu Gly Ser His Met
 50 55 60

MBI15 Sequence Listing.ST25

Gly Gly Leu Gly Gly Ser Gly Pro Thr Gly Phe His Asn Gln Met Phe
 65 70 75 80
 Pro Leu Gly Leu Ser Leu Asp Gln Gly Lys Gly Pro Gly Phe Leu Arg
 85 90 95
 Pro Glu Gly Gly His Gly Ser Gly Lys Arg Phe Ser Asp Asp Val Val
 100 105 110
 Asp Asn Arg Cys Ser Ser Met Lys Pro Val Phe His Gly Gln Pro Met
 115 120 125
 Gln Gln Pro Pro Pro Ser Ala Pro His Gln Pro Thr Ser Ile Arg Pro
 130 135 140
 Arg Val Arg Ala Arg Arg Gly Gln Ala Thr Asp Pro His Ser Ile Ala
 145 150 155 160
 Glu Arg Leu Arg Arg Glu Arg Ile Ala Glu Arg Ile Arg Ala Leu Gln
 165 170 175
 Glu Leu Val Pro Thr Val Asn Lys Thr Asp Arg Ala Ala Met Ile Asp
 180 185 190
 Glu Ile Val Asp Tyr Val Lys Phe Leu Arg Leu Gln Val Lys Val Leu
 195 200 205
 Ser Met Asn Arg Leu Gly Gly Ala Gly Ala Val Ala Pro Leu Val Thr
 210 215 220
 Asp Met Pro Leu Ser Ser Ser Val Glu Asp Glu Thr Gly Glu Gly Gly
 225 230 235 240
 Arg Thr Pro Gln Pro Ala Trp Glu Lys Trp Ser Asn Asp Gly Thr Glu
 245 250 255
 Arg Gln Val Ala Lys Leu Met Glu Glu Asn Val Gly Ala Ala Met Gln
 260 265 270
 Leu Leu Gln Ser Lys Ala Leu Cys Met Met Pro Ile Ser Leu Ala Met
 275 280 285
 Ala Ile Tyr His Ser Gln Pro Pro Asp Thr Ser Ser Val Val Lys Pro
 290 295 300
 Glu Asn Asn Pro Pro Gln
 305 310

<210> 21
 <211> 1179
 <212> DNA
 <213> Arabidopsis thaliana
 <220>
 <221> CDS
 <222> (109)..(966)
 <223> G525

MBI15 Sequence Listing.ST25

```

<400> 21
cttctctctt ctcaaaaacc cttccctctt cgtctccaaa caacaacaaa cacaacaaca      60

acaaaaatct tacaagaaga tcatttttag aaaccctatt aggataaa atg gat tac      117
                               Met Asp Tyr
                               1

gag gca tca aga atc gtc gaa atg gta gaa gat gaa gaa cat ata gat      165
Glu Ala Ser Arg Ile Val Glu Met Val Glu Asp Glu Glu His Ile Asp
5      10      15

cta cca cca gga ttc aga ttt cac cct act gat gaa gaa ctc ata act      213
Leu Pro Pro Gly Phe Arg Phe His Pro Thr Asp Glu Glu Leu Ile Thr
20      25      30      35

cac tac ctc aaa cca aag gtt ttc aac act ttc ttc tct gct act gcc      261
His Tyr Leu Lys 40 Lys Val Phe Asn Thr Phe Phe Ser Ala Thr Ala
45      50

att ggt gaa gtt gat ctc aac aag att gag cct tgg gac tta cca tgg      309
Ile Gly Glu Val Asp Leu Asn Lys Ile Glu Pro Trp Asp Leu Pro Trp
55      60      65

aag gct aag atg gga gaa aaa gaa tgg tat ttc ttc tgt gtg aga gac      357
Lys Ala Lys Met Gly Glu Lys Glu Trp Tyr Phe Phe Cys Val Arg Asp
70      75      80

cgg aaa tac ccg acc ggt tta agg aca aac cgg gcg aca gaa gcc ggt      405
Arg Lys Tyr Pro Thr Gly Leu Arg Thr Asn Arg Ala Thr Glu Ala Gly
85      90      95

tat tgg aaa gcc aca gga aaa gac aaa gag ata ttc aag gga aaa tca      453
Tyr Trp Lys Ala Thr 105 Lys Asp Lys Glu Ile Phe Lys Gly Lys Ser
100      110      115

ctt gtg ggt atg aag aaa act ttg gtt ttc tat aaa gga aga gct cct      501
Leu Val Gly Met Lys Lys Thr Leu Val Phe Tyr Lys Gly Arg Ala Pro
120      125      130

aaa gga gtt aaa acc aat tgg gtt atg cat gaa tat cgt tta gaa ggc      549
Lys Gly Val Lys Thr Asn Trp Val Met His Glu Tyr Arg Leu Glu Gly
135      140      145

aaa tat tgt att gaa aat ctt ccc caa aca gct aag aac gaa tgg gtt      597
Lys Tyr Cys Ile Glu Asn Leu Pro Gln Thr Ala Lys 160 Glu Trp Val
150      155      160

ata tgt cgt gtt ttc caa aaa cgt gcc gat ggt aca aag gtt cca atg      645
Ile Cys Arg Val Phe Gln Lys Arg Ala Asp Gly Thr Lys Val Pro Met
165      170      175

tca atg ctt gat cca cac att aac cga atg gaa cca gcc ggt tta cct      693
Ser Met Leu Asp Pro His Ile Asn Arg Met Glu Pro Ala Gly Leu Pro
180      185      190      195

tcg tta atg gat tgt tct caa cga gac tcc ttc acc ggt tcg tcg tct      741
Ser Leu Met Asp Cys Ser Gln Arg Asp Ser Phe Thr Gly Ser Ser Ser
200      205      210

cac gtg acc tgc ttc tcc gac caa gaa acc gaa gac aaa aga ctt gtc      789
His Val Thr Cys Phe Ser Asp Gln Glu Thr Glu Asp Lys Arg Leu Val
215      220      225

cac gag tcc aaa gac ggt ttt ggt tct ctg ttt tac tcg gat cct ctg      837
His Glu Ser Lys Asp Gly Phe Gly Ser Leu Phe Tyr Ser Asp Pro Leu
230      235      240

ttt tta caa gac aat tat tcg cta atg aag ctg ttg ctt gac ggt caa      885
Phe Leu Gln Asp Asn Tyr Ser Leu Met Lys Leu Leu Leu Asp Gly Gln
245      250      255

gaa act caa ttc tcc ggc aaa cct ttc gac ggt cgt gat tcg tcc ggt      933
Glu Thr Gln Phe Ser Gly Lys Pro Phe Asp Gly Arg Asp Ser Ser Gly
260      265      270      275

```

MBI15 Sequence Listing.ST25

aca gaa gaa ttg gat tgc gtt tgg aat ttc tga gttgtataag ttatgttgta 986
 Thr Glu Glu Leu Asp Cys Val Trp Asn Phe
 280 285

gacttgtagt agtcatgtgt tcgtgtgtgt gaatgaatat tcttggtaca tttttttgta 1046

aaaaaggaga aaaaaatatg ctagaaagtc aattgctttt gttatgtagc attagtgttt 1106

tttatgtact caatagactt cctaattaaa taaaaatctt aatttatttg ccaaaaaaaaa 1166

aaaaaaaaaa aaa 1179

<210> 22

<211> 285

<212> PRT

<213> Arabidopsis thaliana

<400> 22

Met Asp Tyr Glu Ala Ser Arg Ile Val Glu Met Val Glu Asp Glu Glu
 1 5 10 15

His Ile Asp Leu Pro Pro Gly Phe Arg Phe His Pro Thr Asp Glu Glu
 20 25 30

Leu Ile Thr His Tyr Leu Lys Pro Lys Val Phe Asn Thr Phe Phe Ser
 35 40 45

Ala Thr Ala Ile Gly Glu Val Asp Leu Asn Lys Ile Glu Pro Trp Asp
 50 55 60

Leu Pro Trp Lys Ala Lys Met Gly Glu Lys Glu Trp Tyr Phe Phe Cys
 65 70 75 80

Val Arg Asp Arg Lys Tyr Pro Thr Gly Leu Arg Thr Asn Arg Ala Thr
 85 90 95

Glu Ala Gly Tyr Trp Lys Ala Thr Gly Lys Asp Lys Glu Ile Phe Lys
 100 105 110

Gly Lys Ser Leu Val Gly Met Lys Lys Thr Leu Val Phe Tyr Lys Gly
 115 120 125

Arg Ala Pro Lys Gly Val Lys Thr Asn Trp Val Met His Glu Tyr Arg
 130 135 140

Leu Glu Gly Lys Tyr Cys Ile Glu Asn Leu Pro Gln Thr Ala Lys Asn
 145 150 155 160

Glu Trp Val Ile Cys Arg Val Phe Gln Lys Arg Ala Asp Gly Thr Lys
 165 170 175

Val Pro Met Ser Met Leu Asp Pro His Ile Asn Arg Met Glu Pro Ala
 180 185 190

Gly Leu Pro Ser Leu Met Asp Cys Ser Gln Arg Asp Ser Phe Thr Gly
 195 200 205

Ser Ser Ser His Val Thr Cys Phe Ser Asp Gln Glu Thr Glu Asp Lys
 210 215 220

MBI15 Sequence Listing.ST25

Arg Leu Val His Glu Ser Lys Asp Gly Phe Gly Ser Leu Phe Tyr Ser
225 230 235 240

Asp Pro Leu Phe Leu Gln Asp Asn Tyr Ser Leu Met Lys Leu Leu Leu
245 250 255

Asp Gly Gln Glu Thr Gln Phe Ser Gly Lys Pro Phe Asp Gly Arg Asp
260 265 270

Ser Ser Gly Thr Glu Glu Leu Asp Cys Val Trp Asn Phe
275 280 285

<210> 23
<211> 890
<212> DNA
<213> Arabidopsis thaliana

<220>
<221> CDS
<222> (55)..(738)
<223> G545

<400> 23
gcaaccttca aactaaaact cgagagacaa gaaatcctca gaatctttaa ctta atg 57
Met
1

gcg ctc gag gct ctt aca tca cca aga tta gct tct ccg att cct cct 105
Ala Leu Glu Ala Leu Thr Ser Pro Arg Leu Ala Ser Pro Ile Pro Pro
5 10 15

ttg ttc gaa gat tct tca gtc ttc cat gga gtc gag cac tgg aca aag 153
Leu Phe Glu Asp Ser Ser Val Phe His Gly Val Glu His Trp Thr Lys
20 25 30

ggt aag cga tct aag aga tca aga tcc gat ttc cac cac caa aac ctc 201
Gly Lys Arg Ser Lys Arg Ser Arg Ser Asp Phe His His Gln Asn Leu
35 40 45

act gag gaa gag tat cta gct ttt tgc ctc atg ctt ctc gct cgc gac 249
Thr Glu Glu Glu Tyr Leu Ala Phe Cys Leu Met Leu Leu Ala Arg Asp
50 55 60 65

aac cgt cag cct cct cct cct ccg gcg gtg gag aag ttg agc tac aag 297
Asn Arg Gln Pro Pro Pro Pro Pro Ala Val Glu Lys Leu Ser Tyr Lys
70 75 80

tgt agc gtc tgc gac aag acg ttc tct tct tac caa gct ctc ggt ggt 345
Cys Ser Val Cys Asp Lys Thr Phe Ser Ser Tyr Gln Ala Leu Gly Gly
85 90 95

cac aag gca agc cac cgt aag aac tta tca cag act ctc tcc ggc gga 393
His Lys Ala Ser His Arg Lys Asn Leu Ser Gln Thr Leu Ser Gly Gly
100 105 110

gga gat gat cat tca acc tcg tcg gcg aca acc aca tcc gcc gtg act 441
Gly Asp Asp His Ser Thr Ser Ser Ala Thr Thr Thr Ser Ala Val Thr
115 120 125

act gga agt ggg aaa tca cac gtt tgc acc atc tgt aac aag tct ttt 489
Thr Gly Ser Gly Lys Ser His Val Cys Thr Ile Cys Asn Lys Ser Phe
130 135 140 145

cct tcc ggt caa gct ctc ggc gga cac aag cgg tgc cac tac gaa gga 537
Pro Ser Gly Gln Ala Leu Gly Gly His Lys Arg Cys His Tyr Glu Gly
150 155 160

aac aac aac atc aac act agt agc gtg tcc aac tcc gaa ggt gcg ggg 585

MBI15 Sequence Listing.ST25

```

Asn Asn Asn Ile Asn Thr Ser Ser Val Ser Asn Ser Glu Gly Ala Gly
165 170 175
tcc act agc cac gtt agc agt agc cac cgt ggg ttt gac ctc aac atc 633
Ser Thr Ser His Val Ser Ser Ser His Arg Gly Phe Asp Leu Asn Ile
180 185 190
cct ccg atc cct gaa ttc tcg atg gtc aac gga gac gac gaa gtc atg 681
Pro Pro Ile Pro Glu Phe Ser Met Val Asn Gly Asp Asp Glu Val Met
195 200 205
agc cct atg ccg gcg aag aag cct cgg ttt gac ttt ccg gtc aaa ctt 729
Ser Pro Met Pro Ala Lys Lys Pro Arg Phe Asp Phe Pro Val Lys Leu
210 215 220 225
caa ctt taa ggaaatttac ttagacgata agatttcggt tgtatactgt 778
Gln Leu

tgagagttgt gtaggaattt gttgactgta cataccaaat tggactttga ctgattccaa 838
ttcttcttgt tctttcattt taaaaattat taaaccgatt ctttaccaca aa 890

<210> 24
<211> 227
<212> PRT
<213> Arabidopsis thaliana

<400> 24
Met Ala Leu Glu Ala Leu Thr Ser Pro Arg Leu Ala Ser Pro Ile Pro
1 5 10 15
Pro Leu Phe Glu Asp Ser Ser Val Phe His Gly Val Glu His Trp Thr
20 25 30
Lys Gly Lys Arg Ser Lys Arg Ser Arg Ser Asp Phe His His Gln Asn
35 40 45
Leu Thr Glu Glu Glu Tyr Leu Ala Phe Cys Leu Met Leu Leu Ala Arg
50 55 60
Asp Asn Arg Gln Pro Pro Pro Pro Pro Ala Val Glu Lys Leu Ser Tyr
65 70 75 80
Lys Cys Ser Val Cys Asp Lys Thr Phe Ser Ser Tyr Gln Ala Leu Gly
85 90 95
Gly His Lys Ala Ser His Arg Lys Asn Leu Ser Gln Thr Leu Ser Gly
100 105 110
Gly Gly Asp Asp His Ser Thr Ser Ser Ala Thr Thr Thr Ser Ala Val
115 120 125
Thr Thr Gly Ser Gly Lys Ser His Val Cys Thr Ile Cys Asn Lys Ser
130 135 140
Phe Pro Ser Gly Gln Ala Leu Gly Gly His Lys Arg Cys His Tyr Glu
145 150 155 160
Gly Asn Asn Asn Ile Asn Thr Ser Ser Val Ser Asn Ser Glu Gly Ala
165 170 175

```

MBI15 Sequence Listing.ST25

Gly Ser Thr Ser His Val Ser Ser Ser His Arg Gly Phe Asp Leu Asn
 180 185 190

Ile Pro Pro Ile Pro Glu Phe Ser Met Val Asn Gly Asp Asp Glu Val
 195 200 205

Met Ser Pro Met Pro Ala Lys Lys Pro Arg Phe Asp Phe Pro Val Lys
 210 215 220

Leu Gln Leu
 225

<210> 25
 <211> 1126
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (282)..(920)
 <223> G865

<400> 25
 atccccactt gttgttcac accaagccaa gctccatgct ctagtcactc cacagattcc 60
 ctatcatcat caattcggtt caaacttagt tcctttcaaa gtcttggtaca tatatacaca 120
 cacacctatt attctcttgg tgtgtttgtg tggtacatat acgtgtgagt acatactttg 180
 ttgtaaaagt ggatcggagg tatggaaagg gaccggttcc accggaaaca tcggcggcgg 240
 cggatgataa ttcgtcttgg aacgagactg atgtcaccgc c atg gtc tcc gct ctc 296
 Met Val Ser Ala Leu
 1 5
 agc cgt gtc ata gag aat ccg aca gac ccg ccg gtc aaa caa gag ctt 344
 Ser Arg Val Ile Glu Asn Pro Thr Asp Pro Pro Val Lys Gln Glu Leu
 10 15 20
 gat aaa tcg gat caa cat caa cca gac caa gat caa cca aga aga aga 392
 Asp Lys Ser Asp Gln His Gln Pro Asp Gln Asp Gln Pro Arg Arg Arg
 25 30 35
 cac tat aga ggc gta agg cag aga cca tgg ggt aaa tgg gcg gca gaa 440
 His Tyr Arg Gly Val Arg Gln Arg Pro Trp Gly Lys Trp Ala Ala Glu
 40 45 50
 atc cgc gat cca aag aaa gca gcc cgt gtc tgg ctc ggg act ttc gag 488
 Ile Arg Asp Pro Lys Lys Ala Ala Arg Val Trp Leu Gly Thr Phe Glu
 55 60 65
 acg gca gag gaa gct gct tta gcc tat gac cga gct gcc ctc aaa ttc 536
 Thr Ala Glu Glu Ala Ala Leu Ala Tyr Asp Arg Ala Ala Leu Lys Phe
 70 75 80 85
 aaa ggc acc aag gct aaa ctg aac ttc cct gaa ccg gtc caa ggc cct 584
 Lys Gly Thr Lys Ala Lys Leu Asn Phe Pro Glu Arg Val Gln Gly Pro
 90 95 100
 act acc acc aca acc att tct cat gca cca aga gga gtt agt gaa tcc 632
 Thr Thr Thr Thr Thr Ile Ser His Ala Pro Arg Gly Val Ser Glu Ser
 105 110 115
 atg aac tca cct cct cct cga cct ggt cca cct tca act act act act 680
 Met Asn Ser Pro Pro Pro Arg Pro Gly Pro Pro Ser Thr Thr Thr Thr
 120 125 130
 tcg tgg cca atg act tat aac cag gac ata ctt caa tac gct cag ttg 728
 Ser Trp Pro Met Thr Tyr Asn Gln Asp Ile Leu Gln Tyr Ala Gln Leu
 135 140 145

MBI15 Sequence Listing.ST25

```

ctt acg agt aac aat gag gtt gat tta tca tac tac acg tcg act ctc      776
Leu Thr Ser Asn Asn Glu Val Asp Leu Ser Tyr Tyr Thr Ser Thr Leu
150                      155                      160                      165

ttc agt caa cct ttt tca acg cct tct tca tct tct tct tcc tcc caa      824
Phe Ser Gln Pro Phe Ser Thr Pro Ser Ser Ser Ser Ser Ser Ser Gln
                      170                      175                      180

cag acg cag caa cag cag cta caa caa caa cag cag cgt gaa gaa      872
Gln Thr Gln Gln Gln Gln Leu Gln Gln Gln Gln Gln Arg Glu Glu
                      185                      190                      195

gaa gag aag aat tat ggt tac aat tat tat aac tac cca aga gaa taa      920
Glu Glu Lys Asn Tyr Gly Tyr Asn Tyr Tyr Asn Tyr Pro Arg Glu
                      200                      205                      210

tctaattatt attgttggtc gaatcagttt tataaatagc tatcatagtt tcatttttgg      980

tttccgtaac ctttggttgc tggaaaatat gaatgaacga gggacatgtg taacaatttg      1040

tttgtgtttc gtaaatgtta gttgtatttg gatttgctga agtttgattt tctgagcata      1100

aatcatttga cggtcacaaaa aaaaaa      1126

```

<210> 26
 <211> 212
 <212> PRT
 <213> Arabidopsis thaliana

<400> 26

```

Met Val Ser Ala Leu Ser Arg Val Ile Glu Asn Pro Thr Asp Pro Pro
1                      5                      10                      15

Val Lys Gln Glu Leu Asp Lys Ser Asp Gln His Gln Pro Asp Gln Asp
                      20                      25                      30

Gln Pro Arg Arg Arg His Tyr Arg Gly Val Arg Gln Arg Pro Trp Gly
                      35                      40                      45

Lys Trp Ala Ala Glu Ile Arg Asp Pro Lys Lys Ala Ala Arg Val Trp
50                      55                      60

Leu Gly Thr Phe Glu Thr Ala Glu Glu Ala Ala Leu Ala Tyr Asp Arg
65                      70                      75                      80

Ala Ala Leu Lys Phe Lys Gly Thr Lys Ala Lys Leu Asn Phe Pro Glu
                      85                      90                      95

Arg Val Gln Gly Pro Thr Thr Thr Thr Thr Ile Ser His Ala Pro Arg
                      100                      105                      110

Gly Val Ser Glu Ser Met Asn Ser Pro Pro Pro Arg Pro Gly Pro Pro
                      115                      120                      125

Ser Thr Thr Thr Thr Ser Trp Pro Met Thr Tyr Asn Gln Asp Ile Leu
                      130                      135                      140

Gln Tyr Ala Gln Leu Leu Thr Ser Asn Asn Glu Val Asp Leu Ser Tyr
145                      150                      155                      160

Tyr Thr Ser Thr Leu Phe Ser Gln Pro Phe Ser Thr Pro Ser Ser Ser
                      165                      170                      175

```

MBI15 Sequence Listing.ST25

Ser Ser Ser Ser Gln Gln Thr Gln Gln Gln Gln Leu Gln Gln Gln Gln
180 185 190

Gln Gln Arg Glu Glu Glu Glu Lys Asn Tyr Gly Tyr Asn Tyr Tyr Asn
195 200 205

Tyr Pro Arg Glu
210

<210> 27
<211> 1152
<212> DNA
<213> Arabidopsis thaliana

<220>
<221> CDS
<222> (76)..(1008)
<223> G881

<400> 27
gtgaccgaag aaagcaaatt gagactacgc accaactagt cctttggttt gtatcttaag 60
ataaagggttt ctttt atg gac ggt tct tcg ttt ctc gac atc tct ctc gat 111
Met Asp Gly Ser Ser Phe Leu Asp Ile Ser Leu Asp
1 5 10
ctc aac acc aat cct ttc tcc gca aaa ctt ccg aag aag gag gtc tca 159
Leu Asn Thr Asn Pro Phe Ser Ala Lys Leu Pro Lys Lys Glu Val Ser
15 20 25
gtt ttg gct tct act cac tta aag agg aaa tgg ttg gag caa gac gag 207
Val Leu Ala Ser Thr His Leu Lys Arg Lys Trp Leu Glu Gln Asp Glu
30 35 40
agc gca agt gag tta cga gag gag cta aac aga gtt aat tca gag aac 255
Ser Ala Ser Glu Leu Arg Glu Glu Leu Asn Arg Val Asn Ser Glu Asn
45 50 55 60
aag aag cta aca gag atg tta gct aga gtc tgt gag agc tac aac gaa 303
Lys Lys Leu Thr Glu Met Leu Ala Arg Val Cys Glu Ser Tyr Asn Glu
65 70 75
cta cat aat cat ttg gag aag ctt cag agt cgc cag agc cct gaa atc 351
Leu His Asn His Leu Glu Lys Leu Gln Ser Arg Gln Ser Pro Glu Ile
80 85 90
gag cag acc gat ata ccg ata aag aaa aga aaa caa gac ccg gat gag 399
Glu Gln Thr Asp Ile Pro Ile Lys Lys Arg Lys Gln Asp Pro Asp Glu
95 100 105
ttc tta ggc ttt cct att gga ctc agt agt gga aaa act gag aac agc 447
Phe Leu Gly Phe Pro Ile Gly Leu Ser Ser Gly Lys Thr Glu Asn Ser
110 115 120
tcc agc aac gaa gat cat cat cat cat cat cag caa cat gag cag aaa 495
Ser Ser Asn Glu Asp His His His His His Gln Gln His Glu Gln Lys
125 130 135 140
aat cag ctt ctt tca tgt aaa aga cca gtc act gat agc ttc aac aaa 543
Asn Gln Leu Leu Ser Cys Lys Arg Pro Val Thr Asp Ser Phe Asn Lys
145 150 155
gca aaa gtt tcg act gtc tac gtg cct act gaa aca tcg gac aca agc 591
Ala Lys Val Ser Thr Val Tyr Val Pro Thr Glu Thr Ser Asp Thr Ser
160 165 170
ttg aca gtt aaa gat gga ttt caa tgg agg aaa tac gga caa aag gtt 639
Leu Thr Val Lys Asp Gly Phe Gln Trp Arg Lys Tyr Gly Gln Lys Val
175 180 185

MBI15 Sequence Listing.ST25

```

aca aga gac aac ccg tca cct aga gct tac ttt aga tgc tcg ttt gca    687
Thr Arg Asp Asn Pro Ser Pro Arg Ala Tyr Phe Arg Cys Ser Phe Ala
190                               200

ccg tct tgt cca gta aaa aag aag gta caa cgc agc gca gag gat cca    735
Pro Ser Cys Pro Val Lys Lys Lys Val Gln Arg Ser Ala Glu Asp Pro
205                               215

tct tta ctt gta gcg aca tac gaa ggg acg cat aac cac ttg ggt cca    783
Ser Leu Leu Val Ala Thr Tyr Glu Gly Thr His Asn His Leu Gly Pro
225                               230

aat gct tct gaa ggg gat gct aca agc cag ggt ggg tca agc aca gtg    831
Asn Ala Ser Glu Gly Asp Ala Thr Ser Gln Gly Gly Ser Ser Thr Val
240                               245

act ttg gat ctg gtt aat ggc tgt cat aga cta gcg ttg gag aaa aac    879
Thr Leu Asp Leu Val Asn Gly Cys His Arg Leu Ala Leu Glu Lys Asn
255                               260

gaa agg gat aat acg atg caa gag gtt ctg att caa caa atg gcg tca    927
Glu Arg Asp Asn Thr Met Gln Glu Val Leu Ile Gln Gln Met Ala Ser
270                               280

tcg tta aca aaa gat tcg aaa ttt aca gct gct ctt gct gct gct ata    975
Ser Leu Thr Lys Asp Ser Lys Phe Thr Ala Ala Leu Ala Ala Ala Ile
285                               295

tct ggg agg tta atg gag caa tct aga aca tga acgttttttag tgaatgtatt 1028
Ser Gly Arg Leu Met Glu Gln Ser Arg Thr
305                               310

gtttttgttt gtttagaatg attcttcggt ttccaattgt gtccttcgat taggagataa 1088

aagatgtata taaatattat aagtagatga agaaatcgta taagtaaaaa aaaaaaaaaa 1148

aaaa 1152

<210> 28
<211> 310
<212> PRT
<213> Arabidopsis thaliana

<400> 28

Met Asp Gly Ser Ser Phe Leu Asp Ile Ser Leu Asp Leu Asn Thr Asn
1 5 10 15

Pro Phe Ser Ala Lys Leu Pro Lys Lys Glu Val Ser Val Leu Ala Ser
20 25 30

Thr His Leu Lys Arg Lys Trp Leu Glu Gln Asp Glu Ser Ala Ser Glu
35 40 45

Leu Arg Glu Glu Leu Asn Arg Val Asn Ser Glu Asn Lys Lys Leu Thr
50 55 60

Glu Met Leu Ala Arg Val Cys Glu Ser Tyr Asn Glu Leu His Asn His
65 70 75 80

Leu Glu Lys Leu Gln Ser Arg Gln Ser Pro Glu Ile Glu Gln Thr Asp
85 90 95

Ile Pro Ile Lys Lys Arg Lys Gln Asp Pro Asp Glu Phe Leu Gly Phe
100 105 110

```

MBI15 Sequence Listing.ST25

Pro Ile Gly Leu Ser Ser Gly Lys Thr Glu Asn Ser Ser Ser Asn Glu
 115 120 125

Asp His His His His His Gln Gln His Glu Gln Lys Asn Gln Leu Leu
 130 135 140

Ser Cys Lys Arg Pro Val Thr Asp Ser Phe Asn Lys Ala Lys Val Ser
 145 150 155 160

Thr Val Tyr Val Pro Thr Glu Thr Ser Asp Thr Ser Leu Thr Val Lys
 165 170 175

Asp Gly Phe Gln Trp Arg Lys Tyr Gly Gln Lys Val Thr Arg Asp Asn
 180 185 190

Pro Ser Pro Arg Ala Tyr Phe Arg Cys Ser Phe Ala Pro Ser Cys Pro
 195 200 205

Val Lys Lys Lys Val Gln Arg Ser Ala Glu Asp Pro Ser Leu Leu Val
 210 215 220

Ala Thr Tyr Glu Gly Thr His Asn His Leu Gly Pro Asn Ala Ser Glu
 225 230 235 240

Gly Asp Ala Thr Ser Gln Gly Gly Ser Ser Thr Val Thr Leu Asp Leu
 245 250 255

Val Asn Gly Cys His Arg Leu Ala Leu Glu Lys Asn Glu Arg Asp Asn
 260 265 270

Thr Met Gln Glu Val Leu Ile Gln Gln Met Ala Ser Ser Leu Thr Lys
 275 280 285

Asp Ser Lys Phe Thr Ala Ala Leu Ala Ala Ala Ile Ser Gly Arg Leu
 290 295 300

Met Glu Gln Ser Arg Thr
 305 310

<210> 29
 <211> 1276
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (47)..(1150)
 <223> G896

<400> 29
 taatccgatt cgtcttcattc tgattccctc ccttccgaga ataata atg tac ccg 55
 Met Tyr Pro
 1

cca cct ccc tca agc atc tac gct cct ccg atg ctg gtg aat tgc tcc 103
 Pro Pro Pro Ser Ser Ile Tyr Ala Pro Pro Met Leu Val Asn Cys Ser
 5 10 15

ggc tgc cgg acg cct ctc cag ctc cca tcc ggc gcc cga tct att cgc 151
 Gly Cys Arg Thr Pro Leu Gln Leu Pro Ser Gly Ala Arg Ser Ile Arg
 20 25 30 35

MBI15 Sequence Listing.ST25

tgc gct ctc tgc cag gct gtt act cat atc gcc gac cct cgc acc gcc Cys Ala Leu Cys Gln Ala Val Thr His Ile Ala Asp Pro Arg Thr Ala 40 45 50	199
cct cct ccg caa cct tcc tcc gcc cct tct ccg cct ccc caa atc cac Pro Pro Pro Gln Pro Ser Ser Ala Pro Ser Pro Pro Gln Ile His 55 60 65	247
gcg cct ccc ggt cag ctg cct cac ccc cat ggc agg aag agg gcc gtg Ala Pro Pro Gly Gln Leu Pro His Pro His Gly Arg Lys Arg Ala Val 70 75 80	295
atc tgt ggc atc tcg tat cgt ttc tct cgc cac gag ctc aaa ggc tgc Ile Cys Gly Ile Ser Tyr Arg Phe Ser Arg His Glu Leu Lys Gly Cys 85 90 95	343
atc aac gac gcc aag tgc atg cgt cac ctt ctc atc aac aaa ttc aaa Ile Asn Asp Ala Lys Cys Met Arg His Leu Leu Ile Asn Lys Phe Lys 100 105 110 115	391
ttc tcc cca gat tca att ctc atg ctt acc gag gaa gaa act gat cca Phe Ser Pro Asp Ser Ile Leu Met Leu Thr Glu Glu Glu Thr Asp Pro 120 125 130	439
tat cgt atc ccg acc aag caa aac atg agg atg gca ttg tat tgg ctc Tyr Arg Ile Pro Thr Lys Gln Asn Met Arg Met Ala Leu Tyr Trp Leu 135 140 145	487
gta cag gga tgc aca gca ggc gac tca ctt gtc ttc cac tac tct ggt Val Gln Gly Cys Thr Ala Gly Asp Ser Leu Val Phe His Tyr Ser Gly 150 155 160	535
cat ggt tcg cgt caa aga aac tac aac ggt gat gaa gtt gat ggc tat His Gly Ser Arg Gln Arg Asn Tyr Asn Gly Asp Glu Val Asp Gly Tyr 165 170 175	583
gat gaa aca ctc tgt cct ctg gat ttt gaa act cag ggg atg att gta Asp Glu Thr Leu Cys Pro Leu Asp Phe Glu Thr Gln Gly Met Ile Val 180 185 190 195	631
gac gat gag atc aac gca acc att gta cgc cct ctt cca cat ggt gtc Asp Asp Glu Ile Asn Ala Thr Ile Val Arg Pro Leu Pro His Gly Val 200 205 210	679
aag ctc cat tca att atc gat gct tgc cat agt ggt acc gtt ctg gat Lys Leu His Ser Ile Ile Asp Ala Cys His Ser Gly Thr Val Leu Asp 215 220 225	727
tta ccc ttc cta tgc aga atg aac aga gct ggg cag tat gtg tgg gag Leu Pro Phe Leu Cys Arg Met Asn Arg Ala Gly Gln Tyr Val Trp Glu 230 235 240	775
gat cat ccg cct agg tca ggt ttg tgg aaa gga act gct ggt gga gaa Asp His Arg Pro Arg Ser Gly Leu Trp Lys Gly Thr Ala Gly Gly Glu 245 250 255	823
gcc att tca att agt gga tgt gat gat gat cag act tcg gcc gac aca Ala Ile Ser Ile Ser Gly Cys Asp Asp Asp Gln Thr Ser Ala Asp Thr 260 265 270 275	871
tca gcg ctg tcg aag atc acg tct acg ggt gct atg act ttc tgt ttt Ser Ala Leu Ser Lys Ile Thr Ser Thr Gly Ala Met Thr Phe Cys Phe 280 285 290	919
att caa gca att gaa cgc agc gca caa ggc aca acc tat gga agc ctt Ile Gln Ala Ile Glu Arg Ser Ala Gln Gly Thr Thr Tyr Gly Ser Leu 295 300 305	967
ctg aat tct atg cgc acc aca ata agg aat aca ggg aat gat ggt ggt Leu Asn Ser Met Arg Thr Thr Ile Arg Asn Thr Gly Asn Asp Gly Gly 310 315 320	1015
ggt agt ggt gga gtt gtg acg act gtg ctg agc atg ctt ctg aca ggg Gly Ser Gly Gly Val Val Thr Thr Val Leu Ser Met Leu Leu Thr Gly 325 330 335	1063

MBI15 Sequence Listing.ST25

325 330 335
 gga agt gcg att ggg gga tta aga cag gag cct caa ctg act gct tgc 1111
 Gly Ser Ala Ile Gly Gly Leu Arg Gln Glu Pro Gln Leu Thr Ala Cys
 340 345 350 355
 caa aca ttc gat gtc tat gca aag cct ttc act ctc tag taaaggacaa 1160
 Gln Thr Phe Asp Val Tyr Ala Lys Pro Phe Thr Leu
 360 365
 gtcacttttt atgtatagcg agtgtgattt gagaatccgt ccatataacc acctttttgtt 1220
 tcttattttt atttttcttt caaaagaata aaggaaaaca ttgatttggt gattcgt 1276

 <210> 30
 <211> 367
 <212> PRT
 <213> Arabidopsis thaliana

 <400> 30
 Met Tyr Pro Pro Pro Ser Ser Ile Tyr Ala Pro Pro Met Leu Val
 1 5 10 15
 Asn Cys Ser Gly Cys Arg Thr Pro Leu Gln Leu Pro Ser Gly Ala Arg
 20 25 30
 Ser Ile Arg Cys Ala Leu Cys Gln Ala Val Thr His Ile Ala Asp Pro
 35 40 45
 Arg Thr Ala Pro Pro Pro Gln Pro Ser Ser Ala Pro Ser Pro Pro Pro
 50 55 60
 Gln Ile His Ala Pro Pro Gly Gln Leu Pro His Pro His Gly Arg Lys
 65 70 75 80
 Arg Ala Val Ile Cys Gly Ile Ser Tyr Arg Phe Ser Arg His Glu Leu
 85 90 95
 Lys Gly Cys Ile Asn Asp Ala Lys Cys Met Arg His Leu Leu Ile Asn
 100 105 110
 Lys Phe Lys Phe Ser Pro Asp Ser Ile Leu Met Leu Thr Glu Glu Glu
 115 120 125
 Thr Asp Pro Tyr Arg Ile Pro Thr Lys Gln Asn Met Arg Met Ala Leu
 130 135 140
 Tyr Trp Leu Val Gln Gly Cys Thr Ala Gly Asp Ser Leu Val Phe His
 145 150 155 160
 Tyr Ser Gly His Gly Ser Arg Gln Arg Asn Tyr Asn Gly Asp Glu Val
 165 170 175
 Asp Gly Tyr Asp Glu Thr Leu Cys Pro Leu Asp Phe Glu Thr Gln Gly
 180 185 190
 Met Ile Val Asp Asp Glu Ile Asn Ala Thr Ile Val Arg Pro Leu Pro
 195 200 205
 His Gly Val Lys Leu His Ser Ile Ile Asp Ala Cys His Ser Gly Thr

MBI15 Sequence Listing.ST25

210
 215
 220
 Val Leu Asp Leu Pro Phe Leu Cys Arg Met Asn Arg Ala Gly Gln Tyr
 225 230 235 240
 Val Trp Glu Asp His Arg Pro Arg Ser Gly Leu Trp Lys Gly Thr Ala
 245 250 255
 Gly Gly Glu Ala Ile Ser Ile Ser Gly Cys Asp Asp Asp Gln Thr Ser
 260 265 270
 Ala Asp Thr Ser Ala Leu Ser Lys Ile Thr Ser Thr Gly Ala Met Thr
 275 280 285
 Phe Cys Phe Ile Gln Ala Ile Glu Arg Ser Ala Gln Gly Thr Thr Tyr
 290 295 300
 Gly Ser Leu Leu Asn Ser Met Arg Thr Thr Ile Arg Asn Thr Gly Asn
 305 310 315 320
 Asp Gly Gly Gly Ser Gly Gly Val Val Thr Thr Val Leu Ser Met Leu
 325 330 335
 Leu Thr Gly Gly Ser Ala Ile Gly Gly Leu Arg Gln Glu Pro Gln Leu
 340 345 350
 Thr Ala Cys Gln Thr Phe Asp Val Tyr Ala Lys Pro Phe Thr Leu
 355 360 365

<210> 31
 <211> 726
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (1)..(726)
 <223> G378

<400> 31
 atg gcc tcg tca tca tca tca tct tat aga ttc caa tct ggg tct tac 48
 Met Ala Ser Ser Ser Ser Ser Ser Tyr Arg Phe Gln Ser Gly Ser Tyr
 1 5 10 15
 cct ctt tcg tca agt cct tct ctt ggg aat ttc gtc gaa cgc att aaa 96
 Pro Leu Ser Ser Ser Pro Ser Leu Gly Asn Phe Val Glu Arg Ile Lys
 20 25 30
 gac gct tgt cat ttc ctt gtc tct gct gtt ttg ggt acc att atc tcc 144
 Asp Ala Cys His Phe Leu Val Ser Ala Val Leu Gly Thr Ile Ile Ser
 35 40 45
 gcg atc ttg acc ttc ttc ttc gca cta gtg ggc aca ttg cta ggg gca 192
 Ala Ile Leu Thr Phe Phe Phe Ala Leu Val Gly Thr Leu Leu Gly Ala
 50 55 60
 ctt aca gga gct ttg ata ggt caa gaa act gag agt ggt ttc att aga 240
 Leu Thr Gly Ala Leu Ile Gly Gln Glu Thr Ser Gly Phe Ile Arg
 65 70 75 80
 gga gca gca att gga gcc att tcg gga gct gtt ttc tct atc gag gtc 288
 Gly Ala Ala Ile Gly Ala Ile Ser Gly Ala Val Phe Ser Ile Glu Val
 85 90 95

MBI15 Sequence Listing.ST25

ttt gaa tca tct ctg gat ctc tgg aaa tcc gat gag tcg ggt ttc gga Phe Glu Ser Ser Leu Asp Leu Trp Lys Ser Asp Glu Ser Gly Phe Gly 100 105 110	336
tgt ttt ctc tac ttg att gat gtc att gtt agt ctt cta agc ggg aga Cys Phe Leu Tyr Leu Ile Asp Val Ile Val Ser Leu Leu Ser Gly Arg 115 120 125	384
ctt gta cga gag cgc att ggt cct gca atg cta agt gca gtg caa agt Leu Val Arg Glu Arg Ile Gly Pro Ala Met Leu Ser Ala Val Gln Ser 130 135 140	432
caa atg gga gct gtg gat aca gct ttt gat gat cac aca agc ctt ttt Gln Met Gly Ala Val Asp Thr Ala Phe Asp Asp His Thr Ser Leu Phe 145 150 155 160	480
gat aca gga ggc tca aaa gga ttg aca gga gac ctt gtt gag aaa atc Asp Thr Gly Gly Ser Lys Gly Leu Thr Gly Asp Leu Val Glu Lys Ile 165 170 175	528
cca aag atg aca atc act ggc aac aat aac act gat gct tct gag aac Pro Lys Met Thr Ile Thr Gly Asn Asn Asn Thr Asp Ala Ser Glu Asn 180 185 190	576
aca gac tca tgt tct gtt tgt ctt cag gat ttc cag ctc ggt gaa aca Thr Asp Ser Cys Ser Val Cys Leu Gln Asp Phe Gln Leu Gly Glu Thr 195 200 205	624
gtt aga agc ttg cct cat tgt cat cac atg ttt cac tta cct tgc ata Val Arg Ser Leu Pro His Cys His His Met Phe His Leu Pro Cys Ile 210 215 220	672
gac aat tgg ctc ctt aga cac ggt tct tgc ccg atg tgt aga cgt gat Asp Asn Trp Leu Leu Arg His Gly Ser Cys Pro Met Cys Arg Arg Asp 225 230 235 240	720
att taa Ile	726

<210> 32
 <211> 241
 <212> PRT
 <213> Arabidopsis thaliana

<400> 32

Met Ala Ser Ser Ser Ser Ser Tyr Arg Phe Gln Ser Gly Ser Tyr 1 5 10 15
Pro Leu Ser Ser Ser Pro Ser Leu Gly Asn Phe Val Glu Arg Ile Lys 20 25 30
Asp Ala Cys His Phe Leu Val Ser Ala Val Leu Gly Thr Ile Ile Ser 35 40 45
Ala Ile Leu Thr Phe Phe Phe Ala Leu Val Gly Thr Leu Leu Gly Ala 50 55 60
Leu Thr Gly Ala Leu Ile Gly Gln Glu Thr Glu Ser Gly Phe Ile Arg 65 70 75 80
Gly Ala Ala Ile Gly Ala Ile Ser Gly Ala Val Phe Ser Ile Glu Val 85 90 95
Phe Glu Ser Ser Leu Asp Leu Trp Lys Ser Asp Glu Ser Gly Phe Gly 100 105 110

MBI15 Sequence Listing.ST25

Cys Phe Leu Tyr Leu Ile Asp Val Ile Val Ser Leu Leu Ser Gly Arg
 115 120 125

Leu Val Arg Glu Arg Ile Gly Pro Ala Met Leu Ser Ala Val Gln Ser
 130 135 140

Gln Met Gly Ala Val Asp Thr Ala Phe Asp Asp His Thr Ser Leu Phe
 145 150 155 160

Asp Thr Gly Gly Ser Lys Gly Leu Thr Gly Asp Leu Val Glu Lys Ile
 165 170 175

Pro Lys Met Thr Ile Thr Gly Asn Asn Asn Thr Asp Ala Ser Glu Asn
 180 185 190

Thr Asp Ser Cys Ser Val Cys Leu Gln Asp Phe Gln Leu Gly Glu Thr
 195 200 205

Val Arg Ser Leu Pro His Cys His His Met Phe His Leu Pro Cys Ile
 210 215 220

Asp Asn Trp Leu Leu Arg His Gly Ser Cys Pro Met Cys Arg Arg Asp
 225 230 235 240

Ile

<210> 33
 <211> 1370
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (184)..(969)
 <223> G569

<400> 33
 gtcgaccac gcgtccgggt tttctcttta tcctcttatc gctaactctgg agctctatat 60
 agactataaa gggtttttga ttgattcggg agctcgagat ttgacttctt ttagctgatt 120
 cggcaagttt gtatctagaa aggatcgatt ggtgagggtca atagtgggtg gtgggtttta 180

gta atg gaa gac ggt gag ctt gat ttc tcc aat cag gaa gtg ttt tcg 228
 Met Glu Asp Gly Glu Leu Asp Phe Ser Asn Gln Glu Val Phe Ser
 1 5 10 15

agt tcg gag atg ggt gaa tta cca cct agc aat tgt tcg atg gat agt 276
 Ser Ser Glu Met Gly Glu Leu Pro Pro Ser Asn Cys Ser Met Asp Ser
 20 25 30

ttc ttt gat ggg ctt tta atg gat act aat gct gct tgt acc cac act 324
 Phe Phe Asp Gly Leu Leu Met Asp Thr Asn Ala Ala Cys Thr His Thr
 35 40 45

cac acc tgt aac ccc act gga cca gag aac act cat act cac acg tgc 372
 His Thr Cys Asn Pro Thr Gly Pro Glu Asn Thr His Thr His Thr Cys
 50 55 60

ttc cat gtc cac acc aag att ctc ccg gat gag agc gat gaa aaa gtt 420
 Phe His Val His Thr Lys Ile Leu Pro Asp Glu Ser Asp Glu Lys Val
 65 70 75

MBI15 Sequence Listing.ST25

```

tct act gat gat aca gct gag tct tgt ggg aag aag ggt gaa aag aga      468
Ser Thr Asp Asp Thr Ala Glu Ser Cys Gly Lys Lys Gly Glu Lys Arg
80                               85                               90                               95

cct ttg gga aac cgg gaa gcg gtt aga aag tat aga gag aag aag aag      516
Pro Leu Gly Asn Arg Glu Ala Val Arg Lys Tyr Arg Glu Lys Lys Lys
100                            105                            110

gct aaa gct gct tct ttg gag gat gag gtt gca agg ctt agg gcg gtg      564
Ala Lys Ala Ala Ser Leu Glu Asp Glu Val Ala Arg Leu Arg Ala Val
115                            120                            125

aat cag cag ctg gtg aag agg ttg caa aat cag gct acc ttg gaa gct      612
Asn Gln Gln Leu Val Lys Arg Leu Gln Asn Gln Ala Thr Leu Glu Ala
130                            135                            140

gag gtt tcg agg ctt aag tgt ttg ctt gtg gat ttg aga gga aga ata      660
Glu Val Ser Arg Leu Lys Cys Leu Leu Val Asp Leu Arg Gly Arg Ile
145                            150                            155

gat gga gag att gga tct ttt cct tat cag aaa cct atg gct gca aat      708
Asp Gly Glu Ile Gly Ser Phe Pro Tyr Gln Lys Pro Met Ala Ala Asn
160                            165                            170                            175

att cct tct ttc tcg cac atg atg aat cct tgt aat gta caa tgt gat      756
Ile Pro Ser Phe Ser His Met Met Asn Pro Cys Asn Val Gln Cys Asp
180                            185                            190

gat gaa gtt tat tgc cct cag aat gtg ttt gga gtg aat agc caa gaa      804
Asp Glu Val Tyr Cys Pro Gln Asn Val Phe Gly Val Asn Ser Gln Glu
195                            200                            205

ggg gcc tcg atc aat gac caa ggg tta agt ggt tgt gat ttt gat cag      852
Gly Ala Ser Ile Asn Asp Gln Gly Leu Ser Gly Cys Asp Phe Asp Gln
210                            215                            220

cta caa tgc atg gct aat cag aac tta aat gga aat gga aac gga tca      900
Leu Gln Cys Met Ala Asn Gln Asn Leu Asn Gly Asn Gly Asn Gly Ser
225                            230                            235

ttc agc aac gtc aat aca tct gtc tcg aat aag aga aaa ggt ggg cat      948
Phe Ser Asn Val Asn Thr Ser Val Ser Asn Lys Arg Lys Gly Gly His
240                            245                            250                            255

cgt gca tca aga gca gtt tga agcatcatca agcttggtact atctatttcc      999
Arg Ala Ser Arg Ala Val
260

accagcatag atattgtatt ccaaataagt tgtagagttc agctgcagga tcagcttcgc      1059

tcagcttttga ggggttggtg gtgtggtctt tctttgtggc acgagtgaga tctatggaca      1119

gaaccagat ttagtagtag tagaggcagg atttcgactt ccactaacca tcatgttgct      1179

tggtgaagaa caaggtatgc ccatgaagca cactgttttg tacattgagc ttgaggggct      1239

gtctctgatc tagccttact gtaacattgc aacgttctca caattgtgat cccaagttgc      1299

tttggtgact taaatgtgat aatatagctt aacttttact tgaaaaaaaa aaaaaaaaaa      1359
aaaaaaaaaa a                                                    1370

<210> 34
<211> 261
<212> PRT
<213> Arabidopsis thaliana

<400> 34
Met Glu Asp Gly Glu Leu Asp Phe Ser Asn Gln Glu Val Phe Ser Ser
1                               5                               10                               15

Ser Glu Met Gly Glu Leu Pro Pro Ser Asn Cys Ser Met Asp Ser Phe

```

MBI15 Sequence Listing.ST25

20

25

30

Phe Asp Gly Leu Leu Met Asp Thr Asn Ala Ala Cys Thr His Thr His
35 40 45

Thr Cys Asn Pro Thr Gly Pro Glu Asn Thr His Thr His Thr Cys Phe
50 55 60

His Val His Thr Lys Ile Leu Pro Asp Glu Ser Asp Glu Lys Val Ser
65 70 75 80

Thr Asp Asp Thr Ala Glu Ser Cys Gly Lys Lys Gly Glu Lys Arg Pro
85 90 95

Leu Gly Asn Arg Glu Ala Val Arg Lys Tyr Arg Glu Lys Lys Lys Ala
100 105 110

Lys Ala Ala Ser Leu Glu Asp Glu Val Ala Arg Leu Arg Ala Val Asn
115 120 125

Gln Gln Leu Val Lys Arg Leu Gln Asn Gln Ala Thr Leu Glu Ala Glu
130 135 140

Val Ser Arg Leu Lys Cys Leu Leu Val Asp Leu Arg Gly Arg Ile Asp
145 150 155 160

Gly Glu Ile Gly Ser Phe Pro Tyr Gln Lys Pro Met Ala Ala Asn Ile
165 170 175

Pro Ser Phe Ser His Met Met Asn Pro Cys Asn Val Gln Cys Asp Asp
180 185 190

Glu Val Tyr Cys Pro Gln Asn Val Phe Gly Val Asn Ser Gln Glu Gly
195 200 205

Ala Ser Ile Asn Asp Gln Gly Leu Ser Gly Cys Asp Phe Asp Gln Leu
210 215 220

Gln Cys Met Ala Asn Gln Asn Leu Asn Gly Asn Gly Asn Gly Ser Phe
225 230 235 240

Ser Asn Val Asn Thr Ser Val Ser Asn Lys Arg Lys Gly Gly His Arg
245 250 255

Ala Ser Arg Ala Val
260

<210> 35
<211> 1638
<212> DNA
<213> Arabidopsis thaliana

<220>
<221> CDS
<222> (267) .. (1259)
<223> G558

<400> 35

MBI15 Sequence Listing.ST25

ggaatttcg atcgtgtctc tctctgtttc tttgtttcaa tccgatttcg aatcaagccc	60
tttacttggt caccctcaag atttcgtttt ttccagcgcc cagaatgctc cgggtgacca	120
acatttggtc ctgattcatt tcctattggt tcgtattgtc tgtgcacaca agagaaattt	180
caagaagttg ttactaaaag agaggccaca agtggatatt gtctttgtta tcaagtgtta	240
gtacagaaaa gtggtgagaa agtaat atg gct gat acc agt ccg aga act gat	293
Met Ala Asp Thr Ser Pro Arg Thr Asp	
1 5	
gtc tca aca gat gac gac aca gat cat cct gat ctt ggg tcg gag gga	341
Val Ser Thr Asp Asp Asp Thr Asp His Pro Asp Leu Gly Ser Glu Gly	
10 15 20 25	
gca cta gtg aat act gct gct tct gat tcg agt gac cga tcg aag gga	389
Ala Leu Val Asn Thr Ala Ala Ser Asp Ser Ser Asp Arg Ser Lys Gly	
30 35 40	
aag atg gat caa aag act ctt cgt agg ctt gct caa aac cgt gag gca	437
Lys Met Asp Gln Lys Thr Leu Arg Arg Leu Ala Gln Asn Arg Glu Ala	
45 50 55	
gca agg aaa agc aga ttg agg aag aag gct tat gtt cag cag cta gag	485
Ala Arg Lys Ser Arg Leu Arg Lys Lys Ala Tyr Val Gln Gln Leu Glu	
60 65 70	
aac agc cgc ttg aaa cta acc cag ctt gag cag gag ctg caa aga gca	533
Asn Ser Arg Leu Lys Leu Thr Gln Leu Glu Gln Leu Leu Gln Arg Ala	
75 80 85	
aga cag cag ggc gtc ttc att tca ggc aca gga gac cag gcc cat tct	581
Arg Gln Gln Gly Val Phe Ile Ser Gly Thr Gly Asp Gln Ala His Ser	
90 95 100 105	
act ggt gga aat ggt gct ttg gcg ttt gat gct gaa cat tca cgg tgg	629
Thr Gly Gly Asn Gly Ala Leu Ala Phe Asp Ala Glu His Ser Arg Trp	
110 115 120	
ttg gaa gaa aag aac aag caa atg aac gag ctg agg tct gct ctg aat	677
Leu Glu Glu Lys Asn Lys Gln Met Asn Glu Leu Arg Ser Ala Leu Asn	
125 130 135	
gcg cat gca ggt gat tct gag ctt cga ata ata gtc gat ggt gtg atg	725
Ala His Ala Gly Asp Ser Glu Leu Arg Ile Ile Val Asp Gly Val Met	
140 145 150	
gct cac tat gag gag ctt ttc agg ata aag agc aat gca gct aag aat	773
Ala His Tyr Glu Glu Leu Phe Arg Ile Lys Ser Asn Ala Ala Lys Asn	
155 160 165	
gat gtc ttt cac ttg cta tct ggc atg tgg aaa aca cca gct gag aga	821
Asp Val Phe His Leu Leu Ser Gly Met Trp Lys Thr Pro Ala Glu Arg	
170 175 180 185	
tgt ttc ttg tgg ctc ggt gga ttt cgt tca tcc gaa ctt cta aag ctt	869
Cys Phe Leu Trp Leu Gly Gly Phe Arg Ser Ser Glu Leu Leu Lys Leu	
190 195 200	
ctg gcg aat cag ttg gag cca atg aca gag aga cag ttg atg ggc ata	917
Leu Ala Asn Gln Leu Glu Pro Met Thr Glu Arg Gln Leu Met Gly Ile	
205 210 215	
aat aac ctg caa cag aca tcg cag cag gct gaa gat gct ttg tct caa	965
Asn Asn Gln Gln Thr Ser Gln Gln Ala Glu Asp Ala Leu Ser Gln	
220 225 230	
ggg atg gag agc tta caa cag tca cta gct gat act tta tcg agc ggg	1013
Gly Met Glu Ser Leu Gln Gln Ser Leu Ala Asp Thr Leu Ser Ser Gly	
235 240 245	
act ctt ggt tca agt tca tca ggg aat gtc gca agc tac atg ggt cag	1061
Thr Leu Gly Ser Ser Ser Ser Gly Asn Val Ala Ser Tyr Met Gly Gln	
250 255 260 265	

MBI15 Sequence Listing.ST25

```

atg gcc atg gca atg gga aag tta ggt aca ctc gaa gga ttt atc cgc      1109
Met Ala Met Ala Met Gly Lys Leu Gly Thr Leu Glu Gly Phe Ile Arg
      270                      275                      280

cag gct gat aat ttg aga cta caa aca ttg caa cag atg ata aga gta      1157
Gln Ala Asp Asn Leu Arg Leu Gln Thr Leu Gln Gln Met Ile Arg Val
      285                      290                      295

tta aca acg aga cag tca gca cgt gct cta ctt gca ata cac gat tac      1205
Leu Thr Thr Arg Gln Ser Ala Arg Ala Leu Leu Ala Ile His Asp Tyr
      300                      305                      310

ttc tca cgg cta cga gct cta agc tcc tta tgg ctt gct cga ccc aga      1253
Phe Ser Arg Leu Arg Ala Leu Ser Ser Leu Trp Leu Ala Arg Pro Arg
      315                      320                      325

gag tga aactgtattt tggtcacatg tcagctgtac aaaatccata tggacacaaa      1309
Glu
330

accaggagag actattaatc aacacttgct agattcttct taccaaattcc atcaacaaat      1369

aagcaaattt ctgggaaaca aaagactctt tgtatgtagg tttcttctac atggttgtgg      1429

taattcatgt tgttttagtt gtagtcatca gtttttaatt tagcatttga aaagttcaat      1489

gttggtttata tagcatcttc gattatctta gaaaggttat tgaattttgt ttttttttgt      1549

tactttttgtg tgtggttaaag gtgttttaac cttgcaactt ctgtactgta atcatttaac      1609

aatattaaga tgttctattt gagttttgt      1638

<210> 36
<211> 330
<212> PRT
<213> Arabidopsis thaliana

<400> 36

Met Ala Asp Thr Ser Pro Arg Thr Asp Val Ser Thr Asp Asp Asp Thr
1      5      10      15

Asp His Pro Asp Leu Gly Ser Glu Gly Ala Leu Val Asn Thr Ala Ala
20     25     30

Ser Asp Ser Ser Asp Arg Ser Lys Gly Lys Met Asp Gln Lys Thr Leu
35     40     45

Arg Arg Leu Ala Gln Asn Arg Glu Ala Ala Arg Lys Ser Arg Leu Arg
50     55     60

Lys Lys Ala Tyr Val Gln Gln Leu Glu Asn Ser Arg Leu Lys Leu Thr
65     70     75     80

Gln Leu Glu Gln Glu Leu Gln Arg Ala Arg Gln Gln Gly Val Phe Ile
85     90     95

Ser Gly Thr Gly Asp Gln Ala His Ser Thr Gly Gly Asn Gly Ala Leu
100    105    110

Ala Phe Asp Ala Glu His Ser Arg Trp Leu Glu Glu Lys Asn Lys Gln
115    120    125

Met Asn Glu Leu Arg Ser Ala Leu Asn Ala His Ala Gly Asp Ser Glu
130    135    140

```

MBI15 Sequence Listing.ST25

Leu Arg Ile Ile Val Asp Gly Val Met Ala His Tyr Glu Glu Leu Phe
145 150 155 160

Arg Ile Lys Ser Asn Ala Ala Lys Asn Asp Val Phe His Leu Leu Ser
165 170 175

Gly Met Trp Lys Thr Pro Ala Glu Arg Cys Phe Leu Trp Leu Gly Gly
180 185 190

Phe Arg Ser Ser Glu Leu Leu Lys Leu Leu Ala Asn Gln Leu Glu Pro
195 200 205

Met Thr Glu Arg Gln Leu Met Gly Ile Asn Asn Leu Gln Gln Thr Ser
210 215 220

Gln Gln Ala Glu Asp Ala Leu Ser Gln Gly Met Glu Ser Leu Gln Gln
225 230 235 240

Ser Leu Ala Asp Thr Leu Ser Ser Gly Thr Leu Gly Ser Ser Ser Ser
245 250 255

Gly Asn Val Ala Ser Tyr Met Gly Gln Met Ala Met Ala Met Gly Lys
260 265 270

Leu Gly Thr Leu Glu Gly Phe Ile Arg Gln Ala Asp Asn Leu Arg Leu
275 280 285

Gln Thr Leu Gln Gln Met Ile Arg Val Leu Thr Thr Arg Gln Ser Ala
290 295 300

Arg Ala Leu Leu Ala Ile His Asp Tyr Phe Ser Arg Leu Arg Ala Leu
305 310 315 320

Ser Ser Leu Trp Leu Ala Arg Pro Arg Glu
325 330

<210> 37
<211> 436
<212> DNA
<213> Arabidopsis thaliana

<220>
<221> CDS
<222> (83)..(313)
<223> G1396

<400> 37
tcgacctcgt ttctcttccct cctctcttcc taccattagt acgttactgg agctgatctc 60
acgtatatatt tggatcgtaa tc atg gac ggc gaa gat ttt gcc gga aag gcg 112
Met Asp Gly Glu Asp Phe Ala Gly Lys Ala
1 5 10
gct gct gaa gcc aag gga ttg aac ccg gga tta atc gtg ctg ctt gtt 160
Ala Ala Glu Ala Lys Gly Leu Asn Pro Gly Leu Ile Val Leu Leu Val
15 20 25
gtt gga ggt ccg ctt ctt gtg ttc cta atc gcc aac tac gtg ctt tac 208
Val Gly Gly Pro Leu Leu Val Phe Leu Ile Ala Asn Tyr Val Leu Tyr
30 35 40

MBI15 Sequence Listing.ST25

```

gtt tat gct cag aag aac cta cct cca agg aag aag aag ccc gtt tcc 256
Val Tyr Ala Gln Lys Asn Leu Pro Pro Arg Lys Lys Lys Pro Val Ser
      45                50                55

aaa aag aag ctc aag cgg gag aag cta aag caa gga gtc cct gtc cct 304
Lys Lys Lys Leu Lys Arg Glu Lys Leu Lys Gln Gly Val Pro Val Pro
      60                65                70

gga gaa taa aagccagctt aagcttcctt cacttggtgcc tccttcaaag 353
Gly Glu
75

cggtttttgt tcggttacca aatttcaccc ttgcggggtt ttttcttctt ttactttctgt 413

catgaggatt atctttgagg cct 436

<210> 38
<211> 76
<212> PRT
<213> Arabidopsis thaliana

<400> 38
Met Asp Gly Glu Asp Phe Ala Gly Lys Ala Ala Ala Glu Ala Lys Gly
1                5                10                15

Leu Asn Pro Gly Leu Ile Val Leu Leu Val Val Gly Gly Pro Leu Leu
      20                25                30

Val Phe Leu Ile Ala Asn Tyr Val Leu Tyr Val Tyr Ala Gln Lys Asn
      35                40                45

Leu Pro Pro Arg Lys Lys Lys Pro Val Ser Lys Lys Lys Leu Lys Arg
      50                55                60

Glu Lys Leu Lys Gln Gly Val Pro Val Pro Gly Glu
65                70                75

<210> 39
<211> 1470
<212> DNA
<213> Arabidopsis thaliana

<220>
<221> CDS
<222> (280)..(1317)
<223> G265

<400> 39
ctttggtctt ggaagccaaa tcaaaccttt ccttcaatcc tcaaattttc gaaaattttc 60

tcttttgctt tacgttctct caattcttat ttgtaagaaa gtttggtcct ttaatcaatc 120

aaatcaaaga gacttttgaa gattgtttcc caatttgcgt caatcgggat cgagtcaaat 180

ctgaaatctt ctccactcat catctgacta taagacttaa tcaagggact ttttgttcgg 240

gtttggtttt aaacgtcttg gattcgaagt ggtaaggt atg gat gaa aat aat 294
                Met Asp Glu Asn Asn
                1                5

gga ggt tca agc tca ctt cca cct ttc ctt act aaa aca tat gaa atg 342
Gly Gly Ser Ser Leu Pro Pro Phe Leu Thr Lys Thr Tyr Glu Met
      10                15                20

gtt gat gat tct tct tct gac tcg gtc gtt gct tgg agc gaa aac aac 390
Val Asp Asp Ser Ser Ser Asp Ser Val Val Ala Trp Ser Glu Asn Asn

```

MBI15 Sequence Listing.ST25																
25					30					35						
aaa Lys	agc Ser	ttc Phe	atc Ile	gtc Val	aag Lys	aat Asn	cca Pro	gca Ala	gag Glu	ttt Phe	tca Ser	aga Arg	gac Asp	ctt Leu	ctt Leu	438
40					45					50						
ccg Pro	aga Arg	ttc Phe	ttc Phe	aag Lys	cat His	aag Lys	aat Asn	ttc Phe	tca Ser	agt Ser	ttc Phe	atc Ile	cgt Arg	cag Gln	ctt Leu	486
55					60					65						
aat Asn	aca Thr	tat Tyr	ggt Gly	ttt Phe	cga Arg	aaa Lys	gta Val	gat Asp	cct Pro	gag Glu	aaa Lys	tgg Trp	gaa Glu	ttc Phe	ttg Leu	534
70					75					80						
aat Asn	gat Asp	gat Asp	ttt Phe	gtt Val	aga Arg	ggt Gly	cga Arg	cct Pro	tac Tyr	ctt Leu	atg Met	aag Lys	aac Asn	att Ile	cat His	582
90					95					100						
aga Arg	cga Arg	aaa Lys	ccg Pro	gtt Val	cat His	agc Ser	cac His	tcg Ser	tta Leu	gtg Val	aat Asn	cta Leu	caa Gln	gcg Ala	caa Gln	630
105					110					115						
aat Asn	cct Pro	ttg Leu	acg Thr	gaa Glu	tca Ser	gaa Glu	aga Arg	cgg Arg	agc Ser	atg Met	gag Glu	gat Asp	cag Gln	ata Ile	gaa Glu	678
120					125					130						
aga Arg	ctg Leu	aaa Lys	aat Asn	gag Glu	aaa Lys	gaa Glu	ggc Gly	ctt Leu	ctt Leu	gcg Ala	gag Glu	tta Leu	cag Gln	aac Asn	caa Gln	726
135					140					145						
gag Glu	caa Gln	gaa Glu	cgg Arg	aaa Lys	gag Glu	ttt Phe	gag Glu	ctg Leu	caa Gln	gta Val	acg Thr	aca Thr	ttg Leu	aaa Lys	gat Asp	774
150					155					160						
cgg Arg	tta Leu	caa Gln	cat His	atg Met	gaa Glu	caa Gln	cat His	cag Gln	aaa Lys	tca Ser	ata Ile	gtg Val	gca Ala	tat Tyr	gtt Val	822
170					175					180						
tca Ser	cag Gln	gtt Val	ttg Leu	gga Gly	aaa Lys	cca Pro	gga Gly	ctt Leu	tca Ser	cta Leu	aac Asn	ctc Leu	gaa Glu	aac Asn	cat His	870
185					190					195						
gag Glu	aga Arg	aga Arg	aaa Lys	aga Arg	aga Arg	ttt Phe	caa Gln	gag Glu	aac Asn	tct Ser	ctt Leu	cct Pro	cca Pro	agc Ser	agt Ser	918
200					205					210						
tca Ser	cac His	ata Ile	gaa Glu	cag Gln	gtc Val	gaa Glu	aag Lys	tta Leu	gaa Glu	tct Ser	tcg Ser	cta Leu	acg Thr	ttt Phe	tgg Trp	966
215					220					225						
gag Glu	aat Asn	ctt Leu	gta Val	tcg Ser	gaa Glu	tca Ser	tgc Cys	gag Glu	aag Lys	agc Ser	ggt Gly	ttg Leu	cag Gln	tca Ser	tca Ser	1014
230					235					240						
agc Ser	atg Met	gat Asp	cat His	gat Asp	gca Ala	gct Ala	gag Glu	tca Ser	agt Ser	cta Leu	agt Ser	att Ile	ggc Gly	gat Asp	aca Thr	1062
250					255					260						
cga Arg	ccc Pro	aaa Lys	tca Ser	tcg Ser	aag Lys	att Ile	gat Asp	atg Met	aac Asn	tca Ser	gag Glu	ccg Pro	ccc Pro	gtt Val	acc Thr	1110
265					270					275						
gtt Val	act Thr	gcg Ala	cct Pro	gct Ala	cca Pro	aaa Lys	aca Thr	ggc Gly	gtt Val	aac Asn	gat Asp	gac Asp	ttt Phe	tgg Trp	gaa Glu	1158
280					285					290						
caa Gln	tgt Cys	ttg Leu	aca Thr	gag Glu	aac Asn	cct Pro	gga Gly	tca Ser	acc Thr	gag Glu	caa Gln	caa Gln	gaa Glu	gtt Val	cag Gln	1206
295					300					305						
tca Ser	gag Glu	aga Arg	aga Arg	gat Asp	gtc Val	ggt Gly	aat Asn	gat Asp	aat Asn	aat Asn	ggt Gly	aat Asn	aag Lys	att Ile	gga Gly	1254
310					315					320						
325					330					335						
aat Asn	caa Gln	agg Arg	acg Thr	tat Tyr	tgg Trp	tgg Trp	aat Asn	tca Ser	ggg Gly	aat Asn	gta Val	aat Asn	aac Lys	att Ile	aca Thr	1302

MBI15 Sequence Listing.ST25

Asn Gln Arg Thr Tyr Trp Trp Asn Ser Gly Asn Val Asn Asn Ile Thr
 330 335 340
 gag aaa gct tct tga catgaatgag gtttttgtaa aatagttttc ttttggttcc 1357
 Glu Lys Ala Ser
 345
 actgagatta ttgtatgtgt tcattattta ttactctggt tctgtaaaaa caaatctctc 1417
 tattgtttga ggcaggagtg acataaatgc atatgcagaa ttggtttcaa aaa 1470

 <210> 40
 <211> 345
 <212> PRT
 <213> Arabidopsis thaliana

 <400> 40
 Met Asp Glu Asn Asn Gly Gly Ser Ser Ser Leu Pro Pro Phe Leu Thr
 1 5 10 15
 Lys Thr Tyr Glu Met Val Asp Asp Ser Ser Ser Asp Ser Val Val Ala
 20 25 30
 Trp Ser Glu Asn Asn Lys Ser Phe Ile Val Lys Asn Pro Ala Glu Phe
 35 40 45
 Ser Arg Asp Leu Leu Pro Arg Phe Phe Lys His Lys Asn Phe Ser Ser
 50 55 60
 Phe Ile Arg Gln Leu Asn Thr Tyr Gly Phe Arg Lys Val Asp Pro Glu
 65 70 75 80
 Lys Trp Glu Phe Leu Asn Asp Asp Phe Val Arg Gly Arg Pro Tyr Leu
 85 90 95
 Met Lys Asn Ile His Arg Arg Lys Pro Val His Ser His Ser Leu Val
 100 105 110
 Asn Leu Gln Ala Gln Asn Pro Leu Thr Glu Ser Glu Arg Arg Ser Met
 115 120 125
 Glu Asp Gln Ile Glu Arg Leu Lys Asn Glu Lys Glu Gly Leu Leu Ala
 130 135 140
 Glu Leu Gln Asn Gln Glu Gln Glu Arg Lys Glu Phe Glu Leu Gln Val
 145 150 155 160
 Thr Thr Leu Lys Asp Arg Leu Gln His Met Glu Gln His Gln Lys Ser
 165 170 175
 Ile Val Ala Tyr Val Ser Gln Val Leu Gly Lys Pro Gly Leu Ser Leu
 180 185 190
 Asn Leu Glu Asn His Glu Arg Arg Lys Arg Arg Phe Gln Glu Asn Ser
 195 200 205
 Leu Pro Pro Ser Ser Ser His Ile Glu Gln Val Glu Lys Leu Glu Ser
 210 215 220

MBI15 Sequence Listing.ST25

Ser Leu Thr Phe Trp Glu Asn Leu Val Ser Glu Ser Cys Glu Lys Ser
225 230 235 240

Gly Leu Gln Ser Ser Ser Met Asp His Asp Ala Ala Glu Ser Ser Leu
245 250 255

Ser Ile Gly Asp Thr Arg Pro Lys Ser Ser Lys Ile Asp Met Asn Ser
260 265 270

Glu Pro Pro Val Thr Val Thr Ala Pro Ala Pro Lys Thr Gly Val Asn
275 280 285

Asp Asp Phe Trp Glu Gln Cys Leu Thr Glu Asn Pro Gly Ser Thr Glu
290 295 300

Gln Gln Glu Val Gln Ser Glu Arg Arg Asp Val Gly Asn Asp Asn Asn
305 310 315 320

Gly Asn Lys Ile Gly Asn Gln Arg Thr Tyr Trp Trp Asn Ser Gly Asn
325 330 335

Val Asn Asn Ile Thr Glu Lys Ala Ser
340 345

<210> 41
<211> 913
<212> DNA
<213> Arabidopsis thaliana

<220>
<221> CDS
<222> (52)..(783)
<223> G1006

<400> 41
gataaatcaa tcaacaaaac aaaaaaaact ctatagttag tttctctgaa a atg tac 57
Met Tyr
1

gga cag tgc aat ata gaa tcc gac tac gct ttg ttg gag tcg ata aca 105
Gly Gln Cys Asn Ile Glu Ser Asp Tyr Ala Leu Leu Glu Ser Ile Thr
5 10 15

cgt cac ttg cta gga gga gga gga gag aac gag ctg cga ctc aat gag 153
Arg His Leu Leu Gly Gly Gly Gly Glu Asn Glu Leu Arg Leu Asn Glu
20 25 30

tca aca ccg agt tcg tgt ttc aca gag agt tgg gga ggt ttg cca ttg 201
Ser Thr Pro Ser Ser Cys Phe Thr Glu Ser Trp Gly Gly Leu Pro Leu
35 40 45 50

aaa gag aat gat tca gag gac atg ttg gtg tac gga ctc ctc aaa gat 249
Lys Glu Asn Asp Ser Glu Asp Met Leu Val Tyr Gly Leu Leu Lys Asp
55 60 65

gcc ttc cat ttt gac acg tca tca tcg gac ttg agc tgt ctt ttt gat 297
Ala Phe His Phe Asp Thr Ser Ser Asp Leu Ser Cys Leu Phe Asp
70 75 80

ttt ccg gcg gtt aaa gtc gag cca act gag aac ttt acg gcg atg gag 345
Phe Pro Ala Val Lys Val Glu Pro Thr Glu Asn Phe Thr Ala Met Glu
85 90 95

gag aaa cca aag aaa gcg ata ccg gtt acg gag acg gca gtg aag gcg 393
Glu Lys Pro Lys Lys Ala Ile Pro Val Thr Glu Thr Ala Val Lys Ala
100 105 110

MBI15 Sequence Listing.ST25

```

aag cat tac aga gga gtg agg cag aga ccg tgg ggg aaa ttc gcg gcg      441
Lys His Tyr Arg Gly Val Arg Gln Arg Pro Trp Gly Lys Phe Ala Ala
115                      120                      125                      130

gag ata cgt gat ccg gcg aag aat gga gct agg gtt tgg tta ggg acg      489
Glu Ile Arg Asp Pro Ala Lys Asn Gly Ala Arg Val Trp Leu Gly Thr
135                      140                      145

ttt gag acg gcg gaa gat gcg gct tta gct tac gat ata gct gct ttt      537
Phe Glu Thr Ala Glu Asp Ala Ala Leu Ala Tyr Asp Ile Ala Ala Phe
150                      155                      160

agg atg cgt ggt tcc cgc gct tta ttg aat ttt ccg ttg agg gtt aat      585
Arg Met Arg Gly Ser Arg Ala Leu Leu Asn Phe Pro Leu Arg Val Asn
165                      170                      175

tcc ggt gaa cct gac ccg gtt cgg atc acg tct aag aga tct tct tcg      633
Ser Gly Glu Pro Asp Pro Val Arg Ile Thr Ser Lys Arg Ser Ser Ser
180                      185                      190

tcg tcg tcg tcg tcg tcc tct tct acg tcg tcg tct gaa aac ggg aag      681
Ser Ser Ser Ser Ser Ser Ser Ser Ser Thr Ser Ser Ser Glu Asn Gly Lys
195                      200                      205                      210

ttg aaa cga agg aga aaa gca gag aat ctg acg tcg gag gtg gtg cag      729
Leu Lys Arg Arg Arg Lys Ala Glu Asn Leu Thr Ser Glu Val Val Gln
215                      220                      225

gtg aag tgt gag gtt ggt gat gag aca cgt gtt gat gag tta ttg gtt      777
Val Lys Cys Glu Val Gly Asp Glu Thr Arg Val Asp Glu Leu Leu Val
230                      235                      240

tca taa gtttgatcctt gtgtgttttg tagttgaata gttttgctat aaatgttgag      833
Ser

gcaccaagta aaagtgttcc cgtgatgtaa attagttact aaacagagcc atatatcttc      893

aatcaaaaaa aaaaaaaaaa                                          913

```

```

<210> 42
<211> 243
<212> PRT
<213> Arabidopsis thaliana

```

```

<400> 42

```

```

Met Tyr Gly Gln Cys Asn Ile Glu Ser Asp Tyr Ala Leu Leu Glu Ser
1                      5                      10                      15

```

```

Ile Thr Arg His Leu Leu Gly Gly Gly Gly Glu Asn Glu Leu Arg Leu
20                      25                      30

```

```

Asn Glu Ser Thr Pro Ser Ser Cys Phe Thr Glu Ser Trp Gly Gly Leu
35                      40                      45

```

```

Pro Leu Lys Glu Asn Asp Ser Glu Asp Met Leu Val Tyr Gly Leu Leu
50                      55                      60

```

```

Lys Asp Ala Phe His Phe Asp Thr Ser Ser Ser Asp Leu Ser Cys Leu
65                      70                      75                      80

```

```

Phe Asp Phe Pro Ala Val Lys Val Glu Pro Thr Glu Asn Phe Thr Ala
85                      90                      95

```

```

Met Glu Glu Lys Pro Lys Lys Ala Ile Pro Val Thr Glu Thr Ala Val
100                      105                      110

```

MBI15 Sequence Listing.ST25

Lys Ala Lys His Tyr Arg Gly Val Arg Gln Arg Pro Trp Gly Lys Phe
 115 120 125

Ala Ala Glu Ile Arg Asp Pro Ala Lys Asn Gly Ala Arg Val Trp Leu
 130 135 140

Gly Thr Phe Glu Thr Ala Glu Asp Ala Ala Leu Ala Tyr Asp Ile Ala
 145 150 155 160

Ala Phe Arg Met Arg Gly Ser Arg Ala Leu Leu Asn Phe Pro Leu Arg
 165 170 175

Val Asn Ser Gly Glu Pro Asp Pro Val Arg Ile Thr Ser Lys Arg Ser
 180 185 190

Ser Ser Ser Ser Ser Ser Ser Ser Ser Thr Ser Ser Ser Glu Asn
 195 200 205

Gly Lys Leu Lys Arg Arg Arg Lys Ala Glu Asn Leu Thr Ser Glu Val
 210 215 220

Val Gln Val Lys Cys Glu Val Gly Asp Glu Thr Arg Val Asp Glu Leu
 225 230 235 240

Leu Val Ser

<210> 43
 <211> 912
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (53)..(859)
 <223> G1309

<400> 43
 cgctgcacctc ttaattaaga cgacttgaga gagaagaaaa gatacgtgga ag atg acc 58
 Met Thr
 1

aaa tct gga gag aga cca aaa cag aga cag agg aaa ggg tta tgg tca 106
 Lys Ser Gly Glu Arg Pro Lys Gln Arg Gln Arg Lys Gly Leu Trp Ser
 5 10 15

cct gaa gaa gac cag aag ctc aag agt ttc atc ctc tct cgt ggc cat 154
 Pro Glu Glu Asp Gln Lys Leu Lys Ser Phe Ile Leu Ser Arg Gly His
 20 25 30

gct tgc tgg acc act gtt ccc atc cta gct gga ttg caa agg aat ggg 202
 Ala Cys Trp Thr Thr Val Pro Ile Leu Ala Gly Leu Gln Arg Asn Gly
 35 40 45 50

aaa agc tgc aga tta agg tgg att aat tac cta aga cca gga cta aag 250
 Lys Ser Cys Arg Leu Arg Trp Ile Asn Tyr Leu Arg Pro Gly Leu Lys
 55 60 65

agg ggg tcg ttt agt gaa gaa gaa gaa gag acc atc ttg act tta cat 298
 Arg Gly Ser Phe Ser Glu Glu Glu Glu Thr Ile Leu Thr Leu His
 70 75 80

tct tcc ttg ggt aac aag tgg tct cgg att gca aaa tat tta ccg gga 346

MBI15 Sequence Listing.ST25

Ser Ser Leu Gly Asn Lys Trp	Ser Arg Ile Ala Lys Tyr Leu Pro Gly	
85	90	95
aga aca gac aac gag att aag aac tat tgg cat tcc tat ctg aag aag		394
Arg Thr Asp Asn Glu Ile Lys Asn Tyr Trp His Ser Tyr Leu Lys Lys		
100	105	110
aga tgg ctc aaa tct caa cca caa ctc aaa agc caa ata tca gac ctc		442
Arg Trp Leu Lys Ser Gln Pro Gln Leu Lys Ser Gln Ile Ser Asp Leu		
115	120	125
aca gaa tct cct tct tca cta ctt tct tgc ggg aaa aga aat ctg gaa		490
Thr Glu Ser Pro Ser Ser Leu Leu Ser Cys Gly Lys Arg Asn Leu Glu		
	135	140
acc gaa acc cta gat cac gtg atc tcc ttc cag aaa ttt tca gag aat		538
Thr Glu Thr Leu Asp His Val Ile Ser Phe Gln Lys Phe Ser Glu Asn		
	150	155
cca act tca tca cca tcc aaa gaa agc aac aac aac atg atc atg aac		586
Pro Thr Ser Ser Pro Ser Lys Glu Ser Asn Asn Asn Met Ile Met Asn		
	165	170
aac agt aat aac ttg cct aaa ctg ttc ttc tct gag tgg atc agt tct		634
Asn Ser Asn Asn Leu Pro Lys Leu Phe Phe Ser Glu Trp Ile Ser Ser		
	180	185
tca aat cca cac atc gat tac tcc tct gct ttt aca gat tcc aag cac		682
Ser Asn Pro His Ile Asp Tyr Ser Ser Ala Phe Thr Asp Ser Lys His		
	195	200
att aat gaa act caa gat caa atc aat gaa gag gaa gtg atg atg atc		730
Ile Asn Glu Thr Gln Asp Gln Ile Asn Glu Glu Glu Val Met Met Ile		
	215	220
aat aac aac aac tac tct tca ctt gag gat gtc atg ctc cgt aca gat		778
Asn Asn Asn Asn Tyr Ser Ser Leu Glu Asp Val Met Leu Arg Thr Asp		
	230	235
ttt ttg cag cct gat cat gaa tat gca aat tat tat tct tct gga gat		826
Phe Leu Gln Pro Asp His Glu Tyr Ala Asn Tyr Tyr Ser Ser Gly Asp		
	245	250
ttc ttc atc aac agt gac caa aat tat gtc taa gaagagtga tatgatcgta		879
Phe Phe Ile Asn Ser Asp Gln Asn Tyr Val		
	260	265
agaggaacat aagctagtta cttgtgttac agc		912

<210> 44
 <211> 268
 <212> PRT
 <213> Arabidopsis thaliana

<400> 44

Met Thr Lys Ser Gly Glu Arg Pro Lys Gln Arg Gln Arg Lys Gly Leu	
1	15
Trp Ser Pro Glu Glu Asp Gln Lys Leu Lys Ser Phe Ile Leu Ser Arg	
	30
Gly His Ala Cys Trp Thr Thr Val Pro Ile Leu Ala Gly Leu Gln Arg	
	45
Asn Gly Lys Ser Cys Arg Leu Arg Trp Ile Asn Tyr Leu Arg Pro Gly	
	60
Leu Lys Arg Gly Ser Phe Ser Glu Glu Glu Glu Thr Ile Leu Thr	
65	80

MBI15 Sequence Listing.ST25

Leu His Ser Ser Leu Gly Asn Lys Trp Ser Arg Ile Ala Lys Tyr Leu
85 90 95

Pro Gly Arg Thr Asp Asn Glu Ile Lys Asn Tyr Trp His Ser Tyr Leu
100 105 110

Lys Lys Arg Trp Leu Lys Ser Gln Pro Gln Leu Lys Ser Gln Ile Ser
115 120 125

Asp Leu Thr Glu Ser Pro Ser Ser Leu Leu Ser Cys Gly Lys Arg Asn
130 135 140

Leu Glu Thr Glu Thr Leu Asp His Val Ile Ser Phe Gln Lys Phe Ser
145 150 155 160

Glu Asn Pro Thr Ser Ser Pro Ser Lys Glu Ser Asn Asn Asn Met Ile
165 170 175

Met Asn Asn Ser Asn Asn Leu Pro Lys Leu Phe Phe Ser Glu Trp Ile
180 185 190

Ser Ser Ser Asn Pro His Ile Asp Tyr Ser Ser Ala Phe Thr Asp Ser
195 200 205

Lys His Ile Asn Glu Thr Gln Asp Gln Ile Asn Glu Glu Glu Val Met
210 215 220

Met Ile Asn Asn Asn Asn Tyr Ser Ser Leu Glu Asp Val Met Leu Arg
225 230 235 240

Thr Asp Phe Leu Gln Pro Asp His Glu Tyr Ala Asn Tyr Tyr Ser Ser
245 250 255

Gly Asp Phe Phe Ile Asn Ser Asp Gln Asn Tyr Val
260 265

<210> 45
<211> 1575
<212> DNA
<213> Arabidopsis thaliana

<220>
<221> CDS
<222> (1)..(1575)
<223> G2550

<400> 45
atg gct gtg tat tac cct aat agt gtc ggc atg caa tct ctt tac caa 48
Met Ala Val Tyr Tyr Pro Asn Ser Val Gly Met Gln Ser Leu Tyr Gln
1 5 10 15

gaa tcc att tac ctc aac gaa caa caa caa caa caa gct tct 96
Glu Ser Ile Tyr Leu Asn Glu Gln Gln Gln Gln Gln Ala Ser
20 25 30

tct tcc tct gct gca tct ttc tcc gag att gtt tcc ggt gat gtt cga 144
Ser Ser Tyr Ala Ala Ser Phe Ser Glu Ile Val Ser Gly Asp Val Arg
35 40 45

aac aac gag atg gta ttt atc cca cca aca agc gac gta gcc gtc aac 192

MBI15 Sequence Listing.ST25																
Asn 50	Asn 50	Glu	Met	Val	Phe	Ile 55	Pro	Pro	Thr	Ser	Asp 60	Val	Ala	Val	Asn	
gga Gly 65	aac Asn	gta Val	acg Thr	gtg Val	tca Ser 70	agt Ser	aac Asn	gat Asp	cta Leu	agc Ser 75	ttt Phe	cac His	ggt Gly	gga Gly 80	gga Gly	240
ctt Leu	tct Ser	tta Leu	agt Ser	ctt Leu 85	ggt Gly	aat Asn	cag Gln	atc Ile	cag Gln 90	tca Ser	gct Ala	gtc Val	tct Ser	ggt Val 95	tct Ser	288
ccg Pro	ttt Phe	cag Gln	tat Tyr 100	cat His	tac Tyr	cag Gln	aat Asn 105	ctt Leu	tcg Ser	aac Asn	caa Gln	ttg Leu	agt Ser 110	tac Tyr	aat Asn	336
aat Asn	ctt Leu	aat Asn 115	cct Pro	tct Ser	act Thr	atg Met	tct Ser 120	gat Asp	gag Glu	aat Asn	ggg Gly 125	aag Lys	agc Ser	ttg Leu	agt Ser	384
ggt Val	cat His 130	cag Gln	cat His	cac His	tct Ser	gat Gly 135	caa Gln	att Ile	tta Leu	cct Pro	tcc Ser 140	tct Ser	ggt Val	tac Tyr	aac Asn	432
aac Asn 145	aat Asn	ggt Gly	aat Asn	aat Asn	ggt Gly 150	ggt Val	gga Gly	ttc Phe	tac Tyr	aac Asn 155	aat Asn	tac Tyr	cgt Arg	tac Tyr	gag Glu 160	480
aca Thr	tca Ser	ggg Gly	ttt Phe	gtg Val 165	agt Ser	agt Ser	gta Val	ctg Leu	aga Arg 170	tct Ser	cgt Arg	tac Tyr	ctt Leu	aaa Lys 175	cca Pro	528
aca Thr	caa Gln	caa Gln	ttg Leu 180	ctt Leu	gat Asp	gaa Glu	ggt Val 185	ggt Val	agt Ser	gta Val	agg Arg	aaa Lys	gat Asp 190	ttg Leu	aaa Lys	576
ttg Leu	ggg Gly	aat Asn 195	aag Lys	aag Lys	atg Met	aag Lys	aat Asn 200	gat Asp	aaa Lys	ggt Gly	caa Gln	gac Asp 205	ttt Phe	cac His	aat Asn	624
ggg Gly	tct Ser	agt Ser	gat Asp	aac Asn	att Ile	aca Thr 215	gaa Glu	gat Asp	gat Asp	aaa Lys	tct Ser 220	caa Gln	tcg Ser	cag Gln	gag Glu	672
ttg Leu 225	tct Ser	cct Pro	tca Ser	gaa Glu	cgt Arg 230	cag Gln	gag Glu	cta Leu	cag Gln	agc Ser 235	aag Lys	aag Lys	agc Ser	aag Lys	ctt Leu 240	720
tta Leu	aca Thr	atg Met	gtg Val	gat Asp 245	gag Glu	gta Val	gat Asp	aaa Lys	agg Arg 250	tat Tyr	aac Asn	caa Gln	tac Tyr	cat His 255	cat His	768
caa Gln	atg Met	gaa Glu	gct Ala 260	tta Leu	gca Ala	tcg Ser	tct Ser	ttc Phe 265	gag Glu	atg Met	gta Val	aca Thr	ggt Gly 270	ctt Leu	gga Gly	816
gca Ala	gct Ala	aag Lys 275	cct Pro	tac Tyr	aca Thr	tcc Ser	gta Val 280	gct Ala	ctg Leu	aat Asn	aga Arg	atc Ile 285	tct Ser	cgc Arg	cat His	864
ttc Phe 290	cgc Arg	tgt Cys	tta Leu	cgc Arg	gac Asp	gcg Ala 295	ata Ile	aaa Lys	gaa Glu	cag Gln	att Ile 300	cag Gln	gtg Val	atc Ile	aga Arg	912
ggg Gly 305	aag Lys	ctt Leu	ggg Gly	gag Glu	aga Arg 310	gag Glu	act Thr	tct Ser	gat Asp	gaa Glu 315	caa Gln	gga Gly	gag Glu	agg Arg	ata Ile 320	960
ccg Pro	cgt Arg	ctt Leu	agg Arg 325	tac Tyr	tta Leu	gat Asp	caa Gln	cgg Arg	ttg Leu 330	aga Arg	caa Gln	cag Gln	aga Arg	gct Ala 335	ttg Leu	1008
cat His	caa Gln	caa Gln	ctt Leu 340	gga Gly	atg Met	ggt Val	aga Arg	cca Pro 345	gct Ala	tgg Trp	aga Arg	cca Pro	caa Gln	aga Arg	ggc Gly 350	1056

MBI15 Sequence Listing.ST25

tta cct gaa aac tct gtc tct ata ctt cga gct tgg ctc ttt gag cat 1104
 Leu Pro Glu Asn Ser Val Ser Ile Leu Arg Ala Trp Leu Phe Glu His
 355 360 365

ttc ctt cat cca tat cct aaa gaa tca gag aaa atc atg ctt tca aag 1152
 Phe Leu His Pro Tyr Pro Lys Glu Ser Glu Lys Ile Met Leu Ser Lys
 370 375 380

cag aca gga cta tcg aaa aac cag gtt gca aat tgg ttt att aac gcg 1200
 Gln Thr Gly Leu Ser Lys Asn Gln Val Ala Asn Trp Phe Ile Asn Ala
 385 390 395 400

aga gtt cga cta tgg aaa cca atg att gaa gag atg tat aaa gaa gag 1248
 Arg Val Arg Leu Trp Lys Pro Met Ile Glu Glu Met Tyr Lys Glu Glu
 405 410 415

ttt gga gaa tca gca gag tta ctc tct aac tct aat caa gac acc aaa 1296
 Phe Gly Glu Ser Ala Glu Leu Leu Ser Asn Ser Asn Gln Asp Thr Lys
 420 425 430

aaa atg cag gaa aca tct cag ctc aaa cac gaa gac tct tcg tct tcg 1344
 Lys Met Gln Glu Thr Ser Gln Leu Lys His Glu Asp Ser Ser Ser Ser
 435 440 445

caa caa cag aat cag gga aac aac aac aac aac atc cca tat aca tct 1392
 Gln Gln Gln Asn Gln Gly Asn Asn Asn Asn Asn Ile Pro Tyr Thr Ser
 450 455 460

gat gca gaa caa aac cta gtc ttt gca gat cct aaa cca gac cgt gct 1440
 Asp Ala Glu Gln Asn Leu Val Phe Ala Asp Pro Lys Pro Asp Arg Ala
 465 470 475 480

act act gga gat tac gac agc ttg atg aac tat cat ggg ttt ggt att 1488
 Thr Thr Gly Asp Tyr Asp Ser Leu Met Asn Tyr His Gly Phe Gly Ile
 485 490 495

gat gat tac aat cgt tac gtt ggc ctt gga aac caa caa gat ggc aga 1536
 Asp Asp Tyr Asn Arg Tyr Val Gly Leu Gly Asn Gln Gln Asp Gly Arg
 500 505 510

tat tct aat ccc cat caa tta cac gac ttt gtt gtc taa 1575
 Tyr Ser Asn Pro His Gln Leu His Asp Phe Val Val
 515 520

<210> 46
 <211> 524
 <212> PRT
 <213> Arabidopsis thaliana

<400> 46

Met Ala Val Tyr Tyr Pro Asn Ser Val Gly Met Gln Ser Leu Tyr Gln
 1 5 10 15

Glu Ser Ile Tyr Leu Asn Glu Gln Gln Gln Gln Gln Gln Ala Ser
 20 25 30

Ser Ser Ser Ala Ala Ser Phe Ser Glu Ile Val Ser Gly Asp Val Arg
 35 40 45

Asn Asn Glu Met Val Phe Ile Pro Pro Thr Ser Asp Val Ala Val Asn
 50 55 60

Gly Asn Val Thr Val Ser Ser Asn Asp Leu Ser Phe His Gly Gly Gly
 65 70 75 80

Leu Ser Leu Ser Leu Gly Asn Gln Ile Gln Ser Ala Val Ser Val Ser
 85 90 95

MBI15 Sequence Listing.ST25

Pro Phe Gln Tyr His Tyr Gln Asn Leu Ser Asn Gln Leu Ser Tyr Asn
 100 105 110
 Asn Leu Asn Pro Ser Thr Met Ser Asp Glu Asn Gly Lys Ser Leu Ser
 115 120 125
 Val His Gln His His Ser Asp Gln Ile Leu Pro Ser Ser Val Tyr Asn
 130 135 140
 Asn Asn Gly Asn Asn Gly Val Gly Phe Tyr Asn Asn Tyr Arg Tyr Glu
 145 150 155 160
 Thr Ser Gly Phe Val Ser Ser Val Leu Arg Ser Arg Tyr Leu Lys Pro
 165 170 175
 Thr Gln Gln Leu Leu Asp Glu Val Val Ser Val Arg Lys Asp Leu Lys
 180 185 190
 Leu Gly Asn Lys Lys Met Lys Asn Asp Lys Gly Gln Asp Phe His Asn
 195 200 205
 Gly Ser Ser Asp Asn Ile Thr Glu Asp Asp Lys Ser Gln Ser Gln Glu
 210 215 220
 Leu Ser Pro Ser Glu Arg Gln Glu Leu Gln Ser Lys Lys Ser Lys Leu
 225 230 235 240
 Leu Thr Met Val Asp Glu Val Asp Lys Arg Tyr Asn Gln Tyr His His
 245 250 255
 Gln Met Glu Ala Leu Ala Ser Ser Phe Glu Met Val Thr Gly Leu Gly
 260 265 270
 Ala Ala Lys Pro Tyr Thr Ser Val Ala Leu Asn Arg Ile Ser Arg His
 275 280 285
 Phe Arg Cys Leu Arg Asp Ala Ile Lys Glu Gln Ile Gln Val Ile Arg
 290 295 300
 Gly Lys Leu Gly Glu Arg Glu Thr Ser Asp Glu Gln Gly Glu Arg Ile
 305 310 315 320
 Pro Arg Leu Arg Tyr Leu Asp Gln Arg Leu Arg Gln Gln Arg Ala Leu
 325 330 335
 His Gln Gln Leu Gly Met Val Arg Pro Ala Trp Arg Pro Gln Arg Gly
 340 345 350
 Leu Pro Glu Asn Ser Val Ser Ile Leu Arg Ala Trp Leu Phe Glu His
 355 360 365
 Phe Leu His Pro Tyr Pro Lys Glu Ser Glu Lys Ile Met Leu Ser Lys
 370 375 380
 Gln Thr Gly Leu Ser Lys Asn Gln Val Ala Asn Trp Phe Ile Asn Ala
 385 390 395 400

MBI15 Sequence Listing.ST25

Arg Val Arg Leu Trp Lys Pro Met Ile Glu Glu Met Tyr Lys Glu Glu
405 410 415

Phe Gly Glu Ser Ala Glu Leu Leu Ser Asn Ser Asn Gln Asp Thr Lys
420 425 430

Lys Met Gln Glu Thr Ser Gln Leu Lys His Glu Asp Ser Ser Ser Ser
435 440 445

Gln Gln Gln Asn Gln Gly Asn Asn Asn Asn Ile Pro Tyr Thr Ser
450 455 460

Asp Ala Glu Gln Asn Leu Val Phe Ala Asp Pro Lys Pro Asp Arg Ala
465 470 475 480

Thr Thr Gly Asp Tyr Asp Ser Leu Met Asn Tyr His Gly Phe Gly Ile
485 490 495

Asp Asp Tyr Asn Arg Tyr Val Gly Leu Gly Asn Gln Gln Asp Gly Arg
500 505 510

Tyr Ser Asn Pro His Gln Leu His Asp Phe Val Val
515 520

<210> 47
<211> 1983
<212> DNA
<213> Arabidopsis thaliana

<220>
<221> CDS
<222> (73)..(1956)
<223> G965

<400> 47
gattctctgt gtagtcttga atccttacag gatccaagag ctttggaataa aagatataat 60
gaataacaag at atg ggt tta gct act aca act tct tct atg tca caa gat 111
Met Gly Leu Ala Thr Thr Ser Ser Met Ser Gln Asp
1 5 10
tat cat cat cac caa gga atc ttt tcc ttc tct aat gga ttc cac cga 159
Tyr His His His Gln Gly Ile Phe Ser Phe Ser Asn Gly Phe His Arg
15 20 25
tca tca tca acc act cat cag gag gaa gta gat gaa tcc gcc gtc gtc 207
Ser Ser Ser Thr Thr His Gln Glu Glu Val Asp Glu Ser Ala Val Val
30 35 40 45
tcc ggt gct caa att ccg gtt tat gaa acc gcc gga atg ttg tct gaa 255
Ser Gly Ala Gln Ile Pro Val Tyr Glu Thr Ala Gly Met Leu Ser Glu
50 55 60
atg ttt gct tac cct ggc gga ggt ggc ggc ggt tcc ggt gga gag att 303
Met Phe Ala Tyr Pro Gly Gly Gly Gly Gly Ser Gly Gly Glu Ile
65 70 75
ctt gat cag tct act aaa cag ttg cta gag caa caa aac cgt cac aac 351
Leu Asp Gln Ser Thr Lys Gln Leu Leu Glu Gln Gln Asn Arg His Asn
80 85 90
aac aac aat aac tca act ctt cat atg tta tta cca aat cat cat caa 399
Asn Asn Asn Asn Ser Thr Leu His Met Leu Leu Pro Asn His His Gln
95 100 105

MBI15 Sequence Listing.ST25

ggt ttt gct ttc acc gac gaa aac act atg cag ccg cag caa caa caa Gly Phe Ala Phe Thr Asp Glu Asn Thr Met Gln Pro Gln Gln Gln Gln 110 115 120 125	447
cac ttt aca tgg cca tct tcc tcc tcc gat cat cat caa aac cga gat His Phe Thr Trp Pro Ser Ser Ser Ser Asp His His Gln Asn Arg Asp 130 135 140	495
atg atc gga acc gtc cac gtg gaa gga gga aag ggt ttg tct tta tct Met Ile Gly Thr Val His Val Glu Gly Gly Lys Gly Leu Ser Leu Ser 145 150 155	543
ctc tca tct tca tta gcc gca gct aaa gcc gag gaa tat aga agc att Leu Ser Ser Ser Leu Ala Ala Lys Ala Glu Glu Tyr Arg Ser Ile 160 165 170	591
tat tgt gca gcc gtt gat gga act tct tct tct tct aac gca tcc gct Tyr Cys Ala Ala Val Asp Gly Thr Ser Ser Ser Ser Asn Ala Ser Ala 175 180 185	639
cat cat cat caa ttc aat cag ttc aag aat ctt ctt ctt gag aat tct His His His Gln Phe Asn Gln Phe Lys Asn Leu Leu Leu Glu Asn Ser 190 195 200 205	687
tct tct caa cat cat cac cat caa gtt gtt gga cat ttt ggt tca tca Ser Ser Gln His His His His Gln Val Val Gly His Phe Gly Ser Ser 210 215 220	735
tca tca tct ccc atg gcg gct tct tca tcc att gga ggg atc tac acg Ser Ser Ser Pro Met Ala Ala Ser Ser Ser Ile Gly Gly Ile Tyr Thr 225 230 235	783
ttg agg aat tcg aaa tat acg aaa ccg gct caa gag ttg ttg gaa gag Leu Arg Asn Ser Lys Tyr Thr Lys Pro Ala Gln Glu Leu Leu Glu Glu 240 245 250	831
ttt tgt agt gtt gga aga gga cat ttc aag aag aac aaa ctt agt agg Phe Cys Ser Val Gly Arg Gly His Phe Lys Lys Asn Lys Leu Ser Arg 255 260 265	879
aac aac tca aac cct aat act acc ggt gga gga gga ggc gga ggg tcc Asn Asn Ser Asn Pro Asn Thr Thr Gly Gly Gly Gly Gly Gly Ser 270 275 280 285	927
tcg tca tcg gcc gga aca gct aat gat agt cct cct ttg tct ccg gct Ser Ser Ser Ala Gly Thr Ala Asn Asp Ser Pro Pro Leu Ser Pro Ala 290 295 300	975
gat cgg att gaa cat caa aga aga aaa gtc aag cta cta tct atg ctt Asp Arg Ile Glu His Gln Arg Arg Lys Val Lys Leu Leu Ser Met Leu 305 310 315	1023
gaa gag gtg gac cga cgg tac aac cac tac tgc gaa caa atg caa atg Glu Glu Val Asp Arg Arg Tyr Asn His Tyr Cys Glu Gln Met Gln Met 320 325 330	1071
gta gtg aac tca ttc gac caa gta atg ggt tac ggc gcg gcg gtt ccg Val Val Asn Ser Phe Asp Gln Val Met Gly Tyr Gly Ala Ala Val Pro 335 340 345	1119
tac acg aca tta gct caa aag gca atg tct agg cat ttc cgg tgt ttg Tyr Thr Thr Leu Ala Gln Lys Ala Met Ser Arg His Phe Arg Cys Leu 350 355 360 365	1167
aaa gac gcg gta gcg gtt cag ctt aaa cgc agc tgt gag ctt cta ggg Lys Asp Ala Val Ala Val Gln Leu Lys Arg Ser Cys Glu Leu Leu Gly 370 375 380	1215
gat aaa gag gcg gca ggg gct gca tcc tcg ggg tta acc aaa ggg gaa Asp Lys Glu Ala Ala Gly Ala Ala Ser Ser Gly Leu Thr Lys Gly Glu 385 390 395	1263
acg ccg cga ttg cgt ttg cta gag cag agt ttg cgt cag caa cga gcg Thr Pro Arg Leu Arg Leu Leu Glu Gln Ser Leu Arg Gln Gln Arg Ala 1311	1311

MBI15 Sequence Listing.ST25

400	405	410	
ttt cat cat atg ggt atg atg gag caa gag gca tgg aga ccg caa cgt Phe His His Met Gly Met Met Glu Gln Glu Ala Trp Arg Pro Gln Arg 415 420 425			1359
ggt ttg cct gaa cgc tcc gtt aat atc ctt aga gct tgg cta ttc gag Gly Leu Pro Glu Arg Ser Val Asn Ile Leu Arg Ala Trp Leu Phe Glu 430 435 440 445			1407
cat ttt ctt aat ccg tac cca agc gat gct gat aag cac ctc tta gca His Phe Leu Asn Pro Tyr Pro Ser Asp Ala Asp Lys His Leu Leu Ala 450 455 460			1455
cga cag act ggt tta tcc aga aat cag gtg tca aat tgg ttc ata aat Arg Gln Thr Gly Leu Ser Arg Asn Gln Val Ser Asn Trp Phe Ile Asn 465 470 475			1503
gct agg gtt cgc cta tgg aaa cca atg gtg gaa gag atg tat caa caa Ala Arg Val Arg Leu Trp Lys Pro Met Val Glu Glu Met Tyr Gln Gln 480 485 490			1551
gaa gca aaa gaa aga gaa gaa gca gaa gaa gaa aat gaa aat caa caa Glu Ala Lys Glu Arg Glu Glu Ala Glu Glu Glu Asn Glu Asn Gln Gln 495 500 505			1599
caa caa aga aga cag caa caa aca aac aac aac gac acg aaa ccc aac Gln Gln Arg Arg Gln Gln Gln Thr Asn Asn Asn Asp Thr Lys Pro Asn 510 515 520 525			1647
aac aat gaa aac aac ttc act gtc ata acc gca caa act cca acg acg Asn Asn Glu Asn Asn Phe Thr Val Ile Thr Ala Gln Thr Pro Thr Thr 530 535 540			1695
atg aca tcg aca cat cac gaa aac gac tct tca ttc ctc tct tcc gtc Met Thr Ser Thr His His Glu Asn Asp Ser Ser Phe Leu Ser Ser Val 545 550 555			1743
gcc gcc gct tct cac ggc ggt tca gac gcg ttc acc gtc gcc acg tgt Ala Ala Ala Ser His Gly Gly Ser Asp Ala Phe Thr Val Ala Thr Cys 560 565 570			1791
cag caa gac gtc agt gac ttc cac gtc gac gga gat ggt gtg aac gtc Gln Gln Asp Val Ser Asp Phe His Val Asp Gly Asp Gly Val Asn Val 575 580 585			1839
ata aga ttc ggg acc aaa cag act ggt gac gtg tct ctt acg ctt ggt Ile Arg Phe Gly Thr Lys Gln Thr Gly Asp Val Ser Leu Thr Leu Gly 590 595 600 605			1887
cta cgc cac tct ggc aat att cct gat aag aac act tct ttc tcc gtt Leu Arg His Ser Gly Asn Ile Pro Asp Lys Asn Thr Ser Phe Ser Val 610 615 620			1935
aga gac ttt gga gat ttt tag tcttctttgt tcttcaattt attcatc Arg Asp Phe Gly Asp Phe 625			1983

<210> 48
 <211> 627
 <212> PRT
 <213> Arabidopsis thaliana

<400> 48

Met Gly Leu Ala Thr Thr Thr Ser Ser Met Ser Gln Asp Tyr His His
 1 5 10 15

His Gln Gly Ile Phe Ser Phe Ser Asn Gly Phe His Arg Ser Ser Ser
 20 25 30

Thr Thr His Gln Glu Glu Val Asp Glu Ser Ala Val Val Ser Gly Ala

Page 63

MBI15 Sequence Listing.ST25

Ser Phe Asp Gln Val Met Gly Tyr Gly Ala Ala Val Pro Tyr Thr Thr
 340 345 350

Leu Ala Gln Lys Ala Met Ser Arg His Phe Arg Cys Leu Lys Asp Ala
 355 360 365

Val Ala Val Gln Leu Lys Arg Ser Cys Glu Leu Leu Gly Asp Lys Glu
 370 375 380

Ala Ala Gly Ala Ala Ser Ser Gly Leu Thr Lys Gly Glu Thr Pro Arg
 385 390 395 400

Leu Arg Leu Leu Glu Gln Ser Leu Arg Gln Gln Arg Ala Phe His His
 405 410 415

Met Gly Met Met Glu Gln Glu Ala Trp Arg Pro Gln Arg Gly Leu Pro
 420 425 430

Glu Arg Ser Val Asn Ile Leu Arg Ala Trp Leu Phe Glu His Phe Leu
 435 440 445

Asn Pro Tyr Pro Ser Asp Ala Asp Lys His Leu Leu Ala Arg Gln Thr
 450 455 460

Gly Leu Ser Arg Asn Gln Val Ser Asn Trp Phe Ile Asn Ala Arg Val
 465 470 475 480

Arg Leu Trp Lys Pro Met Val Glu Glu Met Tyr Gln Gln Glu Ala Lys
 485 490 495

Glu Arg Glu Glu Ala Glu Glu Glu Asn Glu Asn Gln Gln Gln Gln Arg
 500 505 510

Arg Gln Gln Gln Thr Asn Asn Asn Asp Thr Lys Pro Asn Asn Asn Glu
 515 520 525

Asn Asn Phe Thr Val Ile Thr Ala Gln Thr Pro Thr Thr Met Thr Ser
 530 535 540

Thr His His Glu Asn Asp Ser Ser Phe Leu Ser Ser Val Ala Ala Ala
 545 550 555 560

Ser His Gly Gly Ser Asp Ala Phe Thr Val Ala Thr Cys Gln Gln Asp
 565 570 575

Val Ser Asp Phe His Val Asp Gly Asp Gly Val Asn Val Ile Arg Phe
 580 585 590

Gly Thr Lys Gln Thr Gly Asp Val Ser Leu Thr Leu Gly Leu Arg His
 595 600 605

Ser Gly Asn Ile Pro Asp Lys Asn Thr Ser Phe Ser Val Arg Asp Phe
 610 615 620

Gly Asp Phe
 625

MBI15 Sequence Listing.ST25

```

<210> 49
<211> 1420
<212> DNA
<213> Arabidopsis thaliana

<220>
<221> CDS
<222> (138)..(1046)
<223> G793

<400> 49
cattctctca cctaacaact ccacacaaga ttcttcgcat ggaaagtgt tcttcgactt      60
ctcttctctca actcgetatc ttttaactca cccagctcca ctgagtcgaa aatttcaaac      120
ctttactcgt ttccttc atg gct aat aac aac aac atc cca cat gat agc      170
                Met Ala Asn Asn Asn Asn Ile Pro His Asp Ser
                1                    5                    10

atc tcc gat cca tct cct acc gac gat ttc ttc gag cag atc ctc ggg      218
Ile Ser Asp Pro Ser Pro Thr Asp Asp Phe Phe Glu Gln Ile Leu Gly
                15                    20                    25

ctt tcc aac ttc tcc ggt tct tca ggt tct ggt ctc tct gga atc ggc      266
Leu Ser Asn Phe Ser Gly Ser Ser Gly Ser Gly Leu Ser Gly Ile Gly
                30                    35                    40

ggc gtg ggt cca cct ccg atg atg ctt cag ctt ggt tca ggc aac gaa      314
Gly Val Gly Pro Pro Pro Met Met Leu Gln Leu Gly Ser Gly Asn Glu
                45                    50                    55

ggg aat cat aat cat atg ggt gcc att gga gga ggt gga cct gta ggg      362
Gly Asn His Asn His Met Gly Ala Ile Gly Gly Gly Gly Pro Val Gly
        60                    65                    70                    75

ttt cat aat cag atg ttt ccg ttg gga tta agt ctc gat caa ggg aaa      410
Phe His Asn Gln Met Phe Pro Leu Gly Leu Ser Leu Asp Gln Gly Lys
                80                    85                    90

gga cat ggc ttt ctt aaa cct gat gaa act ggt aaa cgt ttc caa gac      458
Gly His Gly Phe Leu Lys Pro Asp Glu Thr Gly Lys Arg Phe Gln Asp
                95                    100                    105

gat gtt ctt gat aat cga tgt tcc tct atg aaa cct att ttc cat ggg      506
Asp Val Leu Asp Asn Arg Cys Ser Ser Met Lys Pro Ile Phe His Gly
                110                    115                    120

cag cca atg tca cag cca gct cca cca atg ccg cat caa cag tct act      554
Gln Pro Met Ser Gln Pro Ala Pro Pro Met Pro His Gln Gln Ser Thr
                125                    130                    135

att cgg cct aga gtt agg gct agg cga ggt caa gct acc gat cca cat      602
Ile Arg Pro Arg Val Arg Ala Arg Arg Gly Gln Ala Thr Asp Pro His
        140                    145                    150                    155

agc atc gct gag agg ctc cga agg gaa aga ata gca gaa cgg atc agg      650
Ser Ile Ala Glu Arg Leu Arg Arg Glu Arg Ile Ala Glu Arg Ile Arg
                160                    165                    170

tcg ttg cag gaa ctt gta cct acc gtt aac aag aca gat agg gct gct      698
Ser Leu Gln Glu Leu Val Pro Thr Val Asn Lys Thr Asp Arg Ala Ala
                175                    180                    185

atg atc gac gag att gtc gat tat gta aag ttt ctc agg ctc caa gtt      746
Met Ile Asp Glu Ile Val Asp Tyr Val Lys Phe Leu Arg Leu Gln Val
                190                    195                    200

aag gtc ctg agc atg agc cgt ctt ggt gga gcc ggt gct gtc gca cca      794
Lys Val Leu Ser Met Ser Arg Leu Gly Gly Ala Gly Ala Val Ala Pro
                205                    210                    215

cta gtc act gaa atg cca tta tct tca tca gtt gag gat gag acg cag      842
Leu Val Thr Glu Met Pro Leu Ser Ser Ser Val Glu Asp Glu Thr Gln

```

MBI15 Sequence Listing.ST25

220	225	230	235	
gcc gtg tgg gag aaa tgg tca aac gat ggg aca gag agg caa gtg gct				890
Ala Val Trp Glu Lys Trp Ser Asn Asp Gly Thr Glu Arg Gln Val Ala	240	245	250	
aag ctg atg gaa gaa aac gtt gga gca gcg atg caa ctt ttg caa tca				938
Lys Leu Met Glu Glu Asn Val Gly Ala Ala Met Gln Leu Leu Gln Ser	255	260	265	
aag gct ctt tgc ata atg ccg atc tca ttg gca atg gcg att tac cat				986
Lys Ala Leu Cys Ile Met Pro Ile Ser Leu Ala Met Ala Ile Tyr His	270	275	280	
tct cag cca cca gac aca tct tct tca atc gtc aaa cca gag atg aat				1034
Ser Gln Pro Pro Asp Thr Ser Ser Ser Ile Val Lys Pro Glu Met Asn	285	290	295	
cct cca ccg tag atttttgttc atccaacggt cccagctga tgattgacat				1086
Pro Pro Pro	300			
tttgctctgt ttccactac tagacttttg tgactcatga aaggtaagta aaaaggcatt				1146
ggagatggaa tctaagtagg atttgtgcag taaagaagta aaacgggacg tgtcaaaaga				1206
aggaaaaagc tctcgcttgc ttggctagta tttatcattt tgatgaaagt aactcttttt				1266
tggtcaaaga ctttagtggtg attttcagga ccaagggtct tgagggtagt gctagctgta				1326
gtaatagtaa tgaagggtgtg ggatcgtgtt tttgaattat gtaaaaaagg aagaaaaaac				1386
aaatgttggt attatattat gggtttgcct gaaa				1420

<210> 50
 <211> 302
 <212> PRT
 <213> Arabidopsis thaliana

<400> 50

Met Ala Asn Asn Asn Asn Ile Pro His Asp Ser Ile Ser Asp Pro Ser	1	5	10	15
Pro Thr Asp Asp Phe Phe Glu Gln Ile Leu Gly Leu Ser Asn Phe Ser	20	25	30	
Gly Ser Ser Gly Ser Gly Leu Ser Gly Ile Gly Gly Val Gly Pro Pro	35	40	45	
Pro Met Met Leu Gln Leu Gly Ser Gly Asn Glu Gly Asn His Asn His	50	55	60	
Met Gly Ala Ile Gly Gly Gly Gly Pro Val Gly Phe His Asn Gln Met	65	70	75	80
Phe Pro Leu Gly Leu Ser Leu Asp Gln Gly Lys Gly His Gly Phe Leu	85	90	95	
Lys Pro Asp Glu Thr Gly Lys Arg Phe Gln Asp Asp Val Leu Asp Asn	100	105	110	
Arg Cys Ser Ser Met Lys Pro Ile Phe His Gly Gln Pro Met Ser Gln	115	120	125	
Pro Ala Pro Pro Met Pro His Gln Gln Ser Thr Ile Arg Pro Arg Val				

MBI15 Sequence Listing.ST25

130	135	140	
Arg Ala Arg Arg Gly Gln Ala Thr Asp Pro His Ser Ile Ala Glu Arg			
145	150	155	160
Leu Arg Arg Glu Arg Ile Ala Glu Arg Ile Arg Ser Leu Gln Glu Leu			
	165	170	175
Val Pro Thr Val Asn Lys Thr Asp Arg Ala Ala Met Ile Asp Glu Ile			
	180	185	190
Val Asp Tyr Val Lys Phe Leu Arg Leu Gln Val Lys Val Leu Ser Met			
	195	200	205
Ser Arg Leu Gly Gly Ala Gly Ala Val Ala Pro Leu Val Thr Glu Met			
	210	215	220
Pro Leu Ser Ser Ser Val Glu Asp Glu Thr Gln Ala Val Trp Glu Lys			
	225	230	235
Trp Ser Asn Asp Gly Thr Glu Arg Gln Val Ala Lys Leu Met Glu Glu			
	245	250	255
Asn Val Gly Ala Ala Met Gln Leu Leu Gln Ser Lys Ala Leu Cys Ile			
	260	265	270
Met Pro Ile Ser Leu Ala Met Ala Ile Tyr His Ser Gln Pro Pro Asp			
	275	280	285
Thr Ser Ser Ser Ile Val Lys Pro Glu Met Asn Pro Pro Pro			
	290	295	300
<210>	51		
<211>	1198		
<212>	DNA		
<213>	Arabidopsis thaliana		
<220>			
<221>	CDS		
<222>	(96)..(1052)		
<223>	G764		
<400>	51		
atcgaattcg cggccgctcg atatctttac aaccattaaa caaaaaattt ggccactaca			60
agttgaaaaa gttttgatta tatctaatacg ctgaa atg gat tac aag gta tca			113
	Met Asp Tyr Lys Val Ser		
	1	5	
aga agt ggg gag ata gta gaa gga gaa gta gaa gat tca gaa aag att			161
Arg Ser Gly Glu Ile Val Glu Gly Glu Val Glu Asp Ser Glu Lys Ile			
	10	15	20
gat tta cca cct ggt ttc aga ttt cac cca act gat gaa gaa ctt ata			209
Asp Leu Pro Pro Gly Phe Arg Phe His Pro Thr Asp Glu Glu Leu Ile			
	25	30	35
aca cac tat cta aga cca aag gtt gta aac tct ttt ttc tct gct ata			257
Thr His Tyr Leu Arg Pro Lys Val Val Asn Ser Phe Phe Ser Ala Ile			
	40	45	50
gct att ggt gaa gtt gat ctc aac aaa gtc gag cct tgg gac ttg cct			305
Ala Ile Gly Glu Val Asp Leu Asn Lys Val Glu Pro Trp Asp Leu Pro			

MBI15 Sequence Listing.ST25

55	60	65	70	
tgg aag gct aag ctt ggg gaa aaa gag tgg tac ttc ttt tgc gta aga				353
Trp Lys Ala Lys Leu Gly Glu Lys Glu Trp Tyr Phe Phe Cys Val Arg	75	80	85	
gac cga aaa tac ccg act ggt tta aga acg aat cgt gct act aaa gcc				401
Asp Arg Lys Tyr Pro Thr Gly Leu Arg Thr Asn Arg Ala Thr Lys Ala	90	95	100	
ggg tat tgg aaa gct aca ggg aaa gat aaa gag atc ttc aaa ggg aaa				449
Gly Tyr Trp Lys Ala Thr Gly Lys Asp Lys Glu Ile Phe Lys Gly Lys	105	110	115	
tct ctt gtt ggt atg aag aaa aca ttg gtt ttc tac aaa gga aga gct				497
Ser Leu Val Gly Met Lys Lys Thr Leu Val Phe Tyr Lys Gly Arg Ala	120	125	130	
cct aaa gga gta aaa aca aat tgg gtc atg cat gag tat cga tta gaa				545
Pro Lys Gly Val Lys Thr Asn Trp Val Met His Glu Tyr Arg Leu Glu	135	140	145	150
ggc aaa ttc gct atc gat aat ctc tct aaa acc gct aag aac gaa tgt				593
Gly Lys Phe Ala Ile Asp Asn Leu Ser Lys Thr Ala Lys Asn Glu Cys	155	160	165	
gtt att agt cgt gtt ttt cat aca cgg act gat ggt acg aag gag cat				641
Val Ile Ser Arg Val Phe His Thr Arg Thr Asp Gly Thr Lys Glu His	170	175	180	
atg tcc gtt ggt tta cct ccg ctg atg gat tct tct cca tat cta aag				689
Met Ser Val Gly Leu Pro Pro Leu Met Asp Ser Ser Pro Tyr Leu Lys	185	190	195	
agt aga gga caa gac tct tta gcc ggg acc acc ctt ggt ggg ttg ttg				737
Ser Arg Gly Gln Asp Ser Leu Ala Gly Thr Thr Leu Gly Gly Leu Leu	200	205	210	
tct cac gtt acc tac ttc tcc gac caa aca acc gat gac aag agt ctt				785
Ser His Val Thr Tyr Phe Ser Asp Gln Thr Thr Asp Asp Lys Ser Leu	215	220	225	230
gtg gcc gat ttt aaa act acc atg ttt ggt tcc gga tcg act aac ttt				833
Val Ala Asp Phe Lys Thr Thr Met Phe Gly Ser Gly Ser Thr Asn Phe	235	240	245	
tta cca aac ata ggt tct cta cta gac ttc gat cct ctg ttt cta caa				881
Leu Pro Asn Ile Gly Ser Leu Leu Asp Phe Asp Pro Leu Phe Leu Gln	250	255	260	
aac aat tct tca gta ctg aag atg ttg ctt gac aat gaa gaa acc caa				929
Asn Asn Ser Ser Val Leu Lys Met Leu Leu Asp Asn Glu Glu Thr Gln	265	270	275	
ttt aag aag aat ctt cac aat tca ggt tca tca gag agt gaa cta aca				977
Phe Lys Lys Asn Leu His Asn Ser Gly Ser Ser Glu Ser Glu Leu Thr	280	285	290	
gcg agt tct tgg caa ggt cac aat tct tat ggt tcc act ggt cca gtg				1025
Ala Ser Ser Trp Gln Gly His Asn Ser Tyr Gly Ser Thr Gly Pro Val	295	300	305	310
aat ctt gat tgc gtt tgg aaa ttc tga atttggaataa tcgaaaattt				1072
Asn Leu Asp Cys Val Trp Lys Phe	315			
ggatgttaac tagggggtat atagggtttt taaaaacagt gtatatatgc gttatgtgtt				1132
agcttttagat tctaggatat acaaagatga cactaataga ttcttataac attttgtaaa				1192
aaaaaa				1198

<210> 52
 <211> 318

MBI15 Sequence Listing.ST25

<212> PRT

<213> Arabidopsis thaliana

<400> 52

Met Asp Tyr Lys Val Ser Arg Ser Gly Glu Ile Val Glu Gly Glu Val
 1 5 10 15

Glu Asp Ser Glu Lys Ile Asp Leu Pro Pro Gly Phe Arg Phe His Pro
 20 25 30

Thr Asp Glu Glu Leu Ile Thr His Tyr Leu Arg Pro Lys Val Val Asn
 35 40 45

Ser Phe Phe Ser Ala Ile Ala Ile Gly Glu Val Asp Leu Asn Lys Val
 50 55 60

Glu Pro Trp Asp Leu Pro Trp Lys Ala Lys Leu Gly Glu Lys Glu Trp
 65 70 75 80

Tyr Phe Phe Cys Val Arg Asp Arg Lys Tyr Pro Thr Gly Leu Arg Thr
 85 90 95

Asn Arg Ala Thr Lys Ala Gly Tyr Trp Lys Ala Thr Gly Lys Asp Lys
 100 105 110

Glu Ile Phe Lys Gly Lys Ser Leu Val Gly Met Lys Lys Thr Leu Val
 115 120 125

Phe Tyr Lys Gly Arg Ala Pro Lys Gly Val Lys Thr Asn Trp Val Met
 130 135 140

His Glu Tyr Arg Leu Glu Gly Lys Phe Ala Ile Asp Asn Leu Ser Lys
 145 150 155 160

Thr Ala Lys Asn Glu Cys Val Ile Ser Arg Val Phe His Thr Arg Thr
 165 170 175

Asp Gly Thr Lys Glu His Met Ser Val Gly Leu Pro Pro Leu Met Asp
 180 185 190

Ser Ser Pro Tyr Leu Lys Ser Arg Gly Gln Asp Ser Leu Ala Gly Thr
 195 200 205

Thr Leu Gly Gly Leu Leu Ser His Val Thr Tyr Phe Ser Asp Gln Thr
 210 215 220

Thr Asp Asp Lys Ser Leu Val Ala Asp Phe Lys Thr Thr Met Phe Gly
 225 230 235 240

Ser Gly Ser Thr Asn Phe Leu Pro Asn Ile Gly Ser Leu Leu Asp Phe
 245 250 255

Asp Pro Leu Phe Leu Gln Asn Asn Ser Ser Val Leu Lys Met Leu Leu
 260 265 270

Asp Asn Glu Glu Thr Gln Phe Lys Lys Asn Leu His Asn Ser Gly Ser
 275 280 285

MBI15 Sequence Listing.ST25

Ser Glu Ser Glu Leu Thr Ala Ser Ser Trp Gln Gly His Asn Ser Tyr
290 295 300

Gly Ser Thr Gly Pro Val Asn Leu Asp Cys Val Trp Lys Phe
305 310 315

```
<210> 53
<211> 932
<212> DNA
<213> Arabidopsis thaliana
```

```
<220>
<221> CDS
<222> (43) .. (759)
<223> G350
```

```
<400> 53
ctttcttctc aatttagaac ttagtagcta gtcttcaaga ta atg gca ctt gaa 54
Met Ala Leu Glu
1
```

act ctt act tct cca aga tta tct tct ccg atg ccg act ctg ttt caa 102
Thr Leu Thr Ser Pro Arg Leu Ser Ser Pro Met Pro Thr Leu Phe Gln
5 10 15 20

gat tca gca cta ggg ttt cat gga agc aaa ggc aaa cga tct aag cga 150
Asp Ser Ala Leu Gly Phe His Gly Ser Lys Gly Lys Arg Ser Lys Arg
25 30 35

tca	aga	tct	gaa	ttc	gac	cgt	cag	agt	ctc	acg	gag	gat	gaa	tat	atc	198
Ser	Arg	Ser	Glu	Phe	Asp	Arg	Gln	Ser	Leu	Thr	Glu	Asp	Glu	Tyr	Ile	
			40					45					50			

gct tta tgt ctc atg ctt ctt gct cgc gac gga gat aga aac cgt gac 246
Ala Leu Cys Leu Met Leu Leu Ala Arg Asp Gly Asp Arg Asn Arg Asp
55 60 65

ctt	gac	ctg	cct	tct	tct	tcg	tct	tca	cct	cct	ctg	ctt	cct	cct	ctt	294
Leu	Asp	Leu	Pro	Ser	Ser	Ser	Ser	Ser	Pro	Pro	Leu	Leu	Pro	Pro	Leu	
	70					75					80					

cct	act	ccg	atc	tac	aag	tgt	agc	gtc	tgt	gac	aag	gcg	ttt	tcg	tct	342
Pro	Thr	Pro	Ile	Tyr	Lys	Cys	Ser	Val	Cys	Asp	Lys	Ala	Phe	Ser	Ser	
85					90					95					100	

tac	cag	gct	ctt	ggt	gga	cac	aag	gca	agt	cac	cgg	aaa	agc	ttt	tcg	390
Tyr	Gln	Ala	Leu	Gly	Gly	His	Lys	Ala	Ser	His	Arg	Lys	Ser	Phe	Ser	
				105					110					115		

ctt act caa tct gcc gga gga gat gag ctg tcg aca tcg tcg gcg ata 438
Leu Thr Gln Ser Ala Gly Gly Asp Glu Leu Ser Thr Ser Ser Ala Ile
120 125 130

acc acg tct ggt ata tcc ggt ggc ggg gga gga agt gtg aag tcg cac 486
Thr Thr Ser Gly Ile Ser Gly Gly Gly Gly Gly Ser Val Lys Ser His
135 140 145

gtt tgc tct atc tgt cat aaa tgc ttc gcc acc ggt caa gct ctc ggc 534
Val Cys Ser Ile Cys His Lys Ser Phe Ala Thr Gly Gln Ala Leu Gly
150 155 160

ggc cac aaa cgg tgc cac tac gaa gga aag aac gga ggc ggt gtg agt 582
Gly His Lys Arg Cys His Tyr Glu Gly Lys Asn Gly Gly Gly Val Ser
165 170 175 180

agt agc gtg tcg aat tct gaa gat gtg ggg tct aca agc cac gtc agc 630
Ser Ser Val Ser Asn Ser Glu Asp Val Gly Ser Thr Ser His Val Ser
185 190 195

aqt ggc cac cgt ggg ttt gac ctc aac ata ccg ccg ata ccg gaa ttc 678

MBI15 Sequence Listing.ST25

Ser Gly His Arg Gly Phe Asp Leu Asn Ile Pro Pro Ile Pro Glu Phe
 200 205 210
 tcg atg gtc aac gga gac gaa gag gtg atg agt cct atg ccg gcg aag 726
 Ser Met Val Asn Gly Asp Glu Glu Val Met Ser Pro Met Pro Ala Lys
 215 220 225
 aaa ctc cgg ttt gac ttc ccg gag aaa ccc taa acataaacct aggaaaaact 779
 Lys Leu Arg Phe Asp Phe Pro Glu Lys Pro
 230 235
 ttacagaatt cattttatag gaaattgttt tactgtatat acaaatatcg attttgattg 839
 atgttcttct tcaactgaaaa attatgattc tttgttgat aattgatgtt tctgaaaaag 899
 atataacttt ttattaaaaa aaaaaaaaaa aaa 932

<210> 54
 <211> 238
 <212> PRT
 <213> Arabidopsis thaliana

<400> 54

Met Ala Leu Glu Thr Leu Thr Ser Pro Arg Leu Ser Ser Pro Met Pro
 1 5 10 15
 Thr Leu Phe Gln Asp Ser Ala Leu Gly Phe His Gly Ser Lys Gly Lys
 20 25 30
 Arg Ser Lys Arg Ser Arg Ser Glu Phe Asp Arg Gln Ser Leu Thr Glu
 35 40 45
 Asp Glu Tyr Ile Ala Leu Cys Leu Met Leu Leu Ala Arg Asp Gly Asp
 50 55 60
 Arg Asn Arg Asp Leu Asp Leu Pro Ser Ser Ser Ser Ser Pro Pro Leu
 65 70 75 80
 Leu Pro Pro Leu Pro Thr Pro Ile Tyr Lys Cys Ser Val Cys Asp Lys
 85 90 95
 Ala Phe Ser Ser Tyr Gln Ala Leu Gly Gly His Lys Ala Ser His Arg
 100 105 110
 Lys Ser Phe Ser Leu Thr Gln Ser Ala Gly Gly Asp Glu Leu Ser Thr
 115 120 125
 Ser Ser Ala Ile Thr Thr Ser Gly Ile Ser Gly Gly Gly Gly Ser
 130 135 140
 Val Lys Ser His Val Cys Ser Ile Cys His Lys Ser Phe Ala Thr Gly
 145 150 155 160
 Gln Ala Leu Gly Gly His Lys Arg Cys His Tyr Glu Gly Lys Asn Gly
 165 170 175
 Gly Gly Val Ser Ser Ser Val Ser Asn Ser Glu Asp Val Gly Ser Thr
 180 185 190
 Ser His Val Ser Ser Gly His Arg Gly Phe Asp Leu Asn Ile Pro Pro
 195 200 205

Ile Pro Glu Phe Ser Met Val Asn Gly Asp Glu Glu Val Met Ser Pro
210 215 220

Met Pro Ala Lys Lys Leu Arg Phe Asp Phe Pro Glu Lys Pro
225 230 235

```
<210> 55
<211> 1022
<212> DNA
<213> Arabidopsis thaliana
```

```
<220>
<221> CDS
<222> (31) .. (846)
<223> G986
```

```
<400> 55
cattaaattg gctcctgtga acctaaattt atg gac tat gat ccc aac acc aat 54
               Met Asp Tyr Asp Pro Asn Thr Asn
               1           5
```

ccg ttc gac ctt cat ttc tcc ggt aaa ctt ccg aaa aga gaa gtc tcg 102
Pro Phe Asp Leu His Phe Ser Gly Lys Leu Pro Lys Arg Glu Val Ser
10 15 20

gct tca gct tct aaa gtt gta gag aag aaa tgg tta gtg aaa gat gag 150
Ala Ser Ala Ser Lys Val Val Glu Lys Lys Trp Leu Val Lys Asp Glu
25 30 35 40

aag aga aat atg cta caa gat gaa ata aac cgg gtt aat tcg gag aac 198
Lys Arg Asn Met Leu Gln Asp Glu Ile Asn Arg Val Asn Ser Glu Asn
45 50 55

aag aag cta acc gaa atg tta gca aga gtc tgt gag aag tac tat gct 246
Lys Lys Leu Thr Glu Met Leu Ala Arg Val Cys Glu Lys Tyr Tyr Ala
60 65 70

ctt aat aat ctt atg gag gag ttg cag agt cga aag agt cct gaa agt 294
Leu Asn Asn Leu Met Glu Glu Leu Gln Ser Arg Lys Ser Pro Glu Ser
75 80 85

gtt aac ttt cag aac aaa cag cta acg ggg aaa cga aaa caa gaa ctt 342
Val Asn Phe Gln Asn Lys Gln Leu Thr Gly Lys Arg Lys Gln Glu Leu
90 95 100

gat gag ttt gtt agc tcc cca att gga ctc agt ctc gga cca atc gag 390
Asp Glu Phe Val Ser Ser Pro Ile Gly Leu Ser Leu Gly Pro Ile Glu
105 110 120

aac atc acc aac gat aaa gcg acg gtt tca acc gct tac ttt gct gct 438
Asn Ile Thr Asn Asp Lys Ala Thr Val Ser Thr Ala Tyr Phe Ala Ala
125 130 135

gag aag tct gac aca agc ttg act gtg aaa gat gga tat caa tgg agg 486
Glu Lys Ser Asp Thr Ser Leu Thr Val Lys Asp Gly Tyr Gln Trp Arg
140 145 150

aaa tac ggg caa aag att acg aga gat aat cca tct cct aga gct tac 534
Lys Tyr Gly Gln Lys Ile Thr Arg Asp Asn Pro Ser Pro Arg Ala Tyr
155 160 165

ttc	aga	tgc	tcg	ttt	tca	ccg	tct	tgt	cta	gtc	aag	aag	aag	gtg	caa	582
Phe	Arg	Cys	Ser	Phe	Ser	Pro	Ser	Cys	Leu	Val	Lys	Lys	Lys	Val	Gln	
	170					175					180					

gca agt gca gaa gat cca tct ttc ttg gta gcc act tac gaa ggg aca 630
Arg Ser Ala Glu Asp Pro Ser Phe Leu Val Ala Thr Glu Gly Thr
185 190 195 200

cat aac cac acc gga cca cat gca agt gtg tcc agg aca gtg aaa ctt 678

MBI15 Sequence Listing.ST25

His Asn His Thr Gly Pro His Ala Ser Val Ser Arg Thr Val Lys Leu
 205 210 215

gat cta gtt caa ggt ggg ctt gaa cca gtt gag gaa aag aaa gag aga 726
 Asp Leu Val Gln Gly Gly Leu Glu Pro Val Glu Glu Lys Lys Glu Arg
 220 225 230

ggg acg att caa gag gtt ttg gtg caa caa atg gct tct tcg ttg acc 774
 Gly Thr Ile Gln Glu Val Leu Val Gln Met Ala Ser Ser Leu Thr
 235 240 245

aaa gat cct aag ttc act gca gct ctt gcg act gct att tcc ggg aga 822
 Lys Asp Pro Lys Phe Thr Ala Ala Leu Ala Thr Ala Ile Ser Gly Arg
 250 255 260

ttg ata gag cat tca aga aca tga aagttctcta gaacatgtat atttctgttt 876
 Leu Ile Glu His Ser Arg Thr
 265 270

tgttctattt tgttgcctcat tcctagtaaa aaggtaaaga tttgtttgat cttgattagg 936

aggcatagat gtcaatttta atgtgtgtgt atataattac atcaaatacta agtatccaaa 996

aagggtcacc cccattttat cttatg 1022

<210> 56
 <211> 271
 <212> PRT
 <213> Arabidopsis thaliana

<400> 56

Met Asp Tyr Asp Pro Asn Thr Asn Pro Phe Asp Leu His Phe Ser Gly
 1 5 10 15

Lys Leu Pro Lys Arg Glu Val Ser Ala Ser Ala Ser Lys Val Val Glu
 20 25 30

Lys Lys Trp Leu Val Lys Asp Glu Lys Arg Asn Met Leu Gln Asp Glu
 35 40 45

Ile Asn Arg Val Asn Ser Glu Asn Lys Lys Leu Thr Glu Met Leu Ala
 50 55 60

Arg Val Cys Glu Lys Tyr Tyr Ala Leu Asn Asn Leu Met Glu Glu Leu
 65 70 75 80

Gln Ser Arg Lys Ser Pro Glu Ser Val Asn Phe Gln Asn Lys Gln Leu
 85 90 95

Thr Gly Lys Arg Lys Gln Glu Leu Asp Glu Phe Val Ser Ser Pro Ile
 100 105 110

Gly Leu Ser Leu Gly Pro Ile Glu Asn Ile Thr Asn Asp Lys Ala Thr
 115 120 125

Val Ser Thr Ala Tyr Phe Ala Ala Glu Lys Ser Asp Thr Ser Leu Thr
 130 135 140

Val Lys Asp Gly Tyr Gln Trp Arg Lys Tyr Gly Gln Lys Ile Thr Arg
 145 150 155 160

Asp Asn Pro Ser Pro Arg Ala Tyr Phe Arg Cys Ser Phe Ser Pro Ser
 165 170 175

MBI15 Sequence Listing.ST25

Cys Leu Val Lys Lys Lys Val Gln Arg Ser Ala Glu Asp Pro Ser Phe
180 185 190

Leu Val Ala Thr Tyr Glu Gly Thr His Asn His Thr Gly Pro His Ala
195 200 205

Ser Val Ser Arg Thr Val Lys Leu Asp Leu Val Gln Gly Gly Leu Glu
210 215 220

Pro Val Glu Glu Lys Lys Glu Arg Gly Thr Ile Gln Glu Val Leu Val
225 230 235 240

Gln Gln Met Ala Ser Ser Leu Thr Lys Asp Pro Lys Phe Thr Ala Ala
245 250 255

Leu Ala Thr Ala Ile Ser Gly Arg Leu Ile Glu His Ser Arg Thr
260 265 270

<210> 57
<211> 1230
<212> DNA
<213> Arabidopsis thaliana

<220>
<221> CDS
<222> (1)..(1089)
<223> G1349

<400> 57
atg gct agt cgg aga gaa gta cgg tgc cgg tgc ggc aga cgg atg tgg 48
Met Ala Ser Arg Arg Glu Val Arg Cys Arg Cys Gly Arg Arg Met Trp
1 5 10 15
ggt caa cca gac gcc cgt acc gtc caa tgc tca acc tgc cac acc gtc 96
Val Gln Pro Asp Ala Arg Thr Val Gln Cys Ser Thr Cys His Thr Val
20 25 30
acg cag ctc tac tcg cta gtg gac ata gct cgc ggt gca aac cgc ata 144
Thr Gln Leu Tyr Ser Leu Val Asp Ile Ala Arg Gly Ala Asn Arg Ile
35 40 45
att cat ggg ttt caa cag cta ctt aga caa cac caa ccg caa cat cat 192
Ile His Gly Phe Gln Gln Leu Leu Arg Gln His Gln Pro Gln His His
50 55 60
gaa caa caa caa caa atg atg gct caa ccg cca cca cgg ctg ctt 240
Glu Gln Gln Gln Gln Met Met Ala Gln Pro Pro Pro Arg Leu Leu
65 70 75 80
gag cct ctt ccc tcg ccg ttt ggg aag aag aga gca gtt tta tgc ggc 288
Glu Pro Leu Pro Ser Pro Phe Gly Lys Lys Arg Ala Val Leu Cys Gly
85 90 95
gtg aac tat aag gga aaa agt tat agc ttg aaa ggt tgc atc agt gat 336
Val Asn Tyr Lys Gly Lys Ser Tyr Ser Leu Lys Gly Cys Ile Ser Asp
100 105 110
gct aag tcc atg aga tct tta ttg gtt caa caa atg ggt ttc cct att 384
Ala Lys Ser Met Arg Ser Leu Leu Val Gln Gln Met Gly Phe Pro Ile
115 120 125
gac tct att ctc atg ctc aca gaa gat gaa gcc agc ccg cag aga ata 432
Asp Ser Ile Leu Met Leu Thr Glu Asp Glu Ala Ser Pro Gln Arg Ile
130 135 140
ccg acg aag aga aac att agg aag gcg atg aga tgg tta gtt gaa ggg 480

MBI15 Sequence Listing.ST25

Pro	Thr	Lys	Arg	Asn	Ile	Arg	Lys	Ala	Met	Arg	Trp	Leu	Val	Glu	Gly		
145					150				155						160		
aac	aga	gca	agg	gac	tca	cta	gtg	ttc	cat	ttc	tct	ggt	cat	gga	tct	528	
Asn	Arg	Ala	Arg	Asp	Ser	Leu	Val	Phe	His	Phe	Ser	Gly	His	Gly	Ser		
				165				170						175			
cag	cag	aat	gac	tac	aac	gga	gac	gag	atc	gat	ggt	caa	gat	gaa	gcc	576	
Gln	Gln	Asn	Asp	Tyr	Asn	Gly	Asp	Glu	Ile	Asp	Gly	Gln	Asp	Glu	Ala		
			180					185					190				
ttg	tgc	cct	tta	gac	cat	gaa	aca	gaa	gga	aaa	atc	att	gat	gac	gag	624	
Leu	Cys	Pro	Leu	Asp	His	Glu	Thr	Glu	Gly	Lys	Ile	Ile	Asp	Asp	Glu		
		195				200						205					
att	aac	cgg	ata	ctc	gtg	agg	cct	ctc	gtc	cat	gga	gct	aag	ctt	cac	672	
Ile	Asn	Arg	Ile	Leu	Val	Arg	Pro	Leu	Val	His	Gly	Ala	Lys	Leu	His		
	210					215					220						
gct	gtc	atc	gac	gcc	tgt	aac	agc	ggg	act	gtc	ctt	gat	tta	ccc	ttc	720	
Ala	Val	Ile	Asp	Ala	Cys	Asn	Ser	Gly	Thr	Val	Leu	Asp	Leu	Pro	Phe		
	225				230				235					240			
att	tgc	agg	atg	gag	agg	aat	ggt	tct	tat	gaa	tgg	gaa	gac	cat	aga	768	
Ile	Cys	Arg	Met	Glu	Arg	Asn	Gly	Ser	Tyr	Glu	Trp	Glu	Asp	His	Arg		
			245						250					255			
tca	gtc	aga	gct	tac	aaa	gga	aca	gat	ggt	gga	gca	gct	ttc	tgt	ttc	816	
Ser	Val	Arg	Ala	Tyr	Lys	Gly	Thr	Asp	Gly	Gly	Ala	Ala	Phe	Cys	Phe		
			260					265					270				
agt	gct	tgt	gac	gat	gat	gaa	tcc	agt	ggt	tac	act	cct	gtg	ttc	acg	864	
Ser	Ala	Cys	Asp	Asp	Asp	Glu	Ser	Ser	Gly	Tyr	Thr	Pro	Val	Phe	Thr		
		275					280					285					
ggg	aag	aac	aca	gga	gcc	atg	act	tat	agc	ttc	ata	aag	gcg	gtg	aag	912	
Gly	Lys	Asn	Thr	Gly	Ala	Met	Thr	Tyr	Ser	Phe	Ile	Lys	Ala	Val	Lys		
	290					295					300						
aca	gct	gga	cca	gca	ccc	acg	tat	ggc	cac	ctg	ctt	aac	ctt	atg	tgt	960	
Thr	Ala	Gly	Pro	Ala	Pro	Thr	Tyr	Gly	His	Leu	Leu	Asn	Leu	Met	Cys		
					310					315					320		
tct	gca	ata	cga	gag	gcc	cag	tct	cgc	ctc	gcc	ttt	aac	ggg	gac	tac	1008	
Ser	Ala	Ile	Arg	Glu	Ala	Gln	Ser	Arg	Leu	Ala	Phe	Asn	Gly	Asp	Tyr		
				325				330						335			
aca	agc	tct	gat	gca	tcc	gcg	gag	cca	ctg	cta	aca	tca	tct	gag	gaa	1056	
Thr	Ser	Ser	Asp	Ala	Ser	Ala	Glu	Pro	Leu	Leu	Thr	Ser	Ser	Glu	Glu		
			340					345					350				
ttt	gac	gtg	tac	gcg	aca	aag	ttt	gta	ctc	tga	atgctgtaca	tatgatgctg				1109	
Phe	Asp	Val	Tyr	Ala	Thr	Lys	Phe	Val	Leu								
		355				360											
caa	atagctc	ggaaacgttt	ctatgtgtat	gtatcatgta	atgattatgt	tgcatagcct										1169	
ctctcttctt	acgagcaata	agctatgaaa	taattgattc	gctaagaaat	ttaaaaatgaa											1229	
a																1230	

<210> 58
 <211> 362
 <212> PRT
 <213> Arabidopsis thaliana
 <400> 58

Met	Ala	Ser	Arg	Arg	Glu	Val	Arg	Cys	Arg	Cys	Gly	Arg	Arg	Met	Trp
1				5				10						15	

Val	Gln	Pro	Asp	Ala	Arg	Thr	Val	Gln	Cys	Ser	Thr	Cys	His	Thr	Val
			20					25					30		

MBI15 Sequence Listing.ST25

```

Thr Gln Leu Tyr Ser Leu Val Asp Ile Ala Arg Gly Ala Asn Arg Ile
   35                               40                   45

Ile His Gly Phe Gln Gln Leu Leu Arg Gln His Gln Pro Gln His His
   50                               55                   60

Glu Gln Gln Gln Gln Gln Met Met Ala Gln Pro Pro Pro Arg Leu Leu
   65                               70                   75                   80

Glu Pro Leu Pro Ser Pro Phe Gly Lys Lys Arg Ala Val Leu Cys Gly
   85                               90                   95

Val Asn Tyr Lys Gly Lys Ser Tyr Ser Leu Lys Gly Cys Ile Ser Asp
  100                               105                   110

Ala Lys Ser Met Arg Ser Leu Leu Val Gln Gln Met Gly Phe Pro Ile
  115                               120                   125

Asp Ser Ile Leu Met Leu Thr Glu Asp Glu Ala Ser Pro Gln Arg Ile
  130                               135                   140

Pro Thr Lys Arg Asn Ile Arg Lys Ala Met Arg Trp Leu Val Glu Gly
  145                               150                   155                   160

Asn Arg Ala Arg Asp Ser Leu Val Phe His Phe Ser Gly His Gly Ser
  165                               170                   175

Gln Gln Asn Asp Tyr Asn Gly Asp Glu Ile Asp Gly Gln Asp Glu Ala
  180                               185                   190

Leu Cys Pro Leu Asp His Glu Thr Glu Gly Lys Ile Ile Asp Asp Glu
  195                               200                   205

Ile Asn Arg Ile Leu Val Arg Pro Leu Val His Gly Ala Lys Leu His
  210                               215                   220

Ala Val Ile Asp Ala Cys Asn Ser Gly Thr Val Leu Asp Leu Pro Phe
  225                               230                   235                   240

Ile Cys Arg Met Glu Arg Asn Gly Ser Tyr Glu Trp Glu Asp His Arg
  245                               250                   255

Ser Val Arg Ala Tyr Lys Gly Thr Asp Gly Gly Ala Ala Phe Cys Phe
  260                               265                   270

Ser Ala Cys Asp Asp Asp Glu Ser Ser Gly Tyr Thr Pro Val Phe Thr
  275                               280                   285

Gly Lys Asn Thr Gly Ala Met Thr Tyr Ser Phe Ile Lys Ala Val Lys
  290                               295                   300

Thr Ala Gly Pro Ala Pro Thr Tyr Gly His Leu Leu Asn Leu Met Cys
  305                               310                   315                   320

Ser Ala Ile Arg Glu Ala Gln Ser Arg Leu Ala Phe Asn Gly Asp Tyr

```

MBI15 Sequence Listing.ST25

325

330

335

Thr Ser Ser Asp Ala Ser Ala Glu Pro Leu Leu Thr Ser Ser Glu Glu
340 345 350

Phe Asp Val Tyr Ala Thr Lys Phe Val Leu
355 360

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US00/31418

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : A01H 1/00, 5/00; C12N 5/14, 15/82

US CL : 435/320.1, 419, 468; 800/278, 279, 287, 301, 305-310, 312, 314, 317, 320, 322

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 435/320.1, 419, 468; 800/278, 279, 287, 301, 305-310, 312, 314, 317, 320, 322

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)
EAST, USPAT; STN, Agricola, CaPlus, Biosis, Embase**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X --- Y	WO 97/47183 A1 (PURDUE RESEARCH FOUNDATION) 18 December 1997 (18.12.1997), entire reference.	1-9, 12, 13, 25 ----- 10, 11, 26, 27
X --- Y	US 5,939,601 (KLESSIG et al) 17 August 1999 (17.08.1999), entire reference.	1-9, 12, 13, 25 ----- 10, 11, 26, 27
A	Database Genbank on NCBI, US National Library of Medicine, (Bethesda, MD, USA) No. AB009055, SATO, S. et al 'Structural analysis of Arabidopsis thaliana chromosome 5. IV. Sequence features of the regions of 1,456,315 bp covered by nineteen physically assigned P1 and TAC clones. 27 December 2000, DNA RES. 1998, Vol. 5, No. 1, pages 41-54, see bases 16,003-16,490, 16,571-16,683 and 16,780-17,365.	1-13, 25-27



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T"

later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X"

document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y"

document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&"

document member of the same patent family

Date of the actual completion of the international search

23 February 2001 (23.02.2001)

Date of mailing of the international search report

09 MAR 2001

Name and mailing address of the ISA/US

Commissioner of Patents and Trademarks

Box PCT

Washington, D.C. 20231

Facsimile No. (703)305-3230

Authorized officer

David Kruse

Telephone No. 703-308-TECHNOLOGY CENTER 1600

TERRY J. DEY

PARALEGAL SPECIALIST

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US00/31418

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claim Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claim Nos.:
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3. ☒ Claim Nos.: 14
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:
Please See Continuation Sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.: 1-13 & 25-27 and SEQ ID NOs 1&2

Remark on Protest

☐
☐

The additional search fees were accompanied by the applicant's protest.

No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US00/31418

BOX II. OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1. In order for all inventions to be examined, the appropriate additional examination fees must be paid.

Groups I-XXIX, claim(s) 1-14 and 25-27, drawn to a transgenic plant having modified seed characteristics, polynucleotides and vectors for producing said transgenic plant and a method of making said transgenic plant. Applicant must elect one pair of sequences (one nucleic acid and the corresponding amino acid translation) to be examined, *i.e.* SEQ ID NO: 1 and 2 in Group I, SEQ ID NO: 3 and 4 in Group II, SEQ ID NO: 5 and 6 in Group III, etc.

Group XXX, claim(s) 15-17, drawn to a method of identifying a factor that is modulated.

Group XXXI, claim(s) 18, drawn to a method of identifying a molecule that modulates activity or expression of a polynucleotide or polypeptide.

Group XXXII, claim(s) 19 and 20, drawn to an integrated computer system.

Group XXXIII, claim(s) 21-24, drawn to a method for identifying a polynucleotide sequence comprising selecting a nucleic acid sequence from a database that meets a selected sequence criteria.

The inventions listed as Groups I-XXXIII do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:

The inventions listed as Groups I-XXXIII do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons: Groups I-XXIX are drawn to a transgenic plant and a method of producing said plant with a nucleic acid sequence. The methods of Groups I-XXIX differ from each other in that they are directed to a plant transformation method and transgenic plant with a structurally and functionally distinct nucleic acid sequence which encodes a structurally and functionally distinct amino acid sequence. In addition, Groups XXX, XXXI and XXXIII are different methods from any of Groups I-XXIX in that they have different method steps and different end products, and Group XXXII requires a computer system. Thus, there is no single special technical feature, which links the inventions of Groups I-XXXIII under PCT Rule 13.2.